

Basic Metabolic Panel (GPSL-BMP)

Description

```
[et_pb_section fb_built=1 admin_label=section _builder_version=4.16 global_colors_info={}] [et_pb_row admin_label=row _builder_version=4.16 background_size=initial background_position=top_left background_repeat=repeat global_colors_info={}] [et_pb_column type=4_4 _builder_version=4.16 custom_padding=||| global_colors_info={} custom_padding__hover=|||] [et_pb_text admin_label=Text _builder_version=4.20.4 text_font_size=18px text_line_height=1.8em background_size=initial background_position=top_left background_repeat=repeat hover_enabled=0 global_colors_info={} sticky_enabled=0]
```

Basic Metabolic Panel (BMP)

The Basic Metabolic Panel (BMP) is a blood test that measures the levels of certain chemicals and electrolytes in the blood. This test provides important information about a person's overall health and helps to identify potential medical problems.

These tests can help to identify medical problems such as diabetes, kidney disease, electrolyte imbalances, and metabolic disorders. The BMP is often used as part of a routine health checkup or to monitor the progress of a medical condition.

```
[/et_pb_text]/[et_pb_column]/[et_pb_row]/[et_pb_section] [et_pb_section fb_built=1 admin_label=Service _builder_version=4.20.1 background_color=#FFFFFF global_module=228011 saved_tabs=all global_colors_info={}] [et_pb_row column_structure=1_4,3_4 _builder_version=4.20.1 width=65% max_width=2560px global_colors_info={}] [et_pb_column type=1_4 _builder_version=4.16 custom_padding=||| global_colors_info={} custom_padding__hover=|||] [et_pb_button button_url=https://goldenpointlabs.com/contact/ button_text=Contact GoldenPoint _builder_version=4.20.1 custom_button=on button_text_size=15px button_bg_color=#0079a8 button_border_width=0px button_border_radius=0px button_letter_spacing=2px button_font=|700|on| button_use_icon=off background_layout=dark custom_margin=|||true custom_padding=16px|32px|16px|32px|true|true button_letter_spacing_hover=2px button_bg_color_hover=#00e2c4 locked=off global_colors_info={} button_text_size__hover_enabled=off button_one_text_size__hover_enabled=off button_two_text_size__hover_enabled=off button_text_color__hover_enabled=off button_one_text_color__hover_enabled=off button_two_text_color__hover_enabled=off button_border_width__hover_enabled=off button_one_border_width__hover_enabled=off button_two_border_width__hover_enabled=off button_border_color__hover_enabled=off button_one_border_color__hover_enabled=off button_two_border_color__hover_enabled=off button_border_radius__hover_enabled=off button_one_border_radius__hover_enabled=off]
```

button_two_border_radius__hover_enabled=â€œoffâ€œ button_letter_spacing__hover_enabled=â€œonâ€œ
• button_letter_spacing__hover=â€œ2pxâ€œ button_one_letter_spacing__hover_enabled=â€œoffâ€œ
button_two_letter_spacing__hover_enabled=â€œoffâ€œ button_bg_color__hover_enabled=â€œonâ€œ
button_bg_color__hover=â€œ#00e2c4â€œ button_one_bg_color__hover_enabled=â€œoffâ€œ
button_two_bg_color__hover_enabled=â€œoffâ€œ[/et_pb_button][et_pb_image src=â€œ
https://goldenpointlabs.com/wp-content/uploads/2022/07/womens-health-lab-testing.jpegâ€œ alt=â€œ
Influenza PCR Testâ€œ title_text=â€œInfluenza PCR Testâ€œ _builder_version=â€œ4.20.1â€œ
_module_preset=â€œdefaultâ€œ global_colors_info=â€œ{}â€œ
[/et_pb_image][et_pb_column][et_pb_column type=â€œ3_4â€œ _builder_version=â€œ4.16â€œ
custom_padding=â€œ|||â€œ global_colors_info=â€œ{}â€œ custom_padding__hover=â€œ|||â€œ[et_pb_text
_builder_version=â€œ4.20.1â€œ header_font=â€œ|||||||â€œ header_2_font=â€œ|||||||â€œ header_3_font=â€œ
|||||||â€œ header_4_font=â€œMontserrat|700|on|||||â€œ header_4_text_color=â€œ#0079a8â€œ
header_4_font_size=â€œ20pxâ€œ header_4_letter_spacing=â€œ2pxâ€œ header_4_line_height=â€œ
1.6emâ€œ max_width=â€œ600pxâ€œ max_width_tablet=â€œ700pxâ€œ max_width_phone=â€œ700pxâ€œ
max_width_last_edited=â€œoff|desktopâ€œ custom_margin=â€œ|||â€œ custom_margin_tablet=â€œ|0px||â€œ
custom_margin_phone=â€œ|0px||â€œ custom_margin_last_edited=â€œoff|desktopâ€œ
header_2_font_size_tablet=â€œ30pxâ€œ header_2_font_size_last_edited=â€œoff|desktopâ€œ locked=â€œ
offâ€œ global_colors_info=â€œ{}â€œ]

Clinical Lab Testing Services:

[/et_pb_text][et_pb_text _builder_version=â€œ4.20.1â€œ text_font=â€œ|||||||â€œ text_font_size=â€œ16pxâ€œ
ul_font=â€œ|||||||â€œ ul_line_height=â€œ2.5emâ€œ header_font=â€œ|||||||â€œ header_2_font=â€œ
Montserrat|800|||||||â€œ header_2_font_size=â€œ25pxâ€œ header_2_line_height=â€œ1.5emâ€œ
header_3_font=â€œ|||||||â€œ header_4_font=â€œ|||||||â€œ custom_margin=â€œ|||â€œ
custom_margin_tablet=â€œ|0px||â€œ custom_margin_phone=â€œ|0px||â€œ
custom_margin_last_edited=â€œoff|desktopâ€œ custom_padding=â€œ20px|||â€œ link_option_url=â€œ
https://goldenpointlabs.com/blood-testing-services/â€œ header_2_font_size_tablet=â€œ30pxâ€œ
header_2_font_size_phone=â€œ20pxâ€œ header_2_font_size_last_edited=â€œon|phoneâ€œ
border_color_all=â€œ#12eaa6â€œ border_width_top=â€œ2pxâ€œ border_color_top=â€œ#ffd700â€œ
locked=â€œoffâ€œ global_colors_info=â€œ{}â€œ]

â€žSearch Blood Test Panels/Profiles

[/et_pb_text][et_pb_text _builder_version=â€œ4.20.1â€œ text_font=â€œ|||||||â€œ text_font_size=â€œ16pxâ€œ
ul_font=â€œ|||||||â€œ ul_line_height=â€œ2.5emâ€œ header_font=â€œ|||||||â€œ header_2_font=â€œ
Montserrat|800|||||||â€œ header_2_font_size=â€œ25pxâ€œ header_2_line_height=â€œ1.5emâ€œ
header_3_font=â€œ|||||||â€œ header_4_font=â€œ|||||||â€œ custom_margin=â€œ|||â€œ
custom_margin_tablet=â€œ|0px||â€œ custom_margin_phone=â€œ|0px||â€œ
custom_margin_last_edited=â€œoff|desktopâ€œ custom_padding=â€œ20px|||â€œ link_option_url=â€œ
https://goldenpointlabs.com/blood-testing-services/â€œ header_2_font_size_tablet=â€œ30pxâ€œ
header_2_font_size_phone=â€œ20pxâ€œ header_2_font_size_last_edited=â€œon|phoneâ€œ
border_color_all=â€œ#12eaa6â€œ border_width_top=â€œ2pxâ€œ border_color_top=â€œ#ffd700â€œ
locked=â€œoffâ€œ global_colors_info=â€œ{}â€œ]

[â†’ Search PCR Pathogens Test Panels/Profiles](#)

```
[/et_pb_text][et_pb_text_builder_version=â€4.20.1â€³ text_font=â€|||||â€ text_font_size=â€16pxâ€  
ul_font=â€|||||â€ ul_line_height=â€2.5emâ€ header_font=â€|||||â€ header_2_font=â€  
Montserrat|800|||||â€ header_2_font_size=â€25pxâ€ header_2_line_height=â€1.5emâ€  
header_3_font=â€|||||â€ header_4_font=â€|||||â€ max_width_tablet=â€700pxâ€  
max_width_phone=â€700pxâ€ max_width_last_edited=â€off|desktopâ€ custom_margin=â€|||â€  
custom_margin_tablet=â€|0px||â€ custom_margin_phone=â€|0px||â€  
custom_margin_last_edited=â€off|desktopâ€ custom_padding=â€20px|||â€ link_option_url=â€  
https://goldenpointlabs.com/blood-testing-services/â€ header_2_font_size_tablet=â€30pxâ€  
header_2_font_size_phone=â€20pxâ€ header_2_font_size_last_edited=â€on|phoneâ€  
border_color_all=â€#12eaa6â€³ border_width_top=â€2pxâ€ border_color_top=â€#ffd700â€³  
locked=â€offâ€ global_colors_info=â€{}â€]
```

[â†’ Search Toxicology Test Panels/Profiles](#)

```
[/et_pb_text][et_pb_text_builder_version=â€4.20.2â€³ text_font=â€|||||â€ text_font_size=â€16pxâ€  
ul_font=â€|||||â€ ul_line_height=â€2.5emâ€ header_font=â€|||||â€ header_2_font=â€  
Montserrat|800|||||â€ header_2_font_size=â€25pxâ€ header_2_line_height=â€1.5emâ€  
header_3_font=â€|||||â€ header_4_font=â€|||||â€ max_width_tablet=â€700pxâ€  
max_width_phone=â€700pxâ€ max_width_last_edited=â€off|desktopâ€ custom_margin=â€|||â€  
custom_margin_tablet=â€|0px||â€ custom_margin_phone=â€|0px||â€  
custom_margin_last_edited=â€off|desktopâ€ custom_padding=â€20px|||â€ link_option_url=â€  
https://goldenpointlabs.com/blood-testing-services/â€ header_2_font_size_tablet=â€30pxâ€  
header_2_font_size_phone=â€20pxâ€ header_2_font_size_last_edited=â€on|phoneâ€  
border_color_all=â€#12eaa6â€³ border_width_top=â€2pxâ€ border_color_top=â€#ffd700â€³  
locked=â€offâ€ global_colors_info=â€{}â€]
```

[â†’ Search Microbiology/Fungal Test Panels/Profiles](#)

```
[/et_pb_text][et_pb_text_builder_version=â€4.20.2â€³ text_font=â€|||||â€ text_font_size=â€16pxâ€  
ul_font=â€|||||â€ ul_line_height=â€2.5emâ€ header_font=â€|||||â€ header_2_font=â€  
Montserrat|800|||||â€ header_2_font_size=â€25pxâ€ header_2_line_height=â€1.5emâ€  
header_3_font=â€|||||â€ header_4_font=â€|||||â€ max_width_tablet=â€700pxâ€  
max_width_phone=â€700pxâ€ max_width_last_edited=â€off|desktopâ€ custom_margin=â€|||â€  
custom_margin_tablet=â€|0px||â€ custom_margin_phone=â€|0px||â€  
custom_margin_last_edited=â€off|desktopâ€ custom_padding=â€20px|||â€ link_option_url=â€  
https://goldenpointlabs.com/blood-testing-services/â€ header_2_font_size_tablet=â€30pxâ€  
header_2_font_size_phone=â€20pxâ€ header_2_font_size_last_edited=â€on|phoneâ€  
border_color_all=â€#12eaa6â€³ border_width_top=â€2pxâ€ border_color_top=â€#ffd700â€³  
locked=â€offâ€ global_colors_info=â€{}â€]
```

[â†’ Search Allergens Test Panels/Profiles](#)

```
[/et_pb_text][et_pb_column][et_pb_row][et_pb_section][et_pb_section fb_built=1  
_builder_version=4.16 _module_preset=default background_color=#000000  
custom_padding=|20px| global_module=35433 saved_tabs=all  
global_colors_info={}][et_pb_row column_structure=1_3,1_3,1_3 _builder_version=4.16  
_module_preset=default max_width=2560px module_alignment=center  
global_colors_info={}][et_pb_column type=1_3 _builder_version=4.16  
_module_preset=default global_colors_info={}][et_pb_image src=https://goldenpointlabs.com/wp-content/uploads/2021/06/PNGtransparent-2.png title_text=PNG(transparent) (2) _builder_version=4.16 _module_preset=default background_color=rgba(255,255,255,0) width=41% module_alignment=left custom_margin=0px|false|false custom_padding=0px|false|false border_radii=on|43px|43px|43px|43px border_width_all=3px border_color_all=#FFFFFF global_colors_info={}][et_pb_image][et_pb_blurb title=Address use_icon=on font_icon=i|divi|400 icon_color=#ffd700 icon_placement=left _builder_version=4.16 _module_preset=default header_font=Montserrat|700 header_text_color=#FFFFFF body_text_color=#FFFFFF global_colors_info={}]
```

153 Cahaba Valley Parkway,
Pelham, Alabama 35124

```
[/et_pb_blurb][et_pb_blurb title=Phone use_icon=on font_icon=i|divi|400 icon_color=#ffd700 icon_placement=left _builder_version=4.16 _module_preset=default header_font=Montserrat|700 header_text_color=#FFFFFF body_text_color=#FFFFFF global_colors_info={}]
```

```
[/et_pb_blurb][et_pb_blurb title=Message Us url=https://goldenpointlabs.com/contact/ use_icon=on font_icon=i|divi|400 icon_color=#ffd700 icon_placement=left image_icon_width=29px _builder_version=4.16 _module_preset=default header_font=Montserrat|700 header_text_color=#FFFFFF body_text_color=#FFFFFF custom_margin=0px|false|false custom_padding=0px|false|false custom_css_blurb_title=padding-top: 5px icon_font_size=29px global_colors_info={}][et_pb_blurb][et_pb_blurb title=CLIA: 01D2176939 url=mailto:info@goldenpointlabs.com use_icon=on font_icon=i|divi|400 icon_color=#ffd700 image_icon_background_color=rgba(0,121,168,0) icon_placement=left image_icon_width=16px _builder_version=4.16 _module_preset=default header_font=Montserrat|700 header_text_color=#FFFFFF body_text_color=#FFFFFF image_icon_custom_padding=8px|8px|8px|8px|false|false link_option_url=mailto:info@goldenpointlabs.com custom_css_blurb_title=padding-top: 10px; border_radii_image=on|100%|100%|100%|100% border_width_all_image=2px border_color_all_image=#0079a8 use_circle=on use_circle_border=on circle_color=rgba(0,121,168,0) global_colors_info={} image_icon_background_color__sticky_enabled=#0079a8 image_icon_background_color__sticky=#0079a8][et_pb_blurb][et_pb_social_media_follow _builder_version=4.18.0 _module_preset=default global_colors_info={}][et_pb_social_media_follow_network social_network=google url=
```

https://g.page/r/CSDCYrQQcyeoEAE?_builder_version=4.18.0?_module_preset=default?background_color=#4285f4?global_colors_info={}?follow_button=off?url_new_window=on
]google[/et_pb_social_media_follow_network][et_pb_social_media_follow_network social_network=facebook?url=https://www.facebook.com/GoldenPointScientificLabs?_builder_version=4.18.0?_module_preset=default?background_color=#3b5998?global_colors_info={}?follow_button=off?url_new_window=on
]facebook[/et_pb_social_media_follow_network][et_pb_social_media_follow_network social_network=twitter?url=https://twitter.com/GoldenpointLabs?_builder_version=4.18.0?_module_preset=default?background_color=#00aced?global_colors_info={}?follow_button=off?url_new_window=on
]twitter[/et_pb_social_media_follow_network][et_pb_social_media_follow_network social_network=instagram?url=https://www.instagram.com/goldenpointscientificlabs/?_builder_version=4.18.0?_module_preset=default?background_color=#ea2c59?global_colors_info={}?follow_button=off?url_new_window=on
]instagram[/et_pb_social_media_follow_network][et_pb_social_media_follow_network social_network=linkedin?url=https://www.linkedin.com/company/goldenpointscientificlabs?_builder_version=4.18.0?_module_preset=default?background_color=#007bb6?global_colors_info={}?follow_button=off?url_new_window=on
]linkedin[/et_pb_social_media_follow_network][et_pb_social_media_follow][et_pb_column][et_pb_column type=1?_builder_version=4.16?_module_preset=default?global_colors_info={}][et_pb_text _builder_version=4.16?_module_preset=default?header_2_font=Montserrat|700|||||?header_2_text_align=center?header_2_text_color=#FFFFFF?header_2_font_size=34px?header_3_font=Montserrat|600|||||?header_3_text_color=#FFFFFF?header_3_letter_spacing=4px?custom_margin=-1px||?custom_padding=21px||4px||?animation_style=flip?global_colors_info={}]

Testing Service Links

[/et_pb_text][et_pb_divider color=#ffd700?divider_weight=1px?_builder_version=4.16?_module_preset=default?max_width=66%?module_alignment=left?custom_margin=-7px||false|false?custom_padding=|||false|false?animation_style=slide?animation_direction=right?global_colors_info={}][et_pb_divider][et_pb_blurb title=BLOOD TESTING?url=https://goldenpointlabs.com/blood-testing-services/?use_icon=on?font_icon=E|divi|400?icon_color=#ffd700?icon_placement=left?image_icon_width=37px?_builder_version=4.20.1?_module_preset=default?header_font=Montserrat|????|?header_text_align=left?header_text_color=#FFFFFF?header_font_size=17px?header_line_height=2.2em?body_font=Montserrat|????|?body_text_align=center?body_text_color=#0079a8?body_font_size=18px?custom_margin=-1px||false|false?custom_padding=15px|||false|false?custom_css_blurb_image=margin-bottom: 10px;?icon_font_size=37px?global_colors_info={}?transform_styles__hover_enabled=on|hover?transform_scale__hover=103%|103%?transform_scale__hover_enabled=on|hover?transform_translate__hover_enabled=on|desktop?transform_rotate__hover_enabled=on|desktop?transform_skew__hover_enabled=on|desktop?transform_origin__hover_enabled=on|desktop][et_pb_blurb title=PCR

PATHOGEN& use_icon=on& font_icon=E||divi||400& icon_color=#ffd700& icon_placement=left& image_icon_width=37px& _builder_version=4.19.3& _module_preset=default& header_font=Montserrat|||||& header_text_align=left& header_text_color=#FFFFFF& header_font_size=17px& header_line_height=2.2em& body_font=Montserrat|||||& body_text_align=center& body_text_color=#0079a8& body_font_size=18px& custom_margin=|0px||false|false& custom_padding=||||false|false& custom_css_blurb_image=margin-bottom: 10px;& icon_font_size=37px& global_colors_info={}& transform_styles__hover_enabled=on|hover& transform_scale__hover=103%|103%& transform_scale__hover_enabled=on|hover& transform_translate__hover_enabled=on|desktop& transform_rotate__hover_enabled=on|desktop& transform_skew__hover_enabled=on|desktop& transform_origin__hover_enabled=on|desktop&][et_pb_blurb][et_pb_blurb title=TOXICOLOGY& use_icon=on& font_icon=E||divi||400& icon_color=#ffd700& icon_placement=left& image_icon_width=37px& _builder_version=4.16& _module_preset=default& header_font=Montserrat|||||& header_text_align=left& header_text_color=#FFFFFF& header_font_size=17px& header_line_height=2.2em& body_font=Montserrat|||||& body_text_align=center& body_text_color=#0079a8& body_font_size=18px& custom_margin=|3px||false|false& custom_padding=||||false|false& custom_css_blurb_image=margin-bottom: 10px;& icon_font_size=37px& global_colors_info={}& transform_styles__hover_enabled=on|hover& transform_scale__hover=103%|103%& transform_scale__hover_enabled=on|hover& transform_translate__hover_enabled=on|desktop& transform_rotate__hover_enabled=on|desktop& transform_skew__hover_enabled=on|desktop& transform_origin__hover_enabled=on|desktop&][et_pb_blurb][et_pb_blurb title=MICROBIOLOGY/FUNGAL& use_icon=on& font_icon=E||divi||400& icon_color=#ffd700& icon_placement=left& image_icon_width=37px& _builder_version=4.20.2& _module_preset=default& header_font=Montserrat|||||& header_text_align=left& header_text_color=#FFFFFF& header_font_size=17px& header_line_height=2.2em& body_font=Montserrat|||||& body_text_align=center& body_text_color=#0079a8& body_font_size=18px& custom_margin=|3px||false|false& custom_padding=||||false|false& custom_css_blurb_image=margin-bottom: 10px;& icon_font_size=37px& global_colors_info={}& transform_styles__hover_enabled=on|hover& transform_scale__hover=103%|103%& transform_scale__hover_enabled=on|hover& transform_translate__hover_enabled=on|desktop& transform_rotate__hover_enabled=on|desktop& transform_skew__hover_enabled=on|desktop& transform_origin__hover_enabled=on|desktop&][et_pb_blurb][et_pb_blurb title=ALLERGENS& use_icon=on& font_icon=E||divi||400& icon_color=#ffd700& icon_placement=left& image_icon_width=37px& _builder_version=4.20.2& _module_preset=default& header_font=Montserrat|||||& header_text_align=left& header_text_color=#FFFFFF& header_font_size=17px& header_line_height=2.2em& body_font=Montserrat|||||& body_text_align=center& body_text_color=#0079a8& body_font_size=18px& custom_margin=|3px||false|false& custom_padding=||||false|false& custom_css_blurb_image=margin-bottom: 10px;& icon_font_size=37px&

global_colors_info={}&transform_styles__hover_enabled=on|hover&transform_scale__hover=103%|103%&transform_scale__hover_enabled=on|hover&transform_translate__hover_enabled=on|desktop&transform_rotate__hover_enabled=on|desktop&transform_skew__hover_enabled=on|desktop&transform_origin__hover_enabled=on|desktop&[/et_pb_blurb][et_pb_blurb title=Search Lab Testing Services&url=https://goldenpointlabs.com/lab-testing-services/&use_icon=on&font_icon=E||divi||400&icon_color=#ffd700&icon_placement=left&image_icon_width=37px&_builder_version=4.20.1&_module_preset=default&header_font=Montserrat|||||&header_text_align=left&header_text_color=#FFFFFF&header_font_size=17px&header_line_height=2.2em&body_font=Montserrat|||||&body_text_align=center&body_text_color=#0079a8&body_font_size=18px&custom_margin=||3px||false|false&custom_padding=||||false|false&custom_css_blurb_image=margin-bottom: 10px;&icon_font_size=37px&global_colors_info={}&transform_styles__hover_enabled=on|hover&transform_scale__hover=103%|103%&transform_scale__hover_enabled=on|hover&transform_translate__hover_enabled=on|desktop&transform_rotate__hover_enabled=on|desktop&transform_skew__hover_enabled=on|desktop&transform_origin__hover_enabled=on|desktop&[/et_pb_blurb][et_pb_blurb title=Test Panels/Profiles&url=https://goldenpointlabs.com/test-panels/&use_icon=on&font_icon=E||divi||400&icon_color=#ffd700&icon_placement=left&image_icon_width=37px&_builder_version=4.20.1&_module_preset=default&header_font=Montserrat|||||&header_text_align=left&header_text_color=#FFFFFF&header_font_size=17px&header_line_height=2.2em&body_font=Montserrat|||||&body_text_align=center&body_text_color=#0079a8&body_font_size=18px&custom_margin=8px||12px||false|false&custom_padding=||||false|false&custom_css_blurb_image=margin-bottom: 10px;&icon_font_size=37px&global_colors_info={}&transform_styles__hover_enabled=on|hover&transform_scale__hover=103%|103%&transform_scale__hover_enabled=on|hover&transform_translate__hover_enabled=on|desktop&transform_rotate__hover_enabled=on|desktop&transform_skew__hover_enabled=on|desktop&transform_origin__hover_enabled=on|desktop&[/et_pb_blurb][et_pb_blurb title=Lab News&url=https://goldenpointlabs.com/blog/&use_icon=on&font_icon=E||divi||400&icon_color=#ffd700&icon_placement=left&image_icon_width=37px&_builder_version=4.16&_module_preset=default&header_font=Montserrat|||||&header_text_align=left&header_text_color=#FFFFFF&header_font_size=17px&header_line_height=2.2em&body_font=Montserrat|||||&body_text_align=center&body_text_color=#0079a8&body_font_size=18px&custom_margin=7px||17px||false|false&custom_padding=||||false|false&custom_css_blurb_image=margin-bottom: 10px;&icon_font_size=37px&global_colors_info={}&transform_styles__hover_enabled=on|hover&transform_scale__hover=103%|103%&transform_scale__hover_enabled=on|hover&transform_translate__hover_enabled=on|desktop&transform_rotate__hover_enabled=on|desktop&transform_skew__hover_enabled=on|desktop&transform_origin__hover_enabled=on|desktop&[/et_pb_blurb][et_pb_blurb title=Employment Opportunities&url=https://goldenpointlabs.com/employment-opportunities/&use_icon=on&font_icon=E||divi||400&icon_color=#ffd700&icon_placement=left&image_icon_width=37px&_builder_version=4.17.6&_module_preset=default&

header_font=â€•Montserrat|||||â€• header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€•
header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€•
body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€• body_font_size=â€•18pxâ€•
custom_margin=â€•-7px|||false|falseâ€• custom_padding=â€•|||false|falseâ€•
custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb]/[et_pb_column][et_pb_column
type=â€•1_3â€• _builder_version=â€•4.16â€• _module_preset=â€•defaultâ€• global_colors_info=â€•
{â€•}[/et_pb_text _builder_version=â€•4.16â€• _module_preset=â€•defaultâ€• header_2_font=â€•
Montserrat|700|||||â€• header_2_text_align=â€•centerâ€• header_2_text_color=â€•#FFFFFFâ€•
header_2_font_size=â€•34pxâ€• header_3_font=â€•Montserrat|600|||||â€• header_3_text_color=â€•
#FFFFFFâ€• header_3_letter_spacing=â€•4pxâ€• custom_margin=â€•|-1px|||â€• custom_padding=â€•
21px||4px|||â€• animation_style=â€•flipâ€• global_colors_info=â€•{}â€•]

Location

[/et_pb_text][et_pb_divider color=â€•#ffd700â€• divider_weight=â€•1pxâ€• _builder_version=â€•4.16â€•
_module_preset=â€•defaultâ€• width=â€•100%â€• max_width=â€•28%â€• module_alignment=â€•leftâ€•
custom_margin=â€•||11px||false|falseâ€• custom_padding=â€•|||false|falseâ€• animation_style=â€•
slideâ€• animation_direction=â€•rightâ€• global_colors_info=â€•{}â€•[/et_pb_divider][et_pb_map
address=â€•153 Cahaba Valley Pkwy, Pelham, AL 35124, USAâ€• zoom_level=â€•15â€•
address_lat=â€•33.3382644â€• address_lng=â€•-86.7858955â€• _builder_version=â€•4.18.0â€•
_module_preset=â€•defaultâ€• module_alignment=â€•centerâ€• height=â€•607pxâ€• link_option_url=â€•
•https://www.google.com/maps/place/GoldenPoint+Scientific+Medical+Lab+Solutions/@33.3382644,-
86.7858955,17z/data=!3m1!4b1!4m5!3m4!1s0x0:0xc67b896f9a6911f7!8m2!3d33.3382644!4d-
86.7858955â€• global_colors_info=â€•{}â€•[/et_pb_map_pin title=â€•GoldenPoint Scientific Medical
Laboratory Testingâ€• pin_address=â€•153 Cahaba Valley Pkwy, Pelham, AL 35124, USAâ€•
zoom_level=â€•11â€• pin_address_lat=â€•33.3382644â€• pin_address_lng=â€•-86.7858955â€•
_builder_version=â€•4.18.0â€• _module_preset=â€•defaultâ€• global_colors_info=â€•{}â€•]

Powered by GoldenPoint Scientific Labs

[/et_pb_map_pin]/[et_pb_map][et_pb_button button_url=â€•
https://www.google.com/maps/place/GoldenPoint+Scientific+Medical+Lab+Solutions/@33.3382644,-
86.7858955,17z/data=!3m1!4b1!4m5!3m4!1s0x0:0xc67b896f9a6911f7!8m2!3d33.3382644!4d-
86.7858955â€• url_new_window=â€•onâ€• button_text=â€•Directionsâ€• button_alignment=â€•leftâ€•
_builder_version=â€•4.18.0â€• custom_button=â€•onâ€• button_text_size=â€•15pxâ€•
button_text_color=â€•#FFFFFFâ€• button_bg_color=â€•rgba(44,0,84,0)â€• button_border_width=â€•
1pxâ€• button_border_color=â€•#ffd700â€• button_border_radius=â€•9pxâ€• button_letter_spacing=â€•
2pxâ€• button_font=â€•Montserrat|500|on|||||â€• button_icon=â€•i|divi|400â€• button_icon_color=â€•
#ffd700â€• button_icon_placement=â€•leftâ€• button_on_hover=â€•offâ€• background_layout=â€•
darkâ€• custom_margin=â€•|||trueâ€• custom_padding=â€•9px|11px|9px|28px|true|falseâ€•
animation_style=â€•slideâ€• animation_direction=â€•topâ€• box_shadow_style=â€•preset3â€•
box_shadow_vertical=â€•5pxâ€• box_shadow_color=â€•#FFFFFFâ€• button_letter_spacing_hover=â€•
2pxâ€• button_bg_color_hover=â€•#00e2c4â€• locked=â€•offâ€• global_colors_info=â€•{}â€•]

button_text_size__hover_enabled=â€on|hoverâ€ button_one_text_size__hover_enabled=â€offâ€
 button_two_text_size__hover_enabled=â€offâ€ button_text_color__hover_enabled=â€on|hoverâ€
 button_one_text_color__hover_enabled=â€offâ€ button_two_text_color__hover_enabled=â€offâ€
 button_border_width__hover_enabled=â€offâ€ button_one_border_width__hover_enabled=â€offâ€
 button_two_border_width__hover_enabled=â€offâ€ button_border_color__hover_enabled=â€offâ€
 button_one_border_color__hover_enabled=â€offâ€ button_two_border_color__hover_enabled=â€
 offâ€ button_border_radius__hover_enabled=â€offâ€
 button_one_border_radius__hover_enabled=â€offâ€ button_two_border_radius__hover_enabled=â€
 offâ€ button_letter_spacing__hover_enabled=â€onâ€ button_letter_spacing__hover=â€2pxâ€
 button_one_letter_spacing__hover_enabled=â€offâ€ button_two_letter_spacing__hover_enabled=â€
 offâ€ button_bg_color__hover_enabled=â€on|desktopâ€ button_bg_color__hover=â€#eaeaeaâ€
 button_one_bg_color__hover_enabled=â€offâ€ button_two_bg_color__hover_enabled=â€offâ€
 button_icon_color__hover_enabled=â€on|hoverâ€ button_icon_color__hover=â€#000000â€
 button_bg_enable_color__hover=â€onâ€ button_text_color__hover=â€#2c0054â€
 button_text_size__hover=â€15pxâ€][[/et_pb_button]][/et_pb_column]][/et_pb_row]][/et_pb_section]

Date Created

March 7, 2023

Author

admin

default watermark