

Electrolytes Panel (ELEC)

Description

```
[et_pb_section fb_built=1 admin_label=section _builder_version=4.16 global_colors_info={}] [et_pb_row admin_label=row _builder_version=4.16 background_size=initial background_position=top_left background_repeat=repeat global_colors_info={}] [et_pb_column type=4_4 _builder_version=4.16 custom_padding=||| global_colors_info={} custom_padding__hover=|||] [et_pb_text _builder_version=4.20.1 _module_preset=default header_font=|700|] global_colors_info={}
```

Electrolytes Panel (ELEC)

```
[/et_pb_text] [et_pb_text admin_label=Text _builder_version=4.20.1 background_size=initial background_position=top_left background_repeat=repeat hover_enabled=0 global_colors_info={} text_font_size=18px sticky_enabled=0]
```

The Electrolytes Panel (ELEC) is a blood test that measures the levels of important minerals in the blood, including sodium, potassium, calcium, and magnesium. These minerals, known as electrolytes, are essential for many bodily functions, including regulating fluid balance, transmitting nerve impulses, and supporting muscle function.

The ELEC test is commonly used to evaluate patients with symptoms of electrolyte imbalances, such as dehydration, vomiting, diarrhea, or kidney disease. It is also used to monitor patients who are receiving treatment for electrolyte imbalances or who are taking medications that may affect electrolyte levels.

The test results are typically reported as the levels of each electrolyte in milliequivalents per liter (mEq/L) of blood. Normal ranges for each electrolyte vary depending on age, sex, and other factors, but generally fall within the following ranges:

Sodium (Na⁺): 135-145 mEq/L
Potassium (K⁺): 3.5-5.0 mEq/L
Calcium (Ca²⁺): 8.5-10.5 mg/dL
Magnesium (Mg²⁺): 1.7-2.2 mg/dL

Abnormal levels of any electrolyte can indicate an underlying medical condition. For example, low sodium levels (hyponatremia) can be caused by excessive sweating, diuretic medications, or kidney disease, while high potassium levels (hyperkalemia) can be caused by kidney failure or certain medications. Abnormal calcium or magnesium levels can be caused by a variety of conditions, including parathyroid disorders or malabsorption syndromes.

In summary, the Electrolytes Panel (ELEC) is a useful tool in evaluating and monitoring electrolyte imbalances in a variety of medical conditions, and can help guide appropriate treatment and management.

```
[/et_pb_text][et_pb_column][et_pb_row][et_pb_section][et_pb_section fb_built=1 admin_label=Service _builder_version=4.20.1 background_color=#FFFFFF global_module=228011 global_colors_info={}[et_pb_row column_structure=1_4,3_4 _builder_version=4.20.1 width=65% max_width=2560px global_colors_info={}[et_pb_column type=1_4 _builder_version=4.16 custom_padding= global_colors_info={ custom_padding__hover=}[et_pb_button button_url=https://goldenpointlabs.com/contact/ button_text=Contact GoldenPoint _builder_version=4.20.1 custom_button=on button_text_size=15px button_bg_color=#0079a8 button_border_width=0px button_border_radius=0px button_letter_spacing=2px button_font=|700|on| button_use_icon=off background_layout=dark custom_margin=|true custom_padding=16px|32px|16px|32px|true|true button_letter_spacing_hover=2px button_bg_color_hover=#00e2c4 locked=off global_colors_info={ button_text_size__hover_enabled=off button_one_text_size__hover_enabled=off button_two_text_size__hover_enabled=off button_text_color__hover_enabled=off button_one_text_color__hover_enabled=off button_two_text_color__hover_enabled=off button_border_width__hover_enabled=off button_one_border_width__hover_enabled=off button_two_border_width__hover_enabled=off button_border_color__hover_enabled=off button_one_border_color__hover_enabled=off button_two_border_color__hover_enabled=off button_border_radius__hover_enabled=off button_one_border_radius__hover_enabled=off button_two_border_radius__hover_enabled=off button_letter_spacing__hover_enabled=on button_letter_spacing__hover=2px button_one_letter_spacing__hover_enabled=off button_two_letter_spacing__hover_enabled=off button_bg_color__hover=#00e2c4 button_one_bg_color__hover_enabled=off button_two_bg_color__hover_enabled=off][et_pb_image src=https://goldenpointlabs.com/wp-content/uploads/2022/07/womens-health-lab-testing.jpeg alt=Influenza PCR Test title_text=Influenza PCR Test _builder_version=4.20.1 _module_preset=default global_colors_info={}[et_pb_image][et_pb_column][et_pb_column type=3_4 _builder_version=4.16 custom_padding= global_colors_info={ custom_padding__hover=}[et_pb_text _builder_version=4.20.1 header_font= header_2_font= header_3_font= header_4_font=Montserrat|700|on| header_4_text_color=#0079a8 header_4_font_size=20px header_4_letter_spacing=2px header_4_line_height=1.6em max_width=600px max_width_tablet=700px max_width_phone=700px max_width_last_edited=off|desktop custom_margin=| custom_margin_tablet=|0px| custom_margin_phone=|0px| custom_margin_last_edited=off|desktop header_2_font_size_tablet=30px header_2_font_size_last_edited=off|desktop locked=off global_colors_info={}
```

Clinical Lab Testing Services:

```
[/et_pb_text][et_pb_text_builder_version=4.20.1 text_font= text_font_size=16px ul_font= ul_line_height=2.5em header_font= header_2_font=Montserrat|800 header_2_font_size=25px header_2_line_height=1.5em header_3_font= header_4_font= custom_margin= custom_margin_tablet=0px custom_margin_phone=0px custom_margin_last_edited=off|desktop custom_padding=20px link_option_url=https://goldenpointlabs.com/blood-testing-services/ header_2_font_size_tablet=30px header_2_font_size_phone=20px header_2_font_size_last_edited=on|phone border_color_all=#12eaa6 border_width_top=2px border_color_top=#ffd700 locked=off global_colors_info=]
```

â†’ Search Blood Test Panels/Profiles

```
[/et_pb_text][et_pb_text_builder_version=4.20.1 text_font= text_font_size=16px ul_font= ul_line_height=2.5em header_font= header_2_font=Montserrat|800 header_2_font_size=25px header_2_line_height=1.5em header_3_font= header_4_font= custom_margin= custom_margin_tablet=0px custom_margin_phone=0px custom_margin_last_edited=off|desktop custom_padding=20px link_option_url=https://goldenpointlabs.com/blood-testing-services/ header_2_font_size_tablet=30px header_2_font_size_phone=20px header_2_font_size_last_edited=on|phone border_color_all=#12eaa6 border_width_top=2px border_color_top=#ffd700 locked=off global_colors_info=]
```

â†’ Search PCR Pathogens Test Panels/Profiles

```
[/et_pb_text][et_pb_text_builder_version=4.20.1 text_font= text_font_size=16px ul_font= ul_line_height=2.5em header_font= header_2_font=Montserrat|800 header_2_font_size=25px header_2_line_height=1.5em header_3_font= header_4_font= max_width_tablet=700px max_width_phone=700px max_width_last_edited=off|desktop custom_margin= custom_margin_tablet=0px custom_margin_phone=0px custom_margin_last_edited=off|desktop custom_padding=20px link_option_url=https://goldenpointlabs.com/blood-testing-services/ header_2_font_size_tablet=30px header_2_font_size_phone=20px header_2_font_size_last_edited=on|phone border_color_all=#12eaa6 border_width_top=2px border_color_top=#ffd700 locked=off global_colors_info=]
```

â†’ Search Toxicology Test Panels/Profiles

```
[/et_pb_text][et_pb_column][et_pb_row][et_pb_section][et_pb_section fb_built=1 builder_version=4.16 module_preset=default background_color=#000000 custom_padding=20px global_module=35433 saved_tabs=all global_colors_info=][et_pb_row column_structure=1_3,1_3,1_3 builder_version=4.16 module_preset=default max_width=2560px module_alignment=center
```

global_colors_info={}[et_pb_column type=1_3_builder_version=4.16_module_preset=default_global_colors_info={}[et_pb_image src=https://goldenpointlabs.com/wp-content/uploads/2021/06/PNGtransparent-2.png title_text=PNG(transparent) (2)_builder_version=4.16_module_preset=default_background_color=rgba(255,255,255,0) width=41% module_alignment=left custom_margin=0px|false|false custom_padding=0px|false|false border_radii=on|43px|43px|43px|43px border_width_all=3px border_color_all=#FFFFFF global_colors_info={}[et_pb_image][et_pb_blurb title=Address use_icon=on font_icon=i|divi|400 icon_color=#ffd700 icon_placement=left_builder_version=4.16_module_preset=default_header_font=Montserrat|700 header_text_color=#FFFFFF body_text_color=#FFFFFF global_colors_info={}]

153 Cahaba Valley Parkway,
Pelham, Alabama 35124

[/et_pb_blurb][et_pb_blurb title=Phone use_icon=on font_icon=i|divi|400 icon_color=#ffd700 icon_placement=left_builder_version=4.16_module_preset=default_header_font=Montserrat|700 header_text_color=#FFFFFF body_text_color=#FFFFFF global_colors_info={}]

[/et_pb_blurb][et_pb_blurb title=Message Us url=https://goldenpointlabs.com/contact/ use_icon=on font_icon=i|divi|400 icon_color=#ffd700 icon_placement=left image_icon_width=29px_builder_version=4.16_module_preset=default_header_font=Montserrat|700 header_text_color=#FFFFFF body_text_color=#FFFFFF custom_margin=0px|false|false custom_padding=0px|false|false custom_css_blurb_title=padding-top: 5px icon_font_size=29px global_colors_info={}]

[/et_pb_blurb][et_pb_blurb title=CLIA: 01D2176939 url=mailto:info@goldenpointlabs.com use_icon=on font_icon=i|divi|400 icon_color=#ffd700 image_icon_background_color=rgba(0,121,168,0) icon_placement=left image_icon_width=16px_builder_version=4.16_module_preset=default_header_font=Montserrat|700 header_text_color=#FFFFFF body_text_color=#FFFFFF image_icon_custom_padding=8px|8px|8px|8px|false|false link_option_url=mailto:info@goldenpointlabs.com custom_css_blurb_title=padding-top: 10px; border_radii_image=on|100%|100%|100%|100% border_width_all_image=2px border_color_all_image=#0079a8 use_circle=on use_circle_border=on circle_color=rgba(0,121,168,0) global_colors_info={}

image_icon_background_color__sticky=#0079a8 image_icon_background_color__sticky=#0079a8[/et_pb_blurb][et_pb_social_media_follow_builder_version=4.18.0_module_preset=default_global_colors_info={}]

[et_pb_social_media_follow_network social_network=google url=https://g.page/r/CSDCYrQQcyoeEAE_builder_version=4.18.0_module_preset=default background_color=#4285f4 global_colors_info={}] follow_button=off url_new_window=on

[google][et_pb_social_media_follow_network][et_pb_social_media_follow_network social_network=facebook url=https://www.facebook.com/GoldenPointScientificLabs_builder_version=

4.18.0â€³ _module_preset=â€ defaultâ€ background_color=â€ #3b5998â€³ global_colors_info=â€ {}â€
• follow_button=â€ offâ€ url_new_window=â€ onâ€
]facebook[/et_pb_social_media_follow_network][et_pb_social_media_follow_network
social_network=â€ twitterâ€ url=â€ https://twitter.com/GoldenpointLabsâ€ _builder_version=â€
4.18.0â€³ _module_preset=â€ defaultâ€ background_color=â€ #00acedâ€ global_colors_info=â€ {}â€
follow_button=â€ offâ€ url_new_window=â€ onâ€
]twitter[/et_pb_social_media_follow_network][et_pb_social_media_follow_network social_network=â€
instagramâ€ url=â€ https://www.instagram.com/goldenpointscientificlabs/â€ _builder_version=â€
4.18.0â€³ _module_preset=â€ defaultâ€ background_color=â€ #ea2c59â€³ global_colors_info=â€ {}â€
• follow_button=â€ offâ€ url_new_window=â€ onâ€
]instagram[/et_pb_social_media_follow_network][et_pb_social_media_follow_network
social_network=â€ linkedinâ€ url=â€ https://www.linkedin.com/company/goldenpointscientificlabsâ€
_builder_version=â€ 4.18.0â€³ _module_preset=â€ defaultâ€ background_color=â€ #007bb6â€³
global_colors_info=â€ {}â€ follow_button=â€ offâ€ url_new_window=â€ onâ€
]linkedin[/et_pb_social_media_follow_network][et_pb_social_media_follow][et_pb_column][et_pb_colum
n_type=â€ 1_3â€³ _builder_version=â€ 4.16â€³ _module_preset=â€ defaultâ€ global_colors_info=â€
{ }â€][et_pb_text _builder_version=â€ 4.16â€³ _module_preset=â€ defaultâ€ header_2_font=â€
Montserrat|700|||||â€ header_2_text_align=â€ centerâ€ header_2_text_color=â€ #FFFFFFâ€
header_2_font_size=â€ 34pxâ€ header_3_font=â€ Montserrat|600|||||â€ header_3_text_color=â€
#FFFFFFâ€ header_3_letter_spacing=â€ 4pxâ€ custom_margin=â€ ||-1px||â€ custom_padding=â€
21px||4px||â€ animation_style=â€ flipâ€ global_colors_info=â€ {}â€]

Testing Service Links

[/et_pb_text][et_pb_divider color=â€ #ffd700â€³ divider_weight=â€ 1pxâ€ _builder_version=â€ 4.16â€³
_module_preset=â€ defaultâ€ max_width=â€ 66%â€ module_alignment=â€ leftâ€
custom_margin=â€ ||-7px||false|falseâ€ custom_padding=â€ |||false|falseâ€ animation_style=â€
slideâ€ animation_direction=â€ rightâ€ global_colors_info=â€ {}â€][et_pb_divider][et_pb_blurb
title=â€ BLOOD TESTING â€ url=â€ https://goldenpointlabs.com/blood-testing-services/â€
use_icon=â€ onâ€ font_icon=â€ E||divi||400â€³ icon_color=â€ #ffd700â€³ icon_placement=â€ leftâ€
image_icon_width=â€ 37pxâ€ _builder_version=â€ 4.20.1â€³ _module_preset=â€ defaultâ€
header_font=â€ Montserrat|||||â€ header_text_align=â€ leftâ€ header_text_color=â€ #FFFFFFâ€
header_font_size=â€ 17pxâ€ header_line_height=â€ 2.2emâ€ body_font=â€ Montserrat|||||â€
body_text_align=â€ centerâ€ body_text_color=â€ #0079a8â€³ body_font_size=â€ 18pxâ€
custom_margin=â€ ||-1px||false|falseâ€ custom_padding=â€ 15px|||false|falseâ€
custom_css_blurb_image=â€ margin-bottom: 10px;â€ icon_font_size=â€ 37pxâ€
global_colors_info=â€ {}â€ transform_styles__hover_enabled=â€ on|hoverâ€
transform_scale__hover=â€ 103%|103%â€ transform_scale__hover_enabled=â€ on|hoverâ€
transform_translate__hover_enabled=â€ on|desktopâ€ transform_rotate__hover_enabled=â€
on|desktopâ€ transform_skew__hover_enabled=â€ on|desktopâ€ transform_origin__hover_enabled=â€ on|desktopâ€][et_pb_blurb][et_pb_blurb title=â€ PCR
PATHOGENâ€ url=â€ https://goldenpointlabs.com/pcr-pathogens-testing/â€ use_icon=â€ onâ€
font_icon=â€ E||divi||400â€³ icon_color=â€ #ffd700â€³ icon_placement=â€ leftâ€
image_icon_width=â€ 37pxâ€ _builder_version=â€ 4.19.3â€³ _module_preset=â€ defaultâ€
header_font=â€ Montserrat|||||â€ header_text_align=â€ leftâ€ header_text_color=â€ #FFFFFFâ€
header_font_size=â€ 17pxâ€ header_line_height=â€ 2.2emâ€ body_font=â€ Montserrat|||||â€

body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€• body_font_size=â€•18pxâ€•
custom_margin=â€•||0px||false|falseâ€• custom_padding=â€•||||false|falseâ€•
custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•
TOXICOLOGYâ€• url=â€•https://goldenpointlabs.com/toxicology/â€• use_icon=â€•onâ€• font_icon=â€•
E||divi||400â€• icon_color=â€•#ffd700â€• icon_placement=â€•leftâ€• image_icon_width=â€•37pxâ€•
_builder_version=â€•4.16â€• _module_preset=â€•defaultâ€• header_font=â€•Montserrat|||||â€•
header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€• header_font_size=â€•17pxâ€•
header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€• body_text_align=â€•centerâ€•
body_text_color=â€•#0079a8â€• body_font_size=â€•18pxâ€• custom_margin=â€•||3px||false|falseâ€•
custom_padding=â€•||||false|falseâ€• custom_css_blurb_image=â€•margin-bottom: 10px;â€•
icon_font_size=â€•37pxâ€• global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•
on|hoverâ€• transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•
on|hoverâ€• transform_translate__hover_enabled=â€•on|desktopâ€•
transform_rotate__hover_enabled=â€•on|desktopâ€• transform_skew__hover_enabled=â€•
on|desktopâ€• transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•
Search Lab Testing Servicesâ€• url=â€•https://goldenpointlabs.com/lab-testing-services/â€•
use_icon=â€•onâ€• font_icon=â€•E||divi||400â€• icon_color=â€•#ffd700â€• icon_placement=â€•leftâ€•
image_icon_width=â€•37pxâ€• _builder_version=â€•4.20.1â€• _module_preset=â€•defaultâ€•
header_font=â€•Montserrat|||||â€• header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€•
header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€•
body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€• body_font_size=â€•18pxâ€•
custom_margin=â€•||3px||false|falseâ€• custom_padding=â€•||||false|falseâ€•
custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•Test
Panels/Profilesâ€• url=â€•https://goldenpointlabs.com/test-panels/â€• use_icon=â€•onâ€• font_icon=â€•
E||divi||400â€• icon_color=â€•#ffd700â€• icon_placement=â€•leftâ€• image_icon_width=â€•37pxâ€•
_builder_version=â€•4.20.1â€• _module_preset=â€•defaultâ€• header_font=â€•Montserrat|||||â€•
header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€• header_font_size=â€•17pxâ€•
header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€• body_text_align=â€•centerâ€•
body_text_color=â€•#0079a8â€• body_font_size=â€•18pxâ€• custom_margin=â€•
8px||12px||false|falseâ€• custom_padding=â€•||||false|falseâ€• custom_css_blurb_image=â€•margin-
bottom: 10px;â€• icon_font_size=â€•37pxâ€• global_colors_info=â€•{}â€•
transform_styles__hover_enabled=â€•on|hoverâ€• transform_scale__hover=â€•103%|103%â€•
transform_scale__hover_enabled=â€•on|hoverâ€• transform_translate__hover_enabled=â€•
on|desktopâ€• transform_rotate__hover_enabled=â€•on|desktopâ€•
transform_skew__hover_enabled=â€•on|desktopâ€• transform_origin__hover_enabled=â€•
on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•Lab Newsâ€• url=â€•

https://goldenpointlabs.com/blog/â€ use_icon=â€onâ€ font_icon=â€E||divi||400â€³ icon_color=â€#ffd700â€³ icon_placement=â€leftâ€ image_icon_width=â€37pxâ€ _builder_version=â€4.16â€³ _module_preset=â€defaultâ€ header_font=â€Montserrat|||||â€ header_text_align=â€leftâ€ header_text_color=â€#FFFFFFâ€ header_font_size=â€17pxâ€ header_line_height=â€2.2emâ€ body_font=â€Montserrat|||||â€ body_text_align=â€centerâ€ body_text_color=â€#0079a8â€³ body_font_size=â€18pxâ€ custom_margin=â€-7px||17px||false|falseâ€ custom_padding=â€||||false|falseâ€ custom_css_blurb_image=â€margin-bottom: 10px;â€ icon_font_size=â€37pxâ€ global_colors_info=â€{}â€ transform_styles__hover_enabled=â€on|hoverâ€ transform_scale__hover=â€103%|103%â€ transform_scale__hover_enabled=â€on|hoverâ€ transform_translate__hover_enabled=â€on|desktopâ€ transform_rotate__hover_enabled=â€on|desktopâ€ transform_skew__hover_enabled=â€on|desktopâ€ transform_origin__hover_enabled=â€on|desktopâ€][et_pb_blurb][et_pb_blurb title=â€Employment Opportunitiesâ€ url=â€https://goldenpointlabs.com/employment-opportunities/â€ use_icon=â€onâ€ font_icon=â€E||divi||400â€³ icon_color=â€#ffd700â€³ icon_placement=â€leftâ€ image_icon_width=â€37pxâ€ _builder_version=â€4.17.6â€³ _module_preset=â€defaultâ€ header_font=â€Montserrat|||||â€ header_text_align=â€leftâ€ header_text_color=â€#FFFFFFâ€ header_font_size=â€17pxâ€ header_line_height=â€2.2emâ€ body_font=â€Montserrat|||||â€ body_text_align=â€centerâ€ body_text_color=â€#0079a8â€³ body_font_size=â€18pxâ€ custom_margin=â€-7px||||false|falseâ€ custom_padding=â€||||false|falseâ€ custom_css_blurb_image=â€margin-bottom: 10px;â€ icon_font_size=â€37pxâ€ global_colors_info=â€{}â€ transform_styles__hover_enabled=â€on|hoverâ€ transform_scale__hover=â€103%|103%â€ transform_scale__hover_enabled=â€on|hoverâ€ transform_translate__hover_enabled=â€on|desktopâ€ transform_rotate__hover_enabled=â€on|desktopâ€ transform_skew__hover_enabled=â€on|desktopâ€ transform_origin__hover_enabled=â€on|desktopâ€][et_pb_blurb][et_pb_column][et_pb_column type=â€1_3â€³ _builder_version=â€4.16â€³ _module_preset=â€defaultâ€ global_colors_info=â€{}â€][et_pb_text _builder_version=â€4.16â€³ _module_preset=â€defaultâ€ header_2_font=â€Montserrat|700|||||â€ header_2_text_align=â€centerâ€ header_2_text_color=â€#FFFFFFâ€ header_2_font_size=â€34pxâ€ header_3_font=â€Montserrat|600|||||â€ header_3_text_color=â€#FFFFFFâ€ header_3_letter_spacing=â€4pxâ€ custom_margin=â€|-1px||â€ custom_padding=â€21px||4px||â€ animation_style=â€flipâ€ global_colors_info=â€{}â€]

Location

[et_pb_text][et_pb_divider color=â€#ffd700â€³ divider_weight=â€1pxâ€ _builder_version=â€4.16â€³ _module_preset=â€defaultâ€ width=â€100%â€ max_width=â€28%â€ module_alignment=â€leftâ€ custom_margin=â€||11px||false|falseâ€ custom_padding=â€||||false|falseâ€ animation_style=â€slideâ€ animation_direction=â€rightâ€ global_colors_info=â€{}â€][et_pb_divider][et_pb_map address=â€153 Cahaba Valley Pkwy, Pelham, AL 35124, USAâ€ zoom_level=â€15â€³ address_lat=â€33.3382644â€³ address_lng=â€-86.7858955â€³ _builder_version=â€4.18.0â€³ _module_preset=â€defaultâ€ module_alignment=â€centerâ€ height=â€607pxâ€ link_option_url=â€https://www.google.com/maps/place/GoldenPoint+Scientific+Medical+Lab+Solutions/@33.3382644,-86.7858955,17z/data=!3m1!4b1!4m5!3m4!1s0x0:0xc67b896f9a6911f7!8m2!3d33.3382644!4d-86.7858955â€³ global_colors_info=â€{}â€][et_pb_map_pin title=â€GoldenPoint Scientific Medical Laboratory Testingâ€ pin_address=â€153 Cahaba Valley Pkwy, Pelham, AL 35124, USAâ€ zoom_level=â€11â€³ pin_address_lat=â€33.3382644â€³ pin_address_lng=â€-86.7858955â€³

_builder_version=4.18.0 _module_preset=default global_colors_info={}

Powered by GoldenPoint Scientific Labs

[/et_pb_map_pin][et_pb_map][et_pb_button button_url=https://www.google.com/maps/place/GoldenPoint+Scientific+Medical+Lab+Solutions/@33.3382644,-86.7858955,17z/data=!3m1!4b1!4m5!3m4!1s0x0:0xc67b896f9a6911f7!8m2!3d33.3382644!4d-86.7858955 url_new_window=on button_text=Directions button_alignment=left _builder_version=4.18.0 custom_button=on button_text_size=15px button_text_color=#FFFFFF button_bg_color=rgba(44,0,84,0) button_border_width=1px button_border_color=#ffd700 button_border_radius=9px button_letter_spacing=2px button_font=Montserrat|500|on|||| button_icon=i|divi|400 button_icon_color=#ffd700 button_icon_placement=left button_on_hover=off background_layout=dark custom_margin=||||true custom_padding=9px|11px|9px|28px|true|false animation_style=slide animation_direction=top box_shadow_style=preset3 box_shadow_vertical=5px box_shadow_color=#FFFFFF button_letter_spacing_hover=2px button_bg_color_hover=#00e2c4 locked=off global_colors_info={} button_text_size_hover_enabled=on|hover button_one_text_size_hover_enabled=off button_two_text_size__hover_enabled=off button_text_color__hover_enabled=on|hover button_one_text_color__hover_enabled=off button_two_text_color__hover_enabled=off button_border_width__hover_enabled=off button_one_border_width__hover_enabled=off button_two_border_width__hover_enabled=off button_border_color__hover_enabled=off button_one_border_color__hover_enabled=off button_two_border_color__hover_enabled=off button_border_radius__hover_enabled=off button_one_border_radius__hover_enabled=off button_two_border_radius__hover_enabled=off button_letter_spacing__hover_enabled=on button_letter_spacing__hover=2px button_one_letter_spacing__hover_enabled=off button_two_letter_spacing__hover_enabled=off button_bg_color__hover_enabled=on|desktop button_bg_color__hover=#eaeaea button_one_bg_color__hover_enabled=off button_two_bg_color__hover_enabled=off button_icon_color__hover_enabled=on|hover button_icon_color__hover=#000000 button_bg_enable_color__hover=on button_text_color__hover=#2c0054 button_text_size__hover=15px][et_pb_button][et_pb_column][et_pb_row][et_pb_section]

Date Created

March 7, 2023

Author

admin