

Gastrointestinal (GI-PANEL) Panel/Profile

Description

```
[et_pb_section fb_built=1 admin_label=section _builder_version=4.16 global_colors_info={}[et_pb_row admin_label=row _builder_version=4.16 background_size=initial background_position=top_left background_repeat=repeat global_colors_info={}[et_pb_column type=4_4 _builder_version=4.16 custom_padding=||| global_colors_info={} custom_padding__hover=|||][et_pb_text admin_label=Text _builder_version=4.20.4 text_font_size=18px text_line_height=1.8em background_size=initial background_position=top_left background_repeat=repeat custom_padding=|0px||| global_colors_info={}]]]
```

Gastrointestinal (GI-PANEL) Panel/Profile

The gastrointestinal (GI) panel, also known as the GI profile, is a group of tests that are performed together to evaluate the health and function of the digestive system. This panel includes various tests that help diagnose and monitor conditions affecting the digestive tract, such as infections, inflammation, and malabsorption.

Overall, the GI panel provides valuable information about the digestive system and can help healthcare providers diagnose and treat a range of digestive conditions.

```
[/et_pb_text][et_pb_column][et_pb_row][et_pb_section][et_pb_section fb_built=1 admin_label=Service _builder_version=4.20.1 background_color=#FFFFFF global_module=228011 saved_tabs=all global_colors_info={}[et_pb_row column_structure=1_4,3_4 _builder_version=4.20.1 width=65% max_width=2560px global_colors_info={}[et_pb_column type=1_4 _builder_version=4.16 custom_padding=||| global_colors_info={} custom_padding__hover=|||][et_pb_button button_url=https://goldenpointlabs.com/contact/ button_text=Contact GoldenPoint _builder_version=4.20.1 custom_button=on button_text_size=15px button_bg_color=#0079a8 button_border_width=0px button_border_radius=0px button_letter_spacing=2px button_font=700|on|||| button_use_icon=off background_layout=dark custom_margin=|||true custom_padding=16px|32px|16px|32px|true|true button_letter_spacing_hover=2px button_bg_color_hover=#00e2c4 locked=off global_colors_info={} button_text_size__hover_enabled=off button_one_text_size__hover_enabled=off button_two_text_size__hover_enabled=off button_text_color__hover_enabled=off button_one_text_color__hover_enabled=off button_two_text_color__hover_enabled=off button_border_width__hover_enabled=off button_one_border_width__hover_enabled=off button_two_border_width__hover_enabled=off button_border_color__hover_enabled=off button_one_border_color__hover_enabled=off]]]
```

offâ€• button_two_border_color__hover_enabled=â€•offâ€• button_border_radius__hover_enabled=â€•
offâ€• button_one_border_radius__hover_enabled=â€•offâ€•
button_two_border_radius__hover_enabled=â€•offâ€• button_letter_spacing__hover_enabled=â€•onâ€•
• button_letter_spacing__hover=â€•2pxâ€• button_one_letter_spacing__hover_enabled=â€•offâ€•
button_two_letter_spacing__hover_enabled=â€•offâ€• button_bg_color__hover_enabled=â€•onâ€•
button_bg_color__hover=â€•#00e2c4â€³ button_one_bg_color__hover_enabled=â€•offâ€•
button_two_bg_color__hover_enabled=â€•offâ€•][et_pb_button][et_pb_image src=â€•
https://goldenpointlabs.com/wp-content/uploads/2022/07/womens-health-lab-testing.jpegâ€• alt=â€•
Influenza PCR Testâ€• title_text=â€•Influenza PCR Testâ€• _builder_version=â€•4.20.1â€³
_module_preset=â€•defaultâ€• global_colors_info=â€•{}â€•
][et_pb_image][et_pb_column][et_pb_column type=â€•3_4â€³ _builder_version=â€•4.16â€³
custom_padding=â€•|||â€• global_colors_info=â€•{}â€• custom_padding__hover=â€•|||â€•][et_pb_text
_builder_version=â€•4.20.1â€³ header_font=â€•|||||||â€• header_2_font=â€•|||||||â€• header_3_font=â€•
|||||||â€• header_4_font=â€•Montserrat|700|on|||||â€• header_4_text_color=â€•#0079a8â€³
header_4_font_size=â€•20pxâ€• header_4_letter_spacing=â€•2pxâ€• header_4_line_height=â€•
1.6emâ€• max_width=â€•600pxâ€• max_width_tablet=â€•700pxâ€• max_width_phone=â€•700pxâ€•
max_width_last_edited=â€•off|desktopâ€• custom_margin=â€•|||â€• custom_margin_tablet=â€•|0px||â€•
custom_margin_phone=â€•|0px||â€• custom_margin_last_edited=â€•off|desktopâ€•
header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_last_edited=â€•off|desktopâ€• locked=â€•
offâ€• global_colors_info=â€•{}â€•]

Clinical Lab Testing Services:

[et_pb_text][et_pb_text_builder_version=â€•4.20.1â€³ text_font=â€•|||||||â€• text_font_size=â€•16pxâ€•
ul_font=â€•|||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•|||||||â€• header_2_font=â€•
Montserrat|800||||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€•
header_3_font=â€•|||||||â€• header_4_font=â€•|||||||â€• custom_margin=â€•|||â€•
custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€•
custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€•
https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€•
header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€•
border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³
locked=â€•offâ€• global_colors_info=â€•{}â€•]

â€•'Search Blood Test Panels/Profiles

[et_pb_text][et_pb_text_builder_version=â€•4.22.1â€³ text_font=â€•|||||||â€• text_font_size=â€•16pxâ€•
ul_font=â€•|||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•|||||||â€• header_2_font=â€•
Montserrat|800||||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€•
header_3_font=â€•|||||||â€• header_4_font=â€•|||||||â€• custom_margin=â€•|||â€•
custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€•
custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€•
https://goldenpointlabs.com/blood-testing-services/â€• hover_enabled=â€•0â€³
header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_phone=â€•20pxâ€•
header_2_font_size_last_edited=â€•on|phoneâ€• border_color_all=â€•#12eaa6â€³
border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³ locked=â€•offâ€• global_colors_info=â€•

{â€• sticky_enabled=â€•0â€³]

â€•'PCR Pathogens Test Panels/Profiles

[/et_pb_text][et_pb_text_builder_version=â€•4.20.1â€³ text_font=â€•|||||||â€• text_font_size=â€•16pxâ€• ul_font=â€•|||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•|||||||â€• header_2_font=â€•Montserrat|800|||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€• header_3_font=â€•|||||||â€• header_4_font=â€•|||||||â€• max_width_tablet=â€•700pxâ€• max_width_phone=â€•700pxâ€• max_width_last_edited=â€•off|desktopâ€• custom_margin=â€•|||â€• custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€• custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€•https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€• border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³ locked=â€•offâ€• global_colors_info=â€•{}â€•]

â€•'Search Toxicology Test Panels/Profiles

[/et_pb_text][et_pb_text_builder_version=â€•4.20.2â€³ text_font=â€•|||||||â€• text_font_size=â€•16pxâ€• ul_font=â€•|||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•|||||||â€• header_2_font=â€•Montserrat|800|||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€• header_3_font=â€•|||||||â€• header_4_font=â€•|||||||â€• max_width_tablet=â€•700pxâ€• max_width_phone=â€•700pxâ€• max_width_last_edited=â€•off|desktopâ€• custom_margin=â€•|||â€• custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€• custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€•https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€• border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³ locked=â€•offâ€• global_colors_info=â€•{}â€•]

â€•'Search Microbiology/Fungal Test Panels/Profiles

[/et_pb_text][et_pb_text_builder_version=â€•4.20.2â€³ text_font=â€•|||||||â€• text_font_size=â€•16pxâ€• ul_font=â€•|||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•|||||||â€• header_2_font=â€•Montserrat|800|||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€• header_3_font=â€•|||||||â€• header_4_font=â€•|||||||â€• max_width_tablet=â€•700pxâ€• max_width_phone=â€•700pxâ€• max_width_last_edited=â€•off|desktopâ€• custom_margin=â€•|||â€• custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€• custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€•https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€• border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³ locked=â€•offâ€• global_colors_info=â€•{}â€•]

â€”Search Allergens Test Panels/Profiles

[/et_pb_text][et_pb_column][et_pb_row][et_pb_section][et_pb_section fb_built=â€”1â€”
_builder_version=â€”4.16â€”_module_preset=â€”defaultâ€” background_color=â€”#000000â€”
custom_padding=â€”|20px|||â€” global_module=â€”35433â€” saved_tabs=â€”allâ€”
global_colors_info=â€”—[â€”—][et_pb_row column_structure=â€”1_3,1_3,1_3â€”_builder_version=â€”
4.16â€”_module_preset=â€”defaultâ€” max_width=â€”2560pxâ€” module_alignment=â€”centerâ€”
global_colors_info=â€”—[â€”—][et_pb_column type=â€”1_3â€”_builder_version=â€”4.16â€”
_module_preset=â€”defaultâ€” global_colors_info=â€”—[â€”—][et_pb_image src=â€”
https://goldenpointlabs.com/wp-content/uploads/2021/06/PNGtransparent-2.pngâ€” title_text=â€”
PNG(transparent) (2)â€”_builder_version=â€”4.16â€”_module_preset=â€”defaultâ€”
background_color=â€”rgba(255,255,255,0)â€” width=â€”41%â€” module_alignment=â€”leftâ€”
custom_margin=â€”0px||||false|falseâ€” custom_padding=â€”0px||||false|falseâ€” border_radii=â€”
on|43px|43px|43px|43pxâ€” border_width_all=â€”3pxâ€” border_color_all=â€”#FFFFFFâ€”
global_colors_info=â€”—[â€”—][et_pb_image][et_pb_blurb title=â€”Addressâ€” use_icon=â€”onâ€”
font_icon=â€”—i||divi||400â€” icon_color=â€”#ffd700â€” icon_placement=â€”leftâ€”_builder_version=â€”
4.16â€”_module_preset=â€”defaultâ€” header_font=â€”Montserrat|700|||||â€” header_text_color=â€”
#FFFFFFâ€” body_text_color=â€”#FFFFFFâ€” global_colors_info=â€”—[â€”—]

153 Cahaba Valley Parkway,
Pelham, Alabama 35124

[/et_pb_blurb][et_pb_blurb title=â€”Phoneâ€” use_icon=â€”onâ€” font_icon=â€”—i||divi||400â€”
icon_color=â€”#ffd700â€” icon_placement=â€”leftâ€”_builder_version=â€”4.16â€”_module_preset=â€”
defaultâ€” header_font=â€”Montserrat|700|||||â€” header_text_color=â€”#FFFFFFâ€”
body_text_color=â€”#FFFFFFâ€” global_colors_info=â€”—[â€”—]

[/et_pb_blurb][et_pb_blurb title=â€”Message Usâ€” url=â€”https://goldenpointlabs.com/contact/â€”
use_icon=â€”onâ€” font_icon=â€”—i||divi||400â€” icon_color=â€”#ffd700â€” icon_placement=â€”leftâ€”
image_icon_width=â€”29pxâ€”_builder_version=â€”4.16â€”_module_preset=â€”defaultâ€”
header_font=â€”Montserrat|700|||||â€” header_text_color=â€”#FFFFFFâ€” body_text_color=â€”
#FFFFFFâ€” custom_margin=â€”0px||||false|falseâ€” custom_padding=â€”0px||||false|falseâ€”
custom_css_blurb_title=â€”padding-top: 5pxâ€” icon_font_size=â€”29pxâ€” global_colors_info=â€”—[â€”—
][et_pb_blurb][et_pb_blurb title=â€”CLIA: 01D2176939â€” url=â€”mailto:info@goldenpointlabs.comâ€”
use_icon=â€”onâ€” font_icon=â€”—i||divi||400â€” icon_color=â€”#ffd700â€”
image_icon_background_color=â€”rgba(0,121,168,0)â€” icon_placement=â€”leftâ€”
image_icon_width=â€”16pxâ€”_builder_version=â€”4.16â€”_module_preset=â€”defaultâ€”
header_font=â€”Montserrat|700|||||â€” header_text_color=â€”#FFFFFFâ€” body_text_color=â€”
#FFFFFFâ€” image_icon_custom_padding=â€”8px|8px|8px|8px|false|falseâ€” link_option_url=â€”
mailto:info@goldenpointlabs.comâ€” custom_css_blurb_title=â€”padding-top: 10px;â€”
border_radii_image=â€”on|100%|100%|100%|100%â€” border_width_all_image=â€”2pxâ€”
border_color_all_image=â€”#0079a8â€” use_circle=â€”onâ€” use_circle_border=â€”onâ€”
circle_color=â€”rgba(0,121,168,0)â€” global_colors_info=â€”—[â€”—
image_icon_background_color__sticky_enabled=â€”#0079a8â€”
image_icon_background_color__sticky=â€”#0079a8â€”][et_pb_blurb][et_pb_social_media_follow

```
_builder_version=4.20.4 _module_preset=default global_colors_info={
][et_pb_social_media_follow_network social_network=google url=
https://g.page/r/CSDCYrQQcyeoEAE _builder_version=4.18.0 _module_preset=default
background_color=#4285f4 global_colors_info={ follow_button=off
url_new_window=on
][google[/et_pb_social_media_follow_network][et_pb_social_media_follow_network social_network=
youtube url=https://www.youtube.com/@GoldenPointScientificLabs _builder_version=
4.20.4 _module_preset=default background_color=#a82400 global_colors_info={
follow_button=off url_new_window=on
][youtube[/et_pb_social_media_follow_network][et_pb_social_media_follow_network social_network=
facebook url=https://www.facebook.com/GoldenPointScientificLabs _builder_version=
4.18.0 _module_preset=default background_color=#3b5998 global_colors_info={
follow_button=off url_new_window=on
][facebook[/et_pb_social_media_follow_network][et_pb_social_media_follow_network
social_network=twitter url=https://twitter.com/GoldenpointLabs _builder_version=
4.18.0 _module_preset=default background_color=#00aced global_colors_info={
follow_button=off url_new_window=on
][twitter[/et_pb_social_media_follow_network][et_pb_social_media_follow_network social_network=
instagram url=https://www.instagram.com/goldenpointscientificlabs _builder_version=
4.18.0 _module_preset=default background_color=#ea2c59 global_colors_info={
follow_button=off url_new_window=on
][instagram[/et_pb_social_media_follow_network][et_pb_social_media_follow_network
social_network=linkedin url=https://www.linkedin.com/company/goldenpointscientificlabs
_builder_version=4.18.0 _module_preset=default background_color=#007bb6
global_colors_info={ follow_button=off url_new_window=on
][linkedin[/et_pb_social_media_follow_network][et_pb_social_media_follow][et_pb_column
type=1 _builder_version=4.16 _module_preset=default global_colors_info={
}[et_pb_text _builder_version=4.16 _module_preset=default header_2_font=
Montserrat|700| | header_2_text_align=center header_2_text_color=
#FFFFFF header_2_font_size=34px header_3_font=Montserrat|600| | header_3_text_color=
#FFFFFF header_3_letter_spacing=4px custom_margin=-1px custom_padding=
21px|4px| animation_style=flip global_colors_info={
}
```

Testing Service Links

```
[/et_pb_text][et_pb_divider color=#ffd700 divider_weight=1px _builder_version=4.16
_module_preset=default max_width=66% module_alignment=left
custom_margin=-7px|false|false custom_padding=|false|false animation_style=
slide animation_direction=right global_colors_info={}[et_pb_divider][et_pb_blurb
title=BLOOD TESTING url=https://goldenpointlabs.com/blood-testing-services
use_icon=on font_icon=E|divi|400 icon_color=#ffd700 icon_placement=left
image_icon_width=37px _builder_version=4.20.1 _module_preset=default
header_font=Montserrat| | header_text_align=left header_text_color=
#FFFFFF header_font_size=17px header_line_height=2.2em body_font=Montserrat| |
body_text_align=center body_text_color=#0079a8 body_font_size=18px
custom_margin=-1px|false|false custom_padding=15px|false|false
```

custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•PCR
PATHOGENâ€• url=â€•https://goldenpointlabs.com/pcr-pathogens-testing/â€• use_icon=â€•onâ€•
font_icon=â€•E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€•
image_icon_width=â€•37pxâ€• _builder_version=â€•4.19.3â€³ _module_preset=â€•defaultâ€•
header_font=â€•Montserrat|||||â€• header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€•
header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€•
body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€•
custom_margin=â€•||0px||false|falseâ€• custom_padding=â€•||||false|falseâ€•
custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•
TOXICOLOGYâ€• url=â€•https://goldenpointlabs.com/toxicology/â€• use_icon=â€•onâ€• font_icon=â€•
E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€• image_icon_width=â€•37pxâ€•
_builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• header_font=â€•Montserrat|||||â€•
header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€• header_font_size=â€•17pxâ€•
header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€• body_text_align=â€•centerâ€•
body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€• custom_margin=â€•||3px||false|falseâ€•
custom_padding=â€•||||false|falseâ€• custom_css_blurb_image=â€•margin-bottom: 10px;â€•
icon_font_size=â€•37pxâ€• global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•
on|hoverâ€• transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•
on|hoverâ€• transform_translate__hover_enabled=â€•on|desktopâ€•
transform_rotate__hover_enabled=â€•on|desktopâ€• transform_skew__hover_enabled=â€•
on|desktopâ€• transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•
MICROBIOLOGY/FUNGALâ€• url=â€•https://goldenpointlabs.com/microbiology-testing-services/â€•
use_icon=â€•onâ€• font_icon=â€•E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€•
image_icon_width=â€•37pxâ€• _builder_version=â€•4.20.2â€³ _module_preset=â€•defaultâ€•
header_font=â€•Montserrat|||||â€• header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€•
header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€•
body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€•
custom_margin=â€•||3px||false|falseâ€• custom_padding=â€•||||false|falseâ€•
custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•
ALLERGENSâ€• url=â€•https://goldenpointlabs.com/allergens-panel-profile-testing/â€• use_icon=â€•
onâ€• font_icon=â€•E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€•

image_icon_width=37px&_builder_version=4.20.2&_module_preset=default&header_font=Montserrat|||||&header_text_align=left&header_text_color=#FFFFFF&header_font_size=17px&header_line_height=2.2em&body_font=Montserrat|||||&body_text_align=center&body_text_color=#0079a8&body_font_size=18px&custom_margin=|3px|false|false&custom_padding=|||false|false&custom_css_blurb_image=margin-bottom: 10px;&icon_font_size=37px&global_colors_info={&transform_styles__hover_enabled=on|hover&transform_scale__hover=103%|103%&transform_scale__hover_enabled=on|hover&transform_translate__hover_enabled=on|desktop&transform_rotate__hover_enabled=on|desktop&transform_skew__hover_enabled=on|desktop&transform_origin__hover_enabled=on|desktop&[/et_pb_blurb][et_pb_blurb title=Search Lab Testing Services&url=https://goldenpointlabs.com/lab-testing-services/&use_icon=on&font_icon=E||divi||400&icon_color=#ffd700&icon_placement=left&image_icon_width=37px&_builder_version=4.20.1&_module_preset=default&header_font=Montserrat|||||&header_text_align=left&header_text_color=#FFFFFF&header_font_size=17px&header_line_height=2.2em&body_font=Montserrat|||||&body_text_align=center&body_text_color=#0079a8&body_font_size=18px&custom_margin=|3px|false|false&custom_padding=|||false|false&custom_css_blurb_image=margin-bottom: 10px;&icon_font_size=37px&global_colors_info={&transform_styles__hover_enabled=on|hover&transform_scale__hover=103%|103%&transform_scale__hover_enabled=on|hover&transform_translate__hover_enabled=on|desktop&transform_rotate__hover_enabled=on|desktop&transform_skew__hover_enabled=on|desktop&transform_origin__hover_enabled=on|desktop&[/et_pb_blurb][et_pb_blurb title=Test Panels/Profiles&url=https://goldenpointlabs.com/test-panels/&use_icon=on&font_icon=E||divi||400&icon_color=#ffd700&icon_placement=left&image_icon_width=37px&_builder_version=4.20.1&_module_preset=default&header_font=Montserrat|||||&header_text_align=left&header_text_color=#FFFFFF&header_font_size=17px&header_line_height=2.2em&body_font=Montserrat|||||&body_text_align=center&body_text_color=#0079a8&body_font_size=18px&custom_margin=-8px|12px|false|false&custom_padding=|||false|false&custom_css_blurb_image=margin-bottom: 10px;&icon_font_size=37px&global_colors_info={&transform_styles__hover_enabled=on|hover&transform_scale__hover=103%|103%&transform_scale__hover_enabled=on|hover&transform_translate__hover_enabled=on|desktop&transform_rotate__hover_enabled=on|desktop&transform_skew__hover_enabled=on|desktop&transform_origin__hover_enabled=on|desktop&[/et_pb_blurb][et_pb_blurb title=Lab News&url=https://goldenpointlabs.com/blog/&use_icon=on&font_icon=E||divi||400&icon_color=#ffd700&icon_placement=left&image_icon_width=37px&_builder_version=4.16&_module_preset=default&header_font=Montserrat|||||&header_text_align=left&header_text_color=#FFFFFF&header_font_size=17px&header_line_height=2.2em&body_font=Montserrat|||||&body_text_align=center&body_text_color=#0079a8&body_font_size=18px&custom_margin=-7px|17px|false|false&custom_padding=|||false|false&custom_css_blurb_image=margin-bottom: 10px;&icon_font_size=37px&global_colors_info={&transform_styles__hover_enabled=on|hover&transform_scale__hover=103%|103%&transform_scale__hover_enabled=on|hover&

transform_translate__hover_enabled=on|desktop transform_rotate__hover_enabled=on|desktop transform_skew__hover_enabled=on|desktop transform_origin__hover_enabled=on|desktop][et_pb_blurb][et_pb_blurb title=Employment Opportunities url=https://goldenpointlabs.com/employment-opportunities/ use_icon=on font_icon=E][div][400 icon_color=#ffd700 icon_placement=left image_icon_width=37px _builder_version=4.17.6 _module_preset=default header_font=Montserrat header_text_align=left header_text_color=#FFFFFF header_font_size=17px header_line_height=2.2em body_font=Montserrat body_text_align=center body_text_color=#0079a8 body_font_size=18px custom_margin=-7px][false|false custom_padding=][false|false custom_css_blurb_image=margin-bottom: 10px; icon_font_size=37px global_colors_info={} transform_styles__hover_enabled=on|hover transform_scale__hover=103%|103% transform_scale__hover_enabled=on|hover transform_translate__hover_enabled=on|desktop transform_rotate__hover_enabled=on|desktop transform_skew__hover_enabled=on|desktop transform_origin__hover_enabled=on|desktop][et_pb_blurb][et_pb_column type=1_3 _builder_version=4.16 _module_preset=default global_colors_info={}][et_pb_text _builder_version=4.16 _module_preset=default header_2_font=Montserrat|700 header_2_text_align=center header_2_text_color=#FFFFFF header_2_font_size=34px header_3_font=Montserrat|600 header_3_text_color=#FFFFFF header_3_letter_spacing=4px custom_margin=-1px custom_padding=21px|4px animation_style=flip global_colors_info={}]

Location

[et_pb_text][et_pb_divider color=#ffd700 divider_weight=1px _builder_version=4.16 _module_preset=default width=100% max_width=28% module_alignment=left custom_margin=11px][false|false custom_padding=][false|false animation_style=slide animation_direction=right global_colors_info={}][et_pb_divider][et_pb_map address=153 Cahaba Valley Pkwy, Pelham, AL 35124, USA zoom_level=15 address_lat=33.3382644 address_lng=-86.7858955 _builder_version=4.18.0 _module_preset=default module_alignment=center height=607px link_option_url=https://www.google.com/maps/place/GoldenPoint+Scientific+Medical+Lab+Solutions/@33.3382644,-86.7858955,17z/data=!3m1!4b1!4m5!3m4!1s0x0:0xc67b896f9a6911f7!8m2!3d33.3382644!4d-86.7858955 global_colors_info={}][et_pb_map_pin title=GoldenPoint Scientific Medical Laboratory Testing pin_address=153 Cahaba Valley Pkwy, Pelham, AL 35124, USA zoom_level=11 pin_address_lat=33.3382644 pin_address_lng=-86.7858955 _builder_version=4.18.0 _module_preset=default global_colors_info={}]

Powered by GoldenPoint Scientific Labs

[et_pb_map_pin][et_pb_map][et_pb_button button_url=https://www.google.com/maps/place/GoldenPoint+Scientific+Medical+Lab+Solutions/@33.3382644,-86.7858955,17z/data=!3m1!4b1!4m5!3m4!1s0x0:0xc67b896f9a6911f7!8m2!3d33.3382644!4d-86.7858955 url_new_window=on button_text=Directions button_alignment=left _builder_version=4.18.0 custom_button=on button_text_size=15px button_text_color=#FFFFFF button_bg_color=rgba(44,0,84,0) button_border_width=1px button_border_color=#ffd700 button_border_radius=9px button_letter_spacing=

2px– button_font=–Montserrat|500|on||||– button_icon=–ï€•|divi||400– button_icon_color=–#ffd700– button_icon_placement=–left– button_on_hover=–off– background_layout=–dark– custom_margin=–||||true– custom_padding=–9px|11px|9px|28px|true|false– animation_style=–slide– animation_direction=–top– box_shadow_style=–preset3– box_shadow_vertical=–5px– box_shadow_color=–#FFFFFF– button_letter_spacing_hover=–2px– button_bg_color_hover=–#00e2c4– locked=–off– global_colors_info=–{}– button_text_size__hover_enabled=–on|hover– button_one_text_size__hover_enabled=–off– button_two_text_size__hover_enabled=–off– button_text_color__hover_enabled=–on|hover– button_one_text_color__hover_enabled=–off– button_two_text_color__hover_enabled=–off– button_border_width__hover_enabled=–off– button_one_border_width__hover_enabled=–off– button_two_border_width__hover_enabled=–off– button_border_color__hover_enabled=–off– button_one_border_color__hover_enabled=–off– button_two_border_color__hover_enabled=–off– button_border_radius__hover_enabled=–off– button_one_border_radius__hover_enabled=–off– button_two_border_radius__hover_enabled=–off– button_letter_spacing__hover_enabled=–on– button_letter_spacing__hover=–2px– button_one_letter_spacing__hover_enabled=–off– button_two_letter_spacing__hover_enabled=–off– button_bg_color__hover_enabled=–on|desktop– button_bg_color__hover=–#eaeaea– button_one_bg_color__hover_enabled=–off– button_two_bg_color__hover_enabled=–off– button_icon_color__hover_enabled=–on|hover– button_icon_color__hover=–#000000– button_bg_enable_color__hover=–on– button_text_color__hover=–#2c0054– button_text_size__hover=–15px–[/et_pb_button]/[/et_pb_column]/[/et_pb_row]/[/et_pb_section]

Date Created

March 28, 2023

Author

admin