

Iron Panel (TIBC) Blood Test

Description

[et_pb_section fb_built=1 admin_label=section _builder_version=4.16 global_colors_info={}] [et_pb_row admin_label=row _builder_version=4.16 background_size=initial background_position=top_left background_repeat=repeat global_colors_info={}] [et_pb_column type=4_4 _builder_version=4.16 custom_padding=||| global_colors_info={}] _builder_version=4.20.4 text_font_size=18px text_line_height=1.8em background_size=initial background_position=top_left background_repeat=repeat hover_enabled=0 global_colors_info={} sticky_enabled=0]

Iron Panel (TIBC)

The Iron Panel or Total Iron Binding Capacity (TIBC) is a group of blood tests that measures the levels of iron and other proteins involved in iron metabolism in the body. These tests are used to evaluate the body's ability to transport and store iron, and to diagnose and monitor conditions related to iron deficiency or excess.

The TIBC is typically ordered when an individual has symptoms of iron deficiency or excess, such as fatigue, weakness, or pallor. It may also be ordered as part of a routine health screening or to monitor the effectiveness of treatment for iron-related conditions, such as iron-deficiency anemia. The results of the TIBC can help guide appropriate treatment and management of iron-related conditions.

[/et_pb_text][et_pb_column][et_pb_row][et_pb_section fb_built=1 admin_label=Service _builder_version=4.20.1 background_color=#FFFFFF global_module=228011 saved_tabs=all global_colors_info={}] [et_pb_row column_structure=1_4,3_4 _builder_version=4.20.1 width=65% max_width=2560px global_colors_info={}] [et_pb_column type=1_4 _builder_version=4.16 custom_padding=||| global_colors_info={}] _builder_version=4.20.1 custom_button=on button_text_size=15px button_bg_color=#0079a8 button_border_width=0px button_border_radius=0px button_letter_spacing=2px button_font=700|on|||| button_use_icon=off background_layout=dark custom_margin=|||true custom_padding=16px|32px|16px|32px|true|true button_letter_spacing_hover=2px button_bg_color_hover=#00e2c4 locked=off global_colors_info={}] button_text_size__hover_enabled=off button_one_text_size__hover_enabled=off button_two_text_size__hover_enabled=off button_text_color__hover_enabled=off button_one_text_color__hover_enabled=off button_two_text_color__hover_enabled=off button_border_width__hover_enabled=off button_one_border_width__hover_enabled=off button_two_border_width__hover_enabled=off button_border_color__hover_enabled=off]

offâ€• button_two_border_color__hover_enabled=â€•offâ€• button_border_radius__hover_enabled=â€•
offâ€• button_one_border_radius__hover_enabled=â€•offâ€•
button_two_border_radius__hover_enabled=â€•offâ€• button_letter_spacing__hover_enabled=â€•onâ€•
• button_letter_spacing__hover=â€•2pxâ€• button_one_letter_spacing__hover_enabled=â€•offâ€•
button_two_letter_spacing__hover_enabled=â€•offâ€• button_bg_color__hover_enabled=â€•onâ€•
button_bg_color__hover=â€•#00e2c4â€³ button_one_bg_color__hover_enabled=â€•offâ€•
button_two_bg_color__hover_enabled=â€•offâ€•][et_pb_button][et_pb_image src=â€•
https://goldenpointlabs.com/wp-content/uploads/2022/07/womens-health-lab-testing.jpegâ€• alt=â€•
Influenza PCR Testâ€• title_text=â€•Influenza PCR Testâ€• _builder_version=â€•4.20.1â€³
_module_preset=â€•defaultâ€• global_colors_info=â€•{}â€•
][et_pb_image][et_pb_column][et_pb_column type=â€•3_4â€³ _builder_version=â€•4.16â€³
custom_padding=â€•|||â€• global_colors_info=â€•{}â€• custom_padding__hover=â€•|||â€•][et_pb_text
_builder_version=â€•4.20.1â€³ header_font=â€•|||||||â€• header_2_font=â€•|||||||â€• header_3_font=â€•
|||||||â€• header_4_font=â€•Montserrat|700|on|||||â€• header_4_text_color=â€•#0079a8â€³
header_4_font_size=â€•20pxâ€• header_4_letter_spacing=â€•2pxâ€• header_4_line_height=â€•
1.6emâ€• max_width=â€•600pxâ€• max_width_tablet=â€•700pxâ€• max_width_phone=â€•700pxâ€•
max_width_last_edited=â€•off|desktopâ€• custom_margin=â€•|||â€• custom_margin_tablet=â€•|0px||â€•
custom_margin_phone=â€•|0px||â€• custom_margin_last_edited=â€•off|desktopâ€•
header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_last_edited=â€•off|desktopâ€• locked=â€•
offâ€• global_colors_info=â€•{}â€•]

Clinical Lab Testing Services:

[et_pb_text][et_pb_text_builder_version=â€•4.20.1â€³ text_font=â€•|||||||â€• text_font_size=â€•16pxâ€•
ul_font=â€•|||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•|||||||â€• header_2_font=â€•
Montserrat|800||||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€•
header_3_font=â€•|||||||â€• header_4_font=â€•|||||||â€• custom_margin=â€•|||â€•
custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€•
custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€•
https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€•
header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€•
border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³
locked=â€•offâ€• global_colors_info=â€•{}â€•]

â€•Search Blood Test Panels/Profiles

[et_pb_text][et_pb_text_builder_version=â€•4.20.1â€³ text_font=â€•|||||||â€• text_font_size=â€•16pxâ€•
ul_font=â€•|||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•|||||||â€• header_2_font=â€•
Montserrat|800||||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€•
header_3_font=â€•|||||||â€• header_4_font=â€•|||||||â€• custom_margin=â€•|||â€•
custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€•
custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€•
https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€•
header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€•
border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³
locked=â€•offâ€• global_colors_info=â€•{}â€•]

â†’Search PCR Pathogens Test Panels/Profiles

[/et_pb_text][et_pb_text_builder_version=â€•4.20.1â€³ text_font=â€•|||||||â€• text_font_size=â€•16pxâ€• ul_font=â€•|||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•|||||||â€• header_2_font=â€•Montserrat|800|||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€• header_3_font=â€•|||||||â€• header_4_font=â€•|||||||â€• max_width_tablet=â€•700pxâ€• max_width_phone=â€•700pxâ€• max_width_last_edited=â€•off|desktopâ€• custom_margin=â€•|||â€• custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€• custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€•https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€• border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³ locked=â€•offâ€• global_colors_info=â€•{}â€•]

â†’Search Toxicology Test Panels/Profiles

[/et_pb_text][et_pb_text_builder_version=â€•4.20.2â€³ text_font=â€•|||||||â€• text_font_size=â€•16pxâ€• ul_font=â€•|||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•|||||||â€• header_2_font=â€•Montserrat|800|||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€• header_3_font=â€•|||||||â€• header_4_font=â€•|||||||â€• max_width_tablet=â€•700pxâ€• max_width_phone=â€•700pxâ€• max_width_last_edited=â€•off|desktopâ€• custom_margin=â€•|||â€• custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€• custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€•https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€• border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³ locked=â€•offâ€• global_colors_info=â€•{}â€•]

â†’Search Microbiology/Fungal Test Panels/Profiles

[/et_pb_text][et_pb_text_builder_version=â€•4.20.2â€³ text_font=â€•|||||||â€• text_font_size=â€•16pxâ€• ul_font=â€•|||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•|||||||â€• header_2_font=â€•Montserrat|800|||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€• header_3_font=â€•|||||||â€• header_4_font=â€•|||||||â€• max_width_tablet=â€•700pxâ€• max_width_phone=â€•700pxâ€• max_width_last_edited=â€•off|desktopâ€• custom_margin=â€•|||â€• custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€• custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€•https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€• border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³ locked=â€•offâ€• global_colors_info=â€•{}â€•]

â†’Search Allergens Test Panels/Profiles

```
[/et_pb_text][et_pb_column][et_pb_row][et_pb_section][et_pb_section fb_built=1
_builder_version=4.16_module_preset=default_background_color=#000000
custom_padding=20px|global_module=35433_saved_tabs=all
global_colors_info={}][et_pb_row column_structure=1_3,1_3,1_3_builder_version=4.16_module_preset=default_max_width=2560px_module_alignment=center
global_colors_info={}][et_pb_column type=1_3_builder_version=4.16_module_preset=default_global_colors_info={}][et_pb_image src=https://goldenpointlabs.com/wp-content/uploads/2021/06/PNGtransparent-2.png_title_text=PNG(transparent) (2)_builder_version=4.16_module_preset=default
background_color=rgba(255,255,255,0)width=41%module_alignment=left
custom_margin=0px|false|falsecustom_padding=0px|false|falseborder_radii=43px|43px|43px|43pxborder_width_all=3pxborder_color_all=FFFFFF
global_colors_info={}][et_pb_image][et_pb_blurb title=Address_use_icon=onfont_icon=i|divi|400icon_color=#ffd700icon_placement=left_builder_version=4.16_module_preset=default_header_font=Montserrat|700|header_text_color=FFFFFFbody_text_color=FFFFFFglobal_colors_info={}]
```

153 Cahaba Valley Parkway,
Pelham, Alabama 35124

```
[/et_pb_blurb][et_pb_blurb title=Phone_use_icon=onfont_icon=i|divi|400icon_color=#ffd700icon_placement=left_builder_version=4.16_module_preset=default
header_font=Montserrat|700|header_text_color=FFFFFFbody_text_color=FFFFFFglobal_colors_info={}]
```

```
[/et_pb_blurb][et_pb_blurb title=Message Us_url=https://goldenpointlabs.com/contact/use_icon=onfont_icon=i|divi|400icon_color=#ffd700icon_placement=left
image_icon_width=29px_builder_version=4.16_module_preset=default_header_font=Montserrat|700|header_text_color=FFFFFFbody_text_color=FFFFFF
custom_margin=0px|false|falsecustom_padding=0px|false|falsecustom_css_blurb_title=padding-top: 5pxicon_font_size=29pxglobal_colors_info={}][et_pb_blurb][et_pb_blurb title=CLIA: 01D2176939_url=mailto:info@goldenpointlabs.com_use_icon=onfont_icon=i|divi|400icon_color=#ffd700
image_icon_background_color=rgba(0,121,168,0)icon_placement=left
image_icon_width=16px_builder_version=4.16_module_preset=default_header_font=Montserrat|700|header_text_color=FFFFFFbody_text_color=FFFFFF
image_icon_custom_padding=8px|8px|8px|8px|false|falselink_option_url=mailto:info@goldenpointlabs.comcustom_css_blurb_title=padding-top: 10px;
border_radii_image=on|100%|100%|100%|100%border_width_all_image=2pxborder_color_all_image=#0079a8use_circle=onuse_circle_border=on
circle_color=rgba(0,121,168,0)global_colors_info={}
image_icon_background_color_sticky_enabled=#0079a8
image_icon_background_color_sticky=#0079a8][et_pb_blurb][et_pb_social_media_follow _builder_version=4.18.0_module_preset=default_global_colors_info={}
][et_pb_social_media_follow_network social_network=google_url=
```

https://g.page/r/CSDCYrQQcyeoEAE?_builder_version=4.18.0?module_preset=default?background_color=#4285f4?global_colors_info={}?follow_button=off?url_new_window=on
[google[/et_pb_social_media_follow_network][et_pb_social_media_follow_network social_network=facebook?url=https://www.facebook.com/GoldenPointScientificLabs?_builder_version=4.18.0?module_preset=default?background_color=#3b5998?global_colors_info={}?follow_button=off?url_new_window=on
[facebook[/et_pb_social_media_follow_network][et_pb_social_media_follow_network social_network=twitter?url=https://twitter.com/GoldenpointLabs?_builder_version=4.18.0?module_preset=default?background_color=#00aced?global_colors_info={}?follow_button=off?url_new_window=on
[twitter[/et_pb_social_media_follow_network][et_pb_social_media_follow_network social_network=instagram?url=https://www.instagram.com/goldenpointscientificlabs/?_builder_version=4.18.0?module_preset=default?background_color=#ea2c59?global_colors_info={}?follow_button=off?url_new_window=on
[instagram[/et_pb_social_media_follow_network][et_pb_social_media_follow_network social_network=linkedin?url=https://www.linkedin.com/company/goldenpointscientificlabs?_builder_version=4.18.0?module_preset=default?background_color=#007bb6?global_colors_info={}?follow_button=off?url_new_window=on
[linkedin[/et_pb_social_media_follow_network][et_pb_social_media_follow][et_pb_column][et_pb_column type=1_3?_builder_version=4.16?module_preset=default?global_colors_info={}][et_pb_text _builder_version=4.16?module_preset=default?header_2_font=Montserrat|700|||||?header_2_text_align=center?header_2_text_color=FFFFFF?header_2_font_size=34px?header_3_font=Montserrat|600|||||?header_3_text_color=FFFFFF?header_3_letter_spacing=4px?custom_margin=-1px||||?custom_padding=21px|4px||||?animation_style=flip?global_colors_info={}]

Testing Service Links

[/et_pb_text][et_pb_divider color=ffd700?divider_weight=1px?_builder_version=4.16?module_preset=default?max_width=66%?module_alignment=left?custom_margin=-7px|false|false?custom_padding=|||false|false?animation_style=slide?animation_direction=right?global_colors_info={}][et_pb_divider][et_pb_blurb title=BLOOD TESTING ?url=https://goldenpointlabs.com/blood-testing-services/?use_icon=on?font_icon=E|divi|400?icon_color=ffd700?icon_placement=left?image_icon_width=37px?_builder_version=4.20.1?module_preset=default?header_font=Montserrat|?header_text_align=left?header_text_color=FFFFFF?header_font_size=17px?header_line_height=2.2em?body_font=Montserrat|?body_text_align=center?body_text_color=#0079a8?body_font_size=18px?custom_margin=-1px|false|false?custom_padding=15px|false|false?custom_css_blurb_image=margin-bottom: 10px;?icon_font_size=37px?global_colors_info={}?transform_styles__hover_enabled=on|hover?transform_scale__hover=103%|103%?transform_scale__hover_enabled=on|hover?transform_translate__hover_enabled=on|desktop?transform_rotate__hover_enabled=on|desktop?transform_skew__hover_enabled=on|desktop?transform_origin__hover_enabled=on|desktop][et_pb_blurb title=PCR

PATHOGEN–url=–https://goldenpointlabs.com/pcr-pathogens-testing/–use_icon=–on– font_icon=–E||divi||400– icon_color=–#ffd700– icon_placement=–left– image_icon_width=–37px– _builder_version=–4.19.3– _module_preset=–default– header_font=–Montserrat|||||– header_text_align=–left– header_text_color=–#FFFFFF– header_font_size=–17px– header_line_height=–2.2em– body_font=–Montserrat|||||– body_text_align=–center– body_text_color=–#0079a8– body_font_size=–18px– custom_margin=–||0px||false|false– custom_padding=–||||false|false– custom_css_blurb_image=–margin-bottom: 10px;– icon_font_size=–37px– global_colors_info=–{}– transform_styles__hover_enabled=–on|hover– transform_scale__hover=–103%|103%– transform_scale__hover_enabled=–on|hover– transform_translate__hover_enabled=–on|desktop– transform_rotate__hover_enabled=– on|desktop– transform_skew__hover_enabled=–on|desktop– transform_origin__hover_enabled=–on|desktop–[/et_pb_blurb][et_pb_blurb title=– TOXICOLOGY–url=–https://goldenpointlabs.com/toxicology/–use_icon=–on– font_icon=– E||divi||400– icon_color=–#ffd700– icon_placement=–left– image_icon_width=–37px– _builder_version=–4.16– _module_preset=–default– header_font=–Montserrat|||||– header_text_align=–left– header_text_color=–#FFFFFF– header_font_size=–17px– header_line_height=–2.2em– body_font=–Montserrat|||||– body_text_align=–center– body_text_color=–#0079a8– body_font_size=–18px– custom_margin=–||3px||false|false– custom_padding=–||||false|false– custom_css_blurb_image=–margin-bottom: 10px;– icon_font_size=–37px– global_colors_info=–{}– transform_styles__hover_enabled=– on|hover– transform_scale__hover=–103%|103%– transform_scale__hover_enabled=– on|hover– transform_translate__hover_enabled=–on|desktop– transform_rotate__hover_enabled=–on|desktop– transform_skew__hover_enabled=– on|desktop– transform_origin__hover_enabled=–on|desktop–[/et_pb_blurb][et_pb_blurb title=– MICROBIOLOGY/FUNGAL–url=–https://goldenpointlabs.com/microbiology-testing-services/– use_icon=–on– font_icon=–E||divi||400– icon_color=–#ffd700– icon_placement=–left– image_icon_width=–37px– _builder_version=–4.20.2– _module_preset=–default– header_font=–Montserrat|||||– header_text_align=–left– header_text_color=–#FFFFFF– header_font_size=–17px– header_line_height=–2.2em– body_font=–Montserrat|||||– body_text_align=–center– body_text_color=–#0079a8– body_font_size=–18px– custom_margin=–||3px||false|false– custom_padding=–||||false|false– custom_css_blurb_image=–margin-bottom: 10px;– icon_font_size=–37px– global_colors_info=–{}– transform_styles__hover_enabled=–on|hover– transform_scale__hover=–103%|103%– transform_scale__hover_enabled=–on|hover– transform_translate__hover_enabled=–on|desktop– transform_rotate__hover_enabled=– on|desktop– transform_skew__hover_enabled=–on|desktop– transform_origin__hover_enabled=–on|desktop–[/et_pb_blurb][et_pb_blurb title=– ALLERGENS–url=–https://goldenpointlabs.com/allergens-panel-profile-testing/–use_icon=– on– font_icon=–E||divi||400– icon_color=–#ffd700– icon_placement=–left– image_icon_width=–37px– _builder_version=–4.20.2– _module_preset=–default– header_font=–Montserrat|||||– header_text_align=–left– header_text_color=–#FFFFFF– header_font_size=–17px– header_line_height=–2.2em– body_font=–Montserrat|||||– body_text_align=–center– body_text_color=–#0079a8– body_font_size=–18px– custom_margin=–||3px||false|false– custom_padding=–||||false|false– custom_css_blurb_image=–margin-bottom: 10px;– icon_font_size=–37px–

global_colors_info={}&transform_styles__hover_enabled=&on|hover&transform_scale__hover=&103%|103%&transform_scale__hover_enabled=&on|hover&transform_translate__hover_enabled=&on|desktop&transform_rotate__hover_enabled=&on|desktop&transform_skew__hover_enabled=&on|desktop&transform_origin__hover_enabled=&on|desktop&[/et_pb_blurb][et_pb_blurb title=&Search Lab Testing Services& url=&https://goldenpointlabs.com/lab-testing-services/& use_icon=&on&font_icon=&E||divi||400&^3 icon_color=&#ffd700&^3 icon_placement=&left&image_icon_width=&37px&_builder_version=&4.20.1&^3 _module_preset=&default&header_font=&Montserrat|||||&header_text_align=&left&header_text_color=&#FFFFFF&header_font_size=&17px&header_line_height=&2.2em&body_font=&Montserrat|||||&body_text_align=¢er&body_text_color=Oa8&^3 body_font_size=&18px&custom_margin=&||3px||false|false&custom_padding=&||||false|false&custom_css_blurb_image=&margin-bottom: 10px;&icon_font_size=&37px&global_colors_info={}&transform_styles__hover_enabled=&on|hover&transform_scale__hover=&103%|103%&transform_scale__hover_enabled=&on|hover&transform_translate__hover_enabled=&on|desktop&transform_rotate__hover_enabled=&on|desktop&transform_skew__hover_enabled=&on|desktop&transform_origin__hover_enabled=&on|desktop&[/et_pb_blurb][et_pb_blurb title=&Test Panels/Profiles& url=&https://goldenpointlabs.com/test-panels/& use_icon=&on&font_icon=&E||divi||400&^3 icon_color=&#ffd700&^3 icon_placement=&left&image_icon_width=&37px&_builder_version=&4.20.1&^3 _module_preset=&default&header_font=&Montserrat|||||&header_text_align=&left&header_text_color=&#FFFFFF&header_font_size=&17px&header_line_height=&2.2em&body_font=&Montserrat|||||&body_text_align=¢er&body_text_color=Oa8&^3 body_font_size=&18px&custom_margin=&-8px||12px||false|false&custom_padding=&||||false|false&custom_css_blurb_image=&margin-bottom: 10px;&icon_font_size=&37px&global_colors_info={}&transform_styles__hover_enabled=&on|hover&transform_scale__hover=&103%|103%&transform_scale__hover_enabled=&on|hover&transform_translate__hover_enabled=&on|desktop&transform_rotate__hover_enabled=&on|desktop&transform_skew__hover_enabled=&on|desktop&transform_origin__hover_enabled=&on|desktop&[/et_pb_blurb][et_pb_blurb title=&Lab News& url=&https://goldenpointlabs.com/blog/& use_icon=&on&font_icon=&E||divi||400&^3 icon_color=&#ffd700&^3 icon_placement=&left&image_icon_width=&37px&_builder_version=&4.16&^3 _module_preset=&default&header_font=&Montserrat|||||&header_text_align=&left&header_text_color=&#FFFFFF&header_font_size=&17px&header_line_height=&2.2em&body_font=&Montserrat|||||&body_text_align=¢er&body_text_color=Oa8&^3 body_font_size=&18px&custom_margin=&-7px||17px||false|false&custom_padding=&||||false|false&custom_css_blurb_image=&margin-bottom: 10px;&icon_font_size=&37px&global_colors_info={}&transform_styles__hover_enabled=&on|hover&transform_scale__hover=&103%|103%&transform_scale__hover_enabled=&on|hover&transform_translate__hover_enabled=&on|desktop&transform_rotate__hover_enabled=&on|desktop&transform_skew__hover_enabled=&on|desktop&transform_origin__hover_enabled=&on|desktop&[/et_pb_blurb][et_pb_blurb title=&Employment Opportunities& url=&https://goldenpointlabs.com/employment-opportunities/& use_icon=&on&font_icon=&E||divi||400&^3 icon_color=&#ffd700&^3 icon_placement=&left&image_icon_width=&37px&_builder_version=&4.17.6&^3 _module_preset=&default&

header_font=â€•Montserrat|||||â€• header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€•
header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€•
body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€•
custom_margin=â€•-7px||||false|falseâ€• custom_padding=â€•||||false|falseâ€•
custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb]/[et_pb_column][et_pb_column
type=â€•1_3â€³ _builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• global_colors_info=â€•
{â€•}[/et_pb_text]_builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• header_2_font=â€•
Montserrat|700|||||â€• header_2_text_align=â€•centerâ€• header_2_text_color=â€•#FFFFFFâ€•
header_2_font_size=â€•34pxâ€• header_3_font=â€•Montserrat|600|||||â€• header_3_text_color=â€•
#FFFFFFâ€• header_3_letter_spacing=â€•4pxâ€• custom_margin=â€•||-1px||â€• custom_padding=â€•
21px||4px||â€• animation_style=â€•flipâ€• global_colors_info=â€•{}â€•]

Location

[/et_pb_text][et_pb_divider color=â€•#ffd700â€³ divider_weight=â€•1pxâ€• _builder_version=â€•4.16â€³
_module_preset=â€•defaultâ€• width=â€•100%â€• max_width=â€•28%â€• module_alignment=â€•leftâ€•
custom_margin=â€•||11px||false|falseâ€• custom_padding=â€•||||false|falseâ€• animation_style=â€•
slideâ€• animation_direction=â€•rightâ€• global_colors_info=â€•{}â€•[/et_pb_divider][et_pb_map
address=â€•153 Cahaba Valley Pkwy, Pelham, AL 35124, USAâ€• zoom_level=â€•15â€³
address_lat=â€•33.3382644â€³ address_lng=â€•-86.7858955â€³ _builder_version=â€•4.18.0â€³
_module_preset=â€•defaultâ€• module_alignment=â€•centerâ€• height=â€•607pxâ€• link_option_url=â€•
•https://www.google.com/maps/place/GoldenPoint+Scientific+Medical+Lab+Solutions/@33.3382644,-
86.7858955,17z/data=!3m1!4b1!4m5!3m4!1s0x0:0xc67b896f9a6911f7!8m2!3d33.3382644!4d-
86.7858955â€³ global_colors_info=â€•{}â€•[/et_pb_map_pin title=â€•GoldenPoint Scientific Medical
Laboratory Testingâ€• pin_address=â€•153 Cahaba Valley Pkwy, Pelham, AL 35124, USAâ€•
zoom_level=â€•11â€³ pin_address_lat=â€•33.3382644â€³ pin_address_lng=â€•-86.7858955â€³
_builder_version=â€•4.18.0â€³ _module_preset=â€•defaultâ€• global_colors_info=â€•{}â€•]

Powered by GoldenPoint Scientific Labs

[/et_pb_map_pin][et_pb_map][et_pb_button button_url=â€•
https://www.google.com/maps/place/GoldenPoint+Scientific+Medical+Lab+Solutions/@33.3382644,-
86.7858955,17z/data=!3m1!4b1!4m5!3m4!1s0x0:0xc67b896f9a6911f7!8m2!3d33.3382644!4d-
86.7858955â€³ url_new_window=â€•onâ€• button_text=â€•Directionsâ€• button_alignment=â€•leftâ€•
_builder_version=â€•4.18.0â€³ custom_button=â€•onâ€• button_text_size=â€•15pxâ€•
button_text_color=â€•#FFFFFFâ€• button_bg_color=â€•rgba(44,0,84,0)â€• button_border_width=â€•
1pxâ€• button_border_color=â€•#ffd700â€³ button_border_radius=â€•9pxâ€• button_letter_spacing=â€•
2pxâ€• button_font=â€•Montserrat|500|on||||â€• button_icon=â€•î€•|divi|400â€³ button_icon_color=â€•
#ffd700â€³ button_icon_placement=â€•leftâ€• button_on_hover=â€•offâ€• background_layout=â€•
darkâ€• custom_margin=â€•||||trueâ€• custom_padding=â€•9px|11px|9px|28px|true|falseâ€•
animation_style=â€•slideâ€• animation_direction=â€•topâ€• box_shadow_style=â€•preset3â€³
box_shadow_vertical=â€•5pxâ€• box_shadow_color=â€•#FFFFFFâ€• button_letter_spacing_hover=â€•
2pxâ€• button_bg_color_hover=â€•#00e2c4â€³ locked=â€•offâ€• global_colors_info=â€•{}â€•

button_text_size__hover_enabled=â€•on|hoverâ€• button_one_text_size__hover_enabled=â€•offâ€•
button_two_text_size__hover_enabled=â€•offâ€• button_text_color__hover_enabled=â€•on|hoverâ€•
button_one_text_color__hover_enabled=â€•offâ€• button_two_text_color__hover_enabled=â€•offâ€•
button_border_width__hover_enabled=â€•offâ€• button_one_border_width__hover_enabled=â€•offâ€•
button_two_border_width__hover_enabled=â€•offâ€• button_border_color__hover_enabled=â€•offâ€•
button_one_border_color__hover_enabled=â€•offâ€• button_two_border_color__hover_enabled=â€•
offâ€• button_border_radius__hover_enabled=â€•offâ€•
button_one_border_radius__hover_enabled=â€•offâ€• button_two_border_radius__hover_enabled=â€•
offâ€• button_letter_spacing__hover_enabled=â€•onâ€• button_letter_spacing__hover=â€•2pxâ€•
button_one_letter_spacing__hover_enabled=â€•offâ€• button_two_letter_spacing__hover_enabled=â€•
offâ€• button_bg_color__hover_enabled=â€•on|desktopâ€• button_bg_color__hover=â€•#eaeaeaâ€•
button_one_bg_color__hover_enabled=â€•offâ€• button_two_bg_color__hover_enabled=â€•offâ€•
button_icon_color__hover_enabled=â€•on|hoverâ€• button_icon_color__hover=â€•#000000â€³
button_bg_enable_color__hover=â€•onâ€• button_text_color__hover=â€•#2c0054â€³
button_text_size__hover=â€•15pxâ€•][[/et_pb_button]][/et_pb_column]][/et_pb_row]][/et_pb_section]

Date Created

March 7, 2023

Author

admin

default watermark