

LIPID Panel (LP)

Description

```
[et_pb_section fb_built=1 admin_label=section _builder_version=4.16 global_colors_info={}[et_pb_row admin_label=row _builder_version=4.16 background_size=initial background_position=top_left background_repeat=repeat global_colors_info={}[et_pb_column type=4_4 _builder_version=4.16 custom_padding=||| global_colors_info={} custom_padding__hover=|||][et_pb_text admin_label=Text _builder_version=4.20.4 text_font_size=18px text_line_height=1.8em background_size=initial background_position=top_left background_repeat=repeat hover_enabled=0 global_colors_info={} sticky_enabled=0]
```

Lipid Panel (LP)

A lipid panel (LP) is a blood test that measures various types of lipids (fats) in the blood. Lipids are important components of the body that play a role in many vital functions such as providing energy, insulating organs, and regulating cell function.

A healthcare provider may order a lipid panel as part of a routine physical exam or to evaluate a person's risk for heart disease. Results from the lipid panel can help determine if lifestyle changes, medication, or other interventions are necessary to reduce a person's risk of heart disease.

```
[/et_pb_text][et_pb_column][et_pb_row][et_pb_section fb_built=1 admin_label=Service _builder_version=4.20.1 background_color=#FFFFFF global_module=228011 saved_tabs=all global_colors_info={}[et_pb_row column_structure=1_4,3_4 _builder_version=4.20.1 width=65% max_width=2560px global_colors_info={}[et_pb_column type=1_4 _builder_version=4.16 custom_padding=||| global_colors_info={} custom_padding__hover=|||][et_pb_button button_url=https://goldenpointlabs.com/contact button_text=Contact GoldenPoint _builder_version=4.20.1 custom_button=on button_text_size=15px button_bg_color=#0079a8 button_border_width=0px button_border_radius=0px button_letter_spacing=2px button_font=700|on| button_use_icon=off background_layout=dark custom_margin=|||true custom_padding=16px|32px|16px|32px|true|true button_letter_spacing_hover=2px button_bg_color_hover=#00e2c4 locked=off global_colors_info={} button_text_size__hover_enabled=off button_one_text_size__hover_enabled=off button_two_text_size__hover_enabled=off button_text_color__hover_enabled=off button_one_text_color__hover_enabled=off button_two_text_color__hover_enabled=off button_border_width__hover_enabled=off]
```

button_one_border_width__hover_enabled=â€•offâ€• button_two_border_width__hover_enabled=â€•offâ€• button_border_color__hover_enabled=â€•offâ€• button_one_border_color__hover_enabled=â€•offâ€• button_two_border_color__hover_enabled=â€•offâ€• button_border_radius__hover_enabled=â€•offâ€• button_one_border_radius__hover_enabled=â€•offâ€• button_two_border_radius__hover_enabled=â€•offâ€• button_letter_spacing__hover_enabled=â€•onâ€• button_letter_spacing__hover=â€•2pxâ€• button_one_letter_spacing__hover_enabled=â€•offâ€• button_two_letter_spacing__hover_enabled=â€•offâ€• button_bg_color__hover_enabled=â€•onâ€• button_bg_color__hover=â€•#00e2c4â€³ button_one_bg_color__hover_enabled=â€•offâ€• button_two_bg_color__hover_enabled=â€•offâ€•[/et_pb_button][et_pb_image src=â€•https://goldenpointlabs.com/wp-content/uploads/2022/07/womens-health-lab-testing.jpegâ€• alt=â€•Influenza PCR Testâ€• title_text=â€•Influenza PCR Testâ€• _builder_version=â€•4.20.1â€³ _module_preset=â€•defaultâ€• global_colors_info=â€•{}â€•][et_pb_image][et_pb_column][et_pb_column type=â€•3_4â€³ _builder_version=â€•4.16â€³ custom_padding=â€•|||â€• global_colors_info=â€•{}â€• custom_padding__hover=â€•|||â€•][et_pb_text _builder_version=â€•4.20.1â€³ header_font=â€•|||||â€• header_2_font=â€•|||||â€• header_3_font=â€•|||||â€• header_4_font=â€•Montserrat|700|on||||â€• header_4_text_color=â€•#0079a8â€³ header_4_font_size=â€•20pxâ€• header_4_letter_spacing=â€•2pxâ€• header_4_line_height=â€•1.6emâ€• max_width=â€•600pxâ€• max_width_tablet=â€•700pxâ€• max_width_phone=â€•700pxâ€• max_width_last_edited=â€•off|desktopâ€• custom_margin=â€•|||â€• custom_margin_tablet=â€•|0px|â€• custom_margin_phone=â€•|0px|â€• custom_margin_last_edited=â€•off|desktopâ€• header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_last_edited=â€•off|desktopâ€• locked=â€•offâ€• global_colors_info=â€•{}â€•]

Clinical Lab Testing Services:

[et_pb_text][et_pb_text _builder_version=â€•4.20.1â€³ text_font=â€•|||||â€• text_font_size=â€•16pxâ€• ul_font=â€•|||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•|||||â€• header_2_font=â€•Montserrat|800|||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€• header_3_font=â€•|||||â€• header_4_font=â€•|||||â€• custom_margin=â€•|||â€• custom_margin_tablet=â€•|0px|â€• custom_margin_phone=â€•|0px|â€• custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€•https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€• border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³ locked=â€•offâ€• global_colors_info=â€•{}â€•]

â†’ Search Blood Test Panels/Profiles

[et_pb_text][et_pb_text _builder_version=â€•4.20.1â€³ text_font=â€•|||||â€• text_font_size=â€•16pxâ€• ul_font=â€•|||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•|||||â€• header_2_font=â€•Montserrat|800|||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€• header_3_font=â€•|||||â€• header_4_font=â€•|||||â€• custom_margin=â€•|||â€• custom_margin_tablet=â€•|0px|â€• custom_margin_phone=â€•|0px|â€• custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€•https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€•

border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³
locked=â€•offâ€• global_colors_info=â€•{}â€•]

â†’Search PCR Pathogens Test Panels/Profiles

[/et_pb_text][et_pb_text_builder_version=â€•4.20.1â€³ text_font=â€•||||||â€• text_font_size=â€•16pxâ€•
ul_font=â€•||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•||||||â€• header_2_font=â€•
Montserrat|800||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€•
header_3_font=â€•||||||â€• header_4_font=â€•||||||â€• max_width_tablet=â€•700pxâ€•
max_width_phone=â€•700pxâ€• max_width_last_edited=â€•off|desktopâ€• custom_margin=â€•||â€•
custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€•
custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px||â€• link_option_url=â€•
https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€•
header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€•
border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³
locked=â€•offâ€• global_colors_info=â€•{}â€•]

â†’Search Toxicology Test Panels/Profiles

[/et_pb_text][et_pb_text_builder_version=â€•4.20.2â€³ text_font=â€•||||||â€• text_font_size=â€•16pxâ€•
ul_font=â€•||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•||||||â€• header_2_font=â€•
Montserrat|800||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€•
header_3_font=â€•||||||â€• header_4_font=â€•||||||â€• max_width_tablet=â€•700pxâ€•
max_width_phone=â€•700pxâ€• max_width_last_edited=â€•off|desktopâ€• custom_margin=â€•||â€•
custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€•
custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px||â€• link_option_url=â€•
https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€•
header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€•
border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³
locked=â€•offâ€• global_colors_info=â€•{}â€•]

â†’Search Microbiology/Fungal Test Panels/Profiles

[/et_pb_text][et_pb_text_builder_version=â€•4.20.2â€³ text_font=â€•||||||â€• text_font_size=â€•16pxâ€•
ul_font=â€•||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•||||||â€• header_2_font=â€•
Montserrat|800||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€•
header_3_font=â€•||||||â€• header_4_font=â€•||||||â€• max_width_tablet=â€•700pxâ€•
max_width_phone=â€•700pxâ€• max_width_last_edited=â€•off|desktopâ€• custom_margin=â€•||â€•
custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€•
custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px||â€• link_option_url=â€•
https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€•
header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€•
border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³
locked=â€•offâ€• global_colors_info=â€•{}â€•]

â€”Search Allergens Test Panels/Profiles

[/et_pb_text][et_pb_column][et_pb_row][et_pb_section][et_pb_section fb_built=â€”1â€”
_builder_version=â€”4.16â€”_module_preset=â€”defaultâ€” background_color=â€”#000000â€”
custom_padding=â€”|20px|||â€” global_module=â€”35433â€” saved_tabs=â€”allâ€”
global_colors_info=â€”—[â€”—][et_pb_row column_structure=â€”1_3,1_3,1_3â€”_builder_version=â€”
4.16â€”_module_preset=â€”defaultâ€” max_width=â€”2560pxâ€” module_alignment=â€”centerâ€”
global_colors_info=â€”—[â€”—][et_pb_column type=â€”1_3â€”_builder_version=â€”4.16â€”
_module_preset=â€”defaultâ€” global_colors_info=â€”—[â€”—][et_pb_image src=â€”
https://goldenpointlabs.com/wp-content/uploads/2021/06/PNGtransparent-2.pngâ€” title_text=â€”
PNG(transparent) (2)â€”_builder_version=â€”4.16â€”_module_preset=â€”defaultâ€”
background_color=â€”rgba(255,255,255,0)â€” width=â€”41%â€” module_alignment=â€”leftâ€”
custom_margin=â€”0px||||false|falseâ€” custom_padding=â€”0px||||false|falseâ€” border_radii=â€”
on|43px|43px|43px|43pxâ€” border_width_all=â€”3pxâ€” border_color_all=â€”#FFFFFFâ€”
global_colors_info=â€”—[â€”—][et_pb_image][et_pb_blurb title=â€”Addressâ€” use_icon=â€”onâ€”
font_icon=â€”—i||divi||400â€” icon_color=â€”#ffd700â€” icon_placement=â€”leftâ€”_builder_version=â€”
4.16â€”_module_preset=â€”defaultâ€” header_font=â€”Montserrat|700|||||â€” header_text_color=â€”
#FFFFFFâ€” body_text_color=â€”#FFFFFFâ€” global_colors_info=â€”—[â€”—]

153 Cahaba Valley Parkway,
Pelham, Alabama 35124

[/et_pb_blurb][et_pb_blurb title=â€”Phoneâ€” use_icon=â€”onâ€” font_icon=â€”—i||divi||400â€”
icon_color=â€”#ffd700â€” icon_placement=â€”leftâ€”_builder_version=â€”4.16â€”_module_preset=â€”
defaultâ€” header_font=â€”Montserrat|700|||||â€” header_text_color=â€”#FFFFFFâ€”
body_text_color=â€”#FFFFFFâ€” global_colors_info=â€”—[â€”—]

[/et_pb_blurb][et_pb_blurb title=â€”Message Usâ€” url=â€”https://goldenpointlabs.com/contact/â€”
use_icon=â€”onâ€” font_icon=â€”—i||divi||400â€” icon_color=â€”#ffd700â€” icon_placement=â€”leftâ€”
image_icon_width=â€”29pxâ€”_builder_version=â€”4.16â€”_module_preset=â€”defaultâ€”
header_font=â€”Montserrat|700|||||â€” header_text_color=â€”#FFFFFFâ€” body_text_color=â€”
#FFFFFFâ€” custom_margin=â€”0px||||false|falseâ€” custom_padding=â€”0px||||false|falseâ€”
custom_css_blurb_title=â€”padding-top: 5pxâ€” icon_font_size=â€”29pxâ€” global_colors_info=â€”—[â€”—
][et_pb_blurb][et_pb_blurb title=â€”CLIA: 01D2176939â€” url=â€”mailto:info@goldenpointlabs.comâ€”
use_icon=â€”onâ€” font_icon=â€”—i||divi||400â€” icon_color=â€”#ffd700â€”
image_icon_background_color=â€”rgba(0,121,168,0)â€” icon_placement=â€”leftâ€”
image_icon_width=â€”16pxâ€”_builder_version=â€”4.16â€”_module_preset=â€”defaultâ€”
header_font=â€”Montserrat|700|||||â€” header_text_color=â€”#FFFFFFâ€” body_text_color=â€”
#FFFFFFâ€” image_icon_custom_padding=â€”8px|8px|8px|8px|false|falseâ€” link_option_url=â€”
mailto:info@goldenpointlabs.comâ€” custom_css_blurb_title=â€”padding-top: 10px;â€”
border_radii_image=â€”on|100%|100%|100%|100%â€” border_width_all_image=â€”2pxâ€”
border_color_all_image=â€”#0079a8â€” use_circle=â€”onâ€” use_circle_border=â€”onâ€”
circle_color=â€”rgba(0,121,168,0)â€” global_colors_info=â€”—[â€”—
image_icon_background_color__sticky_enabled=â€”#0079a8â€”
image_icon_background_color__sticky=â€”#0079a8â€”][et_pb_blurb][et_pb_social_media_follow

```
_builder_version=4.18.0 _module_preset=default global_colors_info={}
[et_pb_social_media_follow_network social_network=google url=
https://g.page/r/CSDCYrQQcyeoEAE _builder_version=4.18.0 _module_preset=default
background_color=#4285f4 global_colors_info={} follow_button=off
url_new_window=on
[google[/et_pb_social_media_follow_network][et_pb_social_media_follow_network social_network=
facebook url=https://www.facebook.com/GoldenPointScientificLabs _builder_version=
4.18.0 _module_preset=default background_color=#3b5998 global_colors_info={}
follow_button=off url_new_window=on
[facebook[/et_pb_social_media_follow_network][et_pb_social_media_follow_network
social_network=twitter url=https://twitter.com/GoldenpointLabs _builder_version=
4.18.0 _module_preset=default background_color=#00aced global_colors_info={}
follow_button=off url_new_window=on
[twitter[/et_pb_social_media_follow_network][et_pb_social_media_follow_network social_network=
instagram url=https://www.instagram.com/goldenpointscientificlabs/ _builder_version=
4.18.0 _module_preset=default background_color=#ea2c59 global_colors_info={}
follow_button=off url_new_window=on
[instagram[/et_pb_social_media_follow_network][et_pb_social_media_follow_network
social_network=linkedin url=https://www.linkedin.com/company/goldenpointscientificlabs
_builder_version=4.18.0 _module_preset=default background_color=#007bb6
global_colors_info={} follow_button=off url_new_window=on
[linkedin[/et_pb_social_media_follow_network][et_pb_social_media_follow][et_pb_column
type=1 _builder_version=4.16 _module_preset=default global_colors_info=
{}][et_pb_text _builder_version=4.16 _module_preset=default header_2_font=
Montserrat|700| header_2_text_align=center header_2_text_color=
header_2_font_size=34px header_3_font=Montserrat|600| header_3_text_color=
header_3_letter_spacing=4px custom_margin=-1px custom_padding=
21px|4px animation_style=flip global_colors_info={}]
```

Testing Service Links

```
[/et_pb_text][et_pb_divider color=#ffd700 divider_weight=1px _builder_version=4.16
_module_preset=default max_width=66% module_alignment=left
custom_margin=-7px|false|false custom_padding=|false|false animation_style=
slide animation_direction=right global_colors_info={}][et_pb_divider][et_pb_blurb
title=BLOOD TESTING url=https://goldenpointlabs.com/blood-testing-services/
use_icon=on font_icon=E|divi|400 icon_color=#ffd700 icon_placement=left
image_icon_width=37px _builder_version=4.20.1 _module_preset=default
header_font=Montserrat| header_text_align=left header_text_color=
header_font_size=17px header_line_height=2.2em body_font=Montserrat|
body_text_align=center body_text_color=#0079a8 body_font_size=18px
custom_margin=-1px|false|false custom_padding=15px|false|false
custom_css_blurb_image=margin-bottom: 10px; icon_font_size=37px
global_colors_info={} transform_styles__hover_enabled=on|hover
transform_scale__hover=103%|103% transform_scale__hover_enabled=on|hover
transform_translate__hover_enabled=on|desktop transform_rotate__hover_enabled=
```

on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•PCR
PATHOGENâ€• url=â€•https://goldenpointlabs.com/pcr-pathogens-testing/â€• use_icon=â€•onâ€•
font_icon=â€•E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€•
image_icon_width=â€•37pxâ€• _builder_version=â€•4.19.3â€³ _module_preset=â€•defaultâ€•
header_font=â€•Montserrat|||||â€• header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€•
header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€•
body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€•
custom_margin=â€•||0px||false|falseâ€• custom_padding=â€•|||false|falseâ€•
custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•
TOXICOLOGYâ€• url=â€•https://goldenpointlabs.com/toxicology/â€• use_icon=â€•onâ€• font_icon=â€•
E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€• image_icon_width=â€•37pxâ€•
_builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• header_font=â€•Montserrat|||||â€•
header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€• header_font_size=â€•17pxâ€•
header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€• body_text_align=â€•centerâ€•
body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€• custom_margin=â€•||3px||false|falseâ€•
custom_padding=â€•|||false|falseâ€• custom_css_blurb_image=â€•margin-bottom: 10px;â€•
icon_font_size=â€•37pxâ€• global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•
on|hoverâ€• transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•
on|hoverâ€• transform_translate__hover_enabled=â€•on|desktopâ€•
transform_rotate__hover_enabled=â€•on|desktopâ€• transform_skew__hover_enabled=â€•
on|desktopâ€• transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•
MICROBIOLOGY/FUNGALâ€• url=â€•https://goldenpointlabs.com/microbiology-testing-services/â€•
use_icon=â€•onâ€• font_icon=â€•E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€•
image_icon_width=â€•37pxâ€• _builder_version=â€•4.20.2â€³ _module_preset=â€•defaultâ€•
header_font=â€•Montserrat|||||â€• header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€•
header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€•
body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€•
custom_margin=â€•||3px||false|falseâ€• custom_padding=â€•|||false|falseâ€•
custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•
ALLERGENSâ€• url=â€•https://goldenpointlabs.com/allergens-panel-profile-testing/â€• use_icon=â€•
onâ€• font_icon=â€•E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€•
image_icon_width=â€•37pxâ€• _builder_version=â€•4.20.2â€³ _module_preset=â€•defaultâ€•
header_font=â€•Montserrat|||||â€• header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€•
header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€•
body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€•

custom_margin=â€•||3px||false|falseâ€• custom_padding=â€•||||false|falseâ€•
custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•Search Lab
Testing Servicesâ€• url=â€•https://goldenpointlabs.com/lab-testing-services/â€• use_icon=â€•onâ€•
font_icon=â€•E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€•
image_icon_width=â€•37pxâ€• _builder_version=â€•4.20.1â€³ _module_preset=â€•defaultâ€•
header_font=â€•Montserrat|||||â€• header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€•
header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€•
body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€•
custom_margin=â€•||3px||false|falseâ€• custom_padding=â€•||||false|falseâ€•
custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•Test
Panels/Profilesâ€• url=â€•https://goldenpointlabs.com/test-panels/â€• use_icon=â€•onâ€• font_icon=â€•
E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€• image_icon_width=â€•37pxâ€•
_builder_version=â€•4.20.1â€³ _module_preset=â€•defaultâ€• header_font=â€•Montserrat|||||â€•
header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€• header_font_size=â€•17pxâ€•
header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€• body_text_align=â€•centerâ€•
body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€• custom_margin=â€•-
8px||12px||false|falseâ€• custom_padding=â€•||||false|falseâ€• custom_css_blurb_image=â€•margin-
bottom: 10px;â€• icon_font_size=â€•37pxâ€• global_colors_info=â€•{}â€•
transform_styles__hover_enabled=â€•on|hoverâ€• transform_scale__hover=â€•103%|103%â€•
transform_scale__hover_enabled=â€•on|hoverâ€• transform_translate__hover_enabled=â€•
on|desktopâ€• transform_rotate__hover_enabled=â€•on|desktopâ€•
transform_skew__hover_enabled=â€•on|desktopâ€• transform_origin__hover_enabled=â€•
on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•Lab Newsâ€• url=â€•
https://goldenpointlabs.com/blog/â€• use_icon=â€•onâ€• font_icon=â€•E||divi||400â€³ icon_color=â€•
#ffd700â€³ icon_placement=â€•leftâ€• image_icon_width=â€•37pxâ€• _builder_version=â€•4.16â€³
_module_preset=â€•defaultâ€• header_font=â€•Montserrat|||||â€• header_text_align=â€•leftâ€•
header_text_color=â€•#FFFFFFâ€• header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€•
body_font=â€•Montserrat|||||â€• body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³
body_font_size=â€•18pxâ€• custom_margin=â€•-7px||17px||false|falseâ€• custom_padding=â€•
||||false|falseâ€• custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•Employment
Opportunitiesâ€• url=â€•https://goldenpointlabs.com/employment-opportunities/â€• use_icon=â€•onâ€•

font_icon=â€•E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€•
image_icon_width=â€•37pxâ€• _builder_version=â€•4.17.6â€³ _module_preset=â€•defaultâ€•
header_font=â€•Montserrat|||||â€• header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€•
header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€•
body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€•
custom_margin=â€•-7px||||false|falseâ€• custom_padding=â€•||||false|falseâ€•
custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb]/[et_pb_column][et_pb_column
type=â€•1_3â€³ _builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• global_colors_info=â€•
{â€•}[/et_pb_text _builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• header_2_font=â€•
Montserrat|700|||||â€• header_2_text_align=â€•centerâ€• header_2_text_color=â€•#FFFFFFâ€•
header_2_font_size=â€•34pxâ€• header_3_font=â€•Montserrat|600|||||â€• header_3_text_color=â€•
#FFFFFFâ€• header_3_letter_spacing=â€•4pxâ€• custom_margin=â€•|-1px|||â€• custom_padding=â€•
21px|4px|||â€• animation_style=â€•flipâ€• global_colors_info=â€•{}â€•]

Location

[/et_pb_text][et_pb_divider color=â€•#ffd700â€³ divider_weight=â€•1pxâ€• _builder_version=â€•4.16â€³
_module_preset=â€•defaultâ€• width=â€•100%â€• max_width=â€•28%â€• module_alignment=â€•leftâ€•
custom_margin=â€•||11px||false|falseâ€• custom_padding=â€•||||false|falseâ€• animation_style=â€•
slideâ€• animation_direction=â€•rightâ€• global_colors_info=â€•{}â€•[/et_pb_divider][et_pb_map
address=â€•153 Cahaba Valley Pkwy, Pelham, AL 35124, USAâ€• zoom_level=â€•15â€³
address_lat=â€•33.3382644â€³ address_lng=â€•-86.7858955â€³ _builder_version=â€•4.18.0â€³
_module_preset=â€•defaultâ€• module_alignment=â€•centerâ€• height=â€•607pxâ€• link_option_url=â€•
â€•https://www.google.com/maps/place/GoldenPoint+Scientific+Medical+Lab+Solutions/@33.3382644,-
86.7858955,17z/data=!3m1!4b1!4m5!3m4!1s0x0:0xc67b896f9a6911f7!8m2!3d33.3382644!4d-
86.7858955â€³ global_colors_info=â€•{}â€•[/et_pb_map_pin title=â€•GoldenPoint Scientific Medical
Laboratory Testingâ€• pin_address=â€•153 Cahaba Valley Pkwy, Pelham, AL 35124, USAâ€•
zoom_level=â€•11â€³ pin_address_lat=â€•33.3382644â€³ pin_address_lng=â€•-86.7858955â€³
_builder_version=â€•4.18.0â€³ _module_preset=â€•defaultâ€• global_colors_info=â€•{}â€•]

Powered by GoldenPoint Scientific Labs

[/et_pb_map_pin][et_pb_map][et_pb_button button_url=â€•
https://www.google.com/maps/place/GoldenPoint+Scientific+Medical+Lab+Solutions/@33.3382644,-
86.7858955,17z/data=!3m1!4b1!4m5!3m4!1s0x0:0xc67b896f9a6911f7!8m2!3d33.3382644!4d-
86.7858955â€³ url_new_window=â€•onâ€• button_text=â€•Directionsâ€• button_alignment=â€•leftâ€•
_builder_version=â€•4.18.0â€³ custom_button=â€•onâ€• button_text_size=â€•15pxâ€•
button_text_color=â€•#FFFFFFâ€• button_bg_color=â€•rgba(44,0,84,0)â€• button_border_width=â€•
1pxâ€• button_border_color=â€•#ffd700â€³ button_border_radius=â€•9pxâ€• button_letter_spacing=â€•
2pxâ€• button_font=â€•Montserrat|500|on||||â€• button_icon=â€•i€•||divi||400â€³ button_icon_color=â€•
#ffd700â€³ button_icon_placement=â€•leftâ€• button_on_hover=â€•offâ€• background_layout=â€•
darkâ€• custom_margin=â€•||||trueâ€• custom_padding=â€•9px|11px|9px|28px|true|falseâ€•
animation_style=â€•slideâ€• animation_direction=â€•topâ€• box_shadow_style=â€•preset3â€³

box_shadow_vertical=â€•5pxâ€• box_shadow_color=â€•#FFFFFFâ€• button_letter_spacing_hover=â€•2pxâ€• button_bg_color_hover=â€•#00e2c4â€³ locked=â€•offâ€• global_colors_info=â€•{}â€• button_text_size__hover_enabled=â€•on|hoverâ€• button_one_text_size__hover_enabled=â€•offâ€• button_two_text_size__hover_enabled=â€•offâ€• button_text_color__hover_enabled=â€•on|hoverâ€• button_one_text_color__hover_enabled=â€•offâ€• button_two_text_color__hover_enabled=â€•offâ€• button_border_width__hover_enabled=â€•offâ€• button_one_border_width__hover_enabled=â€•offâ€• button_two_border_width__hover_enabled=â€•offâ€• button_border_color__hover_enabled=â€•offâ€• button_one_border_color__hover_enabled=â€•offâ€• button_two_border_color__hover_enabled=â€•offâ€• button_border_radius__hover_enabled=â€•offâ€• button_one_border_radius__hover_enabled=â€•offâ€• button_two_border_radius__hover_enabled=â€•offâ€• button_letter_spacing__hover_enabled=â€•onâ€• button_letter_spacing__hover=â€•2pxâ€• button_one_letter_spacing__hover_enabled=â€•offâ€• button_two_letter_spacing__hover_enabled=â€•offâ€• button_bg_color__hover_enabled=â€•on|desktopâ€• button_bg_color__hover=â€•#eaeaeaâ€• button_one_bg_color__hover_enabled=â€•offâ€• button_two_bg_color__hover_enabled=â€•offâ€• button_icon_color__hover_enabled=â€•on|hoverâ€• button_icon_color__hover=â€•#000000â€³ button_bg_enable_color__hover=â€•onâ€• button_text_color__hover=â€•#2c0054â€³ button_text_size__hover=â€•15pxâ€•][[/et_pb_button]][/et_pb_column]][/et_pb_row]][/et_pb_section]

Date Created

March 7, 2023

Author

admin