Renal Panel (GPSL-REN)

Description

[et_pb_section fb_built=â€•1â€³ admin_label=â€•sectionâ€• _builder_version=â€•4.16â€³ global_colors_info=â€•{}â€•][et_pb_row admin_label=â€•rowâ€• _builder_version=â€•4.16â€³ background_size=â€•initialâ€• background_position=â€•top_leftâ€• background_repeat=â€•repeatâ€• global_colors_info=â€•{}â€•][et_pb_column type=â€•4_4â€³ _builder_version=â€•4.16â€³ custom_padding=â€•|||â€• global_colors_info=â€•{}â€• custom_padding__hover=â€•|||â€•][et_pb_text admin_label=â€•Textâ€• _builder_version=â€•4.20.4â€³ text_font_size=â€•18pxâ€• text_line_height=â€•1.8emâ€• background_size=â€•initialâ€• background_position=â€•top_leftâ€• background_repeat=â€•repeatâ€• hover_enabled=â€•0â€³ global_colors_info=â€•{}â€• sticky_enabled=â€•0â€³]

Renal Panel (GPSL-REN)

default watermark

The Renal Panel (GPSL-REN) is a group of blood tests that measures the levels of various substances in the blood to assess kidney function. These tests are used to diagnose and monitor conditions affecting the kidneys, such as kidney disease or damage.

The Renal Panel is typically ordered when an individual has symptoms of kidney dysfunction, such as decreased urine output, swelling of the legs or ankles, or unexplained fatigue. The test may also be ordered to monitor the effectiveness of treatment for kidney conditions or to screen individuals at high risk of developing kidney disease, such as those with a family history of the disease or with diabetes or high blood pressure. The results of the Renal Panel can help guide appropriate treatment and management of conditions affecting the kidneys.

[/et_pb_text][/et_pb_column][/et_pb_row][/et_pb_section][et_pb_section fb_built=â€•1â€³ admin_label=â€•Serviceâ€• _builder_version=â€•4.20.1â€³ background_color=â€•#FFFFFFâ€• global_module=â€•228011â€³ saved_tabs=â€•allâ€• global_colors_info=â€•{}â€•][et_pb_row column_structure=â€•1_4,3_4â€³ _builder_version=â€•4.20.1â€³ width=â€•65%â€• max_width=â€•2560pxâ€• global_colors_info=â€•{}â€•][et_pb_column type=â€•1_4â€³ _builder_version=â€•4.16â€³ custom_padding=â€•|||â€• global_colors_info=â€•{}â€• custom_padding__hover=â€•|||â€•][et_pb_button button_url=â€•https://goldenpointlabs.com/contact/â€• button_text=â€•Contact GoldenPoint â€• _builder_version=â€•4.20.1â€³ custom_button=â€•onâ€• button_text_size=â€•15pxâ€• button_bg_color=â€•#0079a8â€³ button_border_width=â€•0pxâ€• button_border_radius=â€•0pxâ€• button_letter_spacing=â€•2pxâ€• button_font=â€•|700||on|||||â€• button_use_icon=â€•offâ€• background_layout=â€•darkâ€• custom_margin=â€•||||trueâ€• custom_padding=â€•16px|32px|16px|32px|true|trueâ€• button_letter_spacing_hover=â€•2pxâ€• button_bg_color_hover=â€•#00e2c4â€³ locked=â€•offâ€• global_colors_info=â€•{}â€• button_text_size__hover_enabled=â€•offâ€• button_one_text_size__hover_enabled=â€•offâ€• button_two_text_size__hover_enabled=â€•offâ€• button_text_color__hover_enabled=â€•offâ€• button_one_text_color__hover_enabled=â€•offâ€• button_two_text_color__hover_enabled=â€•offâ€• button_border_width__hover_enabled=â€•offâ€• button_one_border_width__hover_enabled=â€•offâ€• button_two_border_width__hover_enabled=â€•

offâ€• button_border_color__hover_enabled=â€•offâ€• button_one_border_color__hover_enabled=â€•offâ€• button_two_border_color__hover_enabled=â€•offâ€• button_border_radius__hover_enabled=â€•offâ€• button_one_border_radius__hover_enabled=â€•offâ€• button_two_border_radius__hover_enabled=â€•offâ€• button_letter_spacing__hover_enabled=â€•onâ€• button_letter_spacing__hover=â€•2pxâ€• button_one_letter_spacing__hover_enabled=â€•offâ€• button_two_letter_spacing__hover_enabled=â€•offâ€• button_bg_color__hover_enabled=â€•onâ€• button_bg_color__hover=â€•#00e2c4â€³ button_one_bg_color__hover_enabled=â€•offâ€• button_two_bg_color__hover_enabled=â€•offâ€•][/et_pb_button][et_pb_image src=â€• https://goldenpointlabs.com/wp-content/uploads/2022/07/womens-health-lab-testing.jpegâ€• alt=â€• Influenza PCR Testâ€• title_text=â€•Influenza PCR Testâ€• _builder_version=â€•4.20.1â€³ _module_preset=â€•defaultâ€• global_colors_info=â€•{}â€•][/et_pb_image][/et_pb_column][et_pb_column type=â€•3_4â€³ _builder_version=â€•4.16â€³ custom_padding=â€•|||â€• global_colors_info=â€•{}â€• custom_padding__hover=â€•|||â€•][et_pb_text _builder_version=â€•4.20.1â€³ header_font=â€•|||||||â€• header_2_font=â€•|||||||â€• header_3_font=â€•|||||||â€• header_4_font=â€•Montserrat|700||on|||||â€• header_4_text_color=â€•#0079a8â€³ header_4_font_size=â€•20pxâ€• header_4_letter_spacing=â€•2pxâ€• header_4_line_height=â€•1.6emâ€• max_width=â€•600pxâ€• max_width_tablet=â€•700pxâ€• max_width_phone=â€•700pxâ€• max_width_last_edited=â€•off|desktopâ€• custom_margin=â€•|||â€• custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€• custom_margin_last_edited=â€•off|desktopâ€• header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_last_edited=â€•off|desktopâ€• locked=â€•offâ€• global_colors_info=â€•{}â€•]

default watermark

Clinical Lab Testing Services:

[/et_pb_text][et_pb_text _builder_version=â€•4.20.1â€³ text_font=â€•|||||||â€• text_font_size=â€•16pxâ€• ul_font=â€•|||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•|||||||â€• header_2_font=â€•Montserrat|800||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€• header_3_font=â€•|||||||â€• header_4_font=â€•|||||||â€• custom_margin=â€•|||â€• custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€• custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€•https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€• border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³ locked=â€•offâ€• global_colors_info=â€•{}â€•]

â‡’Search Blood Test Panels/Profiles

[/et_pb_text][et_pb_text _builder_version=â€•4.20.1â€³ text_font=â€•|||||||â€• text_font_size=â€•16pxâ€• ul_font=â€•|||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•|||||||â€• header_2_font=â€•Montserrat|800||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€• header_3_font=â€•|||||||â€• header_4_font=â€•|||||||â€• custom_margin=â€•|||â€• custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€• custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€•https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€• border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³

locked=â€•offâ€• global_colors_info=â€•{}â€•]

â‡’Search PCR Pathogens Test Panels/Profiles

[/et_pb_text][et_pb_text _builder_version=â€•4.20.1â€³ text_font=â€•||||||||â€• text_font_size=â€•16pxâ€• ul_font=â€•||||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•||||||||â€• header_2_font=â€• Montserrat|800|||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€• header_3_font=â€•||||||||â€• header_4_font=â€•||||||||â€• max_width_tablet=â€•700pxâ€• max_width_phone=â€•700pxâ€• max_width_last_edited=â€•off|desktopâ€• custom_margin=â€•|||â€• custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€• custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€• https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€• border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³ locked=â€•offâ€• global_colors_info=â€•{}â€•]

â‡’Search Toxicology Test Panels/Profiles

default watermark

[/et_pb_text][et_pb_text _builder_version=â€•4.20.2â€³ text_font=â€•||||||||â€• text_font_size=â€•16pxâ€• ul_font=â€•||||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•||||||||â€• header_2_font=â€• Montserrat|800|||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€• header_3_font=â€•||||||||â€• header_4_font=â€•||||||||â€• max_width_tablet=â€•700pxâ€• max_width_phone=â€•700pxâ€• max_width_last_edited=â€•off|desktopâ€• custom_margin=â€•|||â€• custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€• custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€• https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€• border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³ locked=â€•offâ€• global_colors_info=â€•{}â€•]

â‡’Search Microbiology/Fungal Test Panels/Profiles

[/et_pb_text][et_pb_text _builder_version=â€•4.20.2â€³ text_font=â€•||||||||â€• text_font_size=â€•16pxâ€• ul_font=â€•||||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•||||||||â€• header_2_font=â€• Montserrat|800|||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€• header_3_font=â€•||||||||â€• header_4_font=â€•||||||||â€• max_width_tablet=â€•700pxâ€• max_width_phone=â€•700pxâ€• max_width_last_edited=â€•off|desktopâ€• custom_margin=â€•|||â€• custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€• custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€• https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€• border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³ locked=â€•offâ€• global_colors_info=â€•{}â€•]

â‡’Search Allergens Test Panels/Profiles

[/et_pb_text][/et_pb_column][/et_pb_row][/et_pb_section][et_pb_section fb_built=â€•1â€³ _builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• background_color=â€•#000000â€³ custom_padding=â€•||20px|||â€• global_module=â€•35433â€³ saved_tabs=â€•allâ€• global_colors_info=â€•{}â€•][et_pb_row column_structure=â€•1_3,1_3,1_3â€³ _builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• max_width=â€•2560pxâ€• module_alignment=â€•centerâ€• global_colors_info=â€•{}â€•][et_pb_column type=â€•1_3â€³ _builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• global_colors_info=â€•{}â€•][et_pb_image src=â€• https://goldenpointlabs.com/wp-content/uploads/2021/06/PNGtransparent-2.pngâ€• title_text=â€• PNG(transparent) (2)â€• _builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• background_color=â€•rgba(255,255,255,0)â€• width=â€•41%â€• module_alignment=â€•leftâ€• custom_margin=â€•0px||||false|falseâ€• custom_padding=â€•0px||||false|falseâ€• border_radii=â€• on|43px|43px|43px|43pxâ€• border_width_all=â€•3pxâ€• border_color_all=â€•#FFFFFFâ€• global_colors_info=â€•{}â€•][/et_pb_image][et_pb_blurb title=â€•Addressâ€• use_icon=â€•onâ€• font_icon=â€•î€•||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€• _builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• header_font=â€•Montserrat|700||||||â€• header_text_color=â€•#FFFFFFâ€• body_text_color=â€•#FFFFFFâ€• global_colors_info=â€•{}â€•]

default watermark

153 Cahaba Valley Parkway,
Pelham, Alabama 35124

[/et_pb_blurb][et_pb_blurb title=â€•Phoneâ€• use_icon=â€•onâ€• font_icon=â€•î‚•||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€• _builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• header_font=â€•Montserrat|700||||||â€• header_text_color=â€•#FFFFFFâ€• body_text_color=â€•#FFFFFFâ€• global_colors_info=â€•{}â€•]

[/et_pb_blurb][et_pb_blurb title=â€•Message Usâ€• url=â€•https://goldenpointlabs.com/contact/â€• use_icon=â€•onâ€• font_icon=â€•î€•||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€• image_icon_width=â€•29pxâ€• _builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• header_font=â€•Montserrat|700||||||â€• header_text_color=â€•#FFFFFFâ€• body_text_color=â€•#FFFFFFâ€• custom_margin=â€•0px||||false|falseâ€• custom_padding=â€•0px||||false|falseâ€• custom_css_blurb_title=â€•padding-top: 5pxâ€• icon_font_size=â€•29pxâ€• global_colors_info=â€•{}â€•][/et_pb_blurb][et_pb_blurb title=â€•CLIA: 01D2176939â€³ url=â€•mailto:info@goldenpointlabs.comâ€• use_icon=â€•onâ€• font_icon=â€•î•¡||divi||400â€³ icon_color=â€•#ffd700â€³ image_icon_background_color=â€•rgba(0,121,168,0)â€• icon_placement=â€•leftâ€• image_icon_width=â€•16pxâ€• _builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• header_font=â€•Montserrat|700||||||â€• header_text_color=â€•#FFFFFFâ€• body_text_color=â€•#FFFFFFâ€• image_icon_custom_padding=â€•8px|8px|8px|8px|false|falseâ€• link_option_url=â€• mailto:info@goldenpointlabs.comâ€• custom_css_blurb_title=â€•padding-top: 10px;â€• border_radii_image=â€•on|100%|100%|100%|100%â€• border_width_all_image=â€•2pxâ€• border_color_all_image=â€•#0079a8â€³ use_circle=â€•onâ€• use_circle_border=â€•onâ€• circle_color=â€•rgba(0,121,168,0)â€• global_colors_info=â€•{}â€• image_icon_background_color__sticky_enabled=â€•#0079a8â€³ image_icon_background_color__sticky=â€•#0079a8â€³][/et_pb_blurb][et_pb_social_media_follow

_builder_version=â€•4.18.0â€³ _module_preset=â€•defaultâ€• global_colors_info=â€•{}â€•
][et_pb_social_media_follow_network social_network=â€•googleâ€• url=â€•
https://g.page/r/CSDCYrQQcyeoEAEâ€• _builder_version=â€•4.18.0â€³ _module_preset=â€•defaultâ€•
background_color=â€•#4285f4â€³ global_colors_info=â€•{}â€• follow_button=â€•offâ€•
url_new_window=â€•onâ€•
]google[/et_pb_social_media_follow_network][et_pb_social_media_follow_network social_network=â€•
facebookâ€• url=â€•https://www.facebook.com/GoldenPointScientificLabsâ€• _builder_version=â€•
4.18.0â€³ _module_preset=â€•defaultâ€• background_color=â€•#3b5998â€³ global_colors_info=â€•{}â€
• follow_button=â€•offâ€• url_new_window=â€•onâ€•
]facebook[/et_pb_social_media_follow_network][et_pb_social_media_follow_network
social_network=â€•twitterâ€• url=â€•https://twitter.com/GoldenpointLabsâ€• _builder_version=â€•
4.18.0â€³ _module_preset=â€•defaultâ€• background_color=â€•#00acedâ€• global_colors_info=â€•{}â€•
follow_button=â€•offâ€• url_new_window=â€•onâ€•
]twitter[/et_pb_social_media_follow_network][et_pb_social_media_follow_network social_network=â€•
instagramâ€• url=â€•https://www.instagram.com/goldenpointscientificlabs/â€• _builder_version=â€•
4.18.0â€³ _module_preset=â€•defaultâ€• background_color=â€•#ea2c59â€³ global_colors_info=â€•{}â€
• follow_button=â€•offâ€• url_new_window=â€•onâ€•
]instagram[/et_pb_social_media_follow_network][et_pb_social_media_follow_network
social_network=â€•linkedinâ€• url=â€•https://www.linkedin.com/company/goldenpointscientificlabsâ€•
_builder_version=â€•4.18.0â€³ _module_preset=â€•defaultâ€• background_color=â€•#007bb6â€³
global_colors_info=â€•{}â€• follow_button=â€•offâ€• url_new_window=â€•onâ€•
]linkedin[/et_pb_social_media_follow_network][/et_pb_social_media_follow][/et_pb_column][et_pb_column
type=â€•1_3â€³ _builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• global_colors_info=â€•
{}â€•][et_pb_text _builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• header_2_font=â€•
Montserrat|700|||||||â€• header_2_text_align=â€•centerâ€• header_2_text_color=â€•#FFFFFFâ€•
header_2_font_size=â€•34pxâ€• header_3_font=â€•Montserrat|600|||||||â€• header_3_text_color=â€•
#FFFFFFâ€• header_3_letter_spacing=â€•4pxâ€• custom_margin=â€•||-1px|||â€• custom_padding=â€•
21px||4px|||â€• animation_style=â€•flipâ€• global_colors_info=â€•{}â€•]

default watermark

Testing Service Links

[/et_pb_text][et_pb_divider color=â€•#ffd700â€³ divider_weight=â€•1pxâ€• _builder_version=â€•4.16â€³
_module_preset=â€•defaultâ€• max_width=â€•66%â€• module_alignment=â€•leftâ€•
custom_margin=â€•||-7px||false|falseâ€• custom_padding=â€•|||false|falseâ€• animation_style=â€•
slideâ€• animation_direction=â€•rightâ€• global_colors_info=â€•{}â€•][/et_pb_divider][et_pb_blurb
title=â€•BLOOD TESTING â€• url=â€•https://goldenpointlabs.com/blood-testing-services/â€•
use_icon=â€•onâ€• font_icon=â€•E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€•
image_icon_width=â€•37pxâ€• _builder_version=â€•4.20.1â€³ _module_preset=â€•defaultâ€•
header_font=â€•Montserrat|||||||â€• header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€•
header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||||â€•
body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€•
custom_margin=â€•||-1px||false|falseâ€• custom_padding=â€•15px||||false|falseâ€•
custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•

on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•][/et_pb_blurb][et_pb_blurb title=â€•PCR
PATHOGENâ€• url=â€•https://goldenpointlabs.com/pcr-pathogens-testing/â€• use_icon=â€•onâ€•
font_icon=â€•E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€•
image_icon_width=â€•37pxâ€• _builder_version=â€•4.19.3â€³ _module_preset=â€•defaultâ€•
header_font=â€•Montserrat|||||||â€• header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€•
header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||||â€•
body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€•
custom_margin=â€•||0px||false|falseâ€• custom_padding=â€•||||false|falseâ€•
custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•][/et_pb_blurb][et_pb_blurb title=â€•
TOXICOLOGYâ€• url=â€•https://goldenpointlabs.com/toxicology/â€• use_icon=â€•onâ€• font_icon=â€•
E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€• image_icon_width=â€•37pxâ€•
_builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• header_font=â€•Montserrat|||||||â€•
header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€• header_font_size=â€•17pxâ€•
header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||||â€• body_text_align=â€•centerâ€•
body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€• custom_margin=â€•||3px||false|falseâ€•
custom_padding=â€•||||false|falseâ€• custom_css_blurb_image=â€•margin-bottom: 10px;â€•
icon_font_size=â€•37pxâ€• global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•
on|hoverâ€• transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•
on|hoverâ€• transform_translate__hover_enabled=â€•on|desktopâ€•
transform_rotate__hover_enabled=â€•on|desktopâ€• transform_skew__hover_enabled=â€•
on|desktopâ€• transform_origin__hover_enabled=â€•on|desktopâ€•][/et_pb_blurb][et_pb_blurb title=â€•
MICROBIOLOGY/FUNGALâ€• url=â€•https://goldenpointlabs.com/microbiology-testing-services/â€•
use_icon=â€•onâ€• font_icon=â€•E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€•
image_icon_width=â€•37pxâ€• _builder_version=â€•4.20.2â€³ _module_preset=â€•defaultâ€•
header_font=â€•Montserrat|||||||â€• header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€•
header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||||â€•
body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€•
custom_margin=â€•||3px||false|falseâ€• custom_padding=â€•||||false|falseâ€•
custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•][/et_pb_blurb][et_pb_blurb title=â€•
ALLERGENSâ€• url=â€•https://goldenpointlabs.com/allergens-panel-profile-testing/â€• use_icon=â€•
onâ€• font_icon=â€•E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€•
image_icon_width=â€•37pxâ€• _builder_version=â€•4.20.2â€³ _module_preset=â€•defaultâ€•
header_font=â€•Montserrat|||||||â€• header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€•
header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||||â€•
body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€•

default watermark

custom_margin=â€•||3px||false|falseâ€• custom_padding=â€•||||false|falseâ€•
custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•][/et_pb_blurb][et_pb_blurb title=â€•Search Lab
Testing Servicesâ€• url=â€•https://goldenpointlabs.com/lab-testing-services/â€• use_icon=â€•onâ€•
font_icon=â€•E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€•
image_icon_width=â€•37pxâ€• _builder_version=â€•4.20.1â€³ _module_preset=â€•defaultâ€•
header_font=â€•Montserrat|||||||â€• header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€•
header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||||â€•
body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€•
custom_margin=â€•||3px||false|falseâ€• custom_padding=â€•||||false|falseâ€•
custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•][/et_pb_blurb][et_pb_blurb title=â€•Test
Panels/Profilesâ€• url=â€•https://goldenpointlabs.com/test-panels/â€• use_icon=â€•onâ€• font_icon=â€•
E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€• image_icon_width=â€•37pxâ€•
_builder_version=â€•4.20.1â€³ _module_preset=â€•defaultâ€• header_font=â€•Montserrat|||||||â€•
header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€• header_font_size=â€•17pxâ€•
header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||||â€• body_text_align=â€•centerâ€•
body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€• custom_margin=â€•-
8px||12px||false|falseâ€• custom_padding=â€•||||false|falseâ€• custom_css_blurb_image=â€•margin-
bottom: 10px;â€• icon_font_size=â€•37pxâ€• global_colors_info=â€•{}â€•
transform_styles__hover_enabled=â€•on|hoverâ€• transform_scale__hover=â€•103%|103%â€•
transform_scale__hover_enabled=â€•on|hoverâ€• transform_translate__hover_enabled=â€•
on|desktopâ€• transform_rotate__hover_enabled=â€•on|desktopâ€•
transform_skew__hover_enabled=â€•on|desktopâ€• transform_origin__hover_enabled=â€•
on|desktopâ€•][/et_pb_blurb][et_pb_blurb title=â€•Lab Newsâ€• url=â€•
https://goldenpointlabs.com/blog/â€• use_icon=â€•onâ€• font_icon=â€•E||divi||400â€³ icon_color=â€•
#ffd700â€³ icon_placement=â€•leftâ€• image_icon_width=â€•37pxâ€• _builder_version=â€•4.16â€³
_module_preset=â€•defaultâ€• header_font=â€•Montserrat|||||||â€• header_text_align=â€•leftâ€•
header_text_color=â€•#FFFFFFâ€• header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€•
body_font=â€•Montserrat|||||||â€• body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³
body_font_size=â€•18pxâ€• custom_margin=â€•-7px||17px||false|falseâ€• custom_padding=â€•
||||false|falseâ€• custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•][/et_pb_blurb][et_pb_blurb title=â€•Employment
Opportunitiesâ€• url=â€•https://goldenpointlabs.com/employment-opportunities/â€• use_icon=â€•onâ€•

default watermark

font_icon=â€•E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€• image_icon_width=â€•37pxâ€• _builder_version=â€•4.17.6â€³ _module_preset=â€•defaultâ€• header_font=â€•Montserrat|||||||â€• header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€• header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||||â€• body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€• custom_margin=â€•-7px||||false|falseâ€• custom_padding=â€•||||false|falseâ€• custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€• global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€• transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€• transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€• transform_origin__hover_enabled=â€•on|desktopâ€•][/et_pb_blurb][/et_pb_column][et_pb_column type=â€•1_3â€³ _builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• global_colors_info=â€•{}â€•][et_pb_text _builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• header_2_font=â€•Montserrat|700|||||||â€• header_2_text_align=â€•centerâ€• header_2_text_color=â€•#FFFFFFâ€• header_2_font_size=â€•34pxâ€• header_3_font=â€•Montserrat|600|||||||â€• header_3_text_color=â€•#FFFFFFâ€• header_3_letter_spacing=â€•4pxâ€• custom_margin=â€•||-1px|||â€• custom_padding=â€•21px||4px|||â€• animation_style=â€•flipâ€• global_colors_info=â€•{}â€•]

default watermark

Location

[/et_pb_text][et_pb_divider color=â€•#ffd700â€³ divider_weight=â€•1pxâ€• _builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• width=â€•100%â€• max_width=â€•28%â€• module_alignment=â€•leftâ€• custom_margin=â€•||11px||false|falseâ€• custom_padding=â€•||||false|falseâ€• animation_style=â€•slideâ€• animation_direction=â€•rightâ€• global_colors_info=â€•{}â€•][/et_pb_divider][et_pb_map address=â€•153 Cahaba Valley Pkwy, Pelham, AL 35124, USAâ€• zoom_level=â€•15â€³ address_lat=â€•33.3382644â€³ address_lng=â€•-86.7858955â€³ _builder_version=â€•4.18.0â€³ _module_preset=â€•defaultâ€• module_alignment=â€•centerâ€• height=â€•607pxâ€• link_option_url=â€•https://www.google.com/maps/place/GoldenPoint+Scientific+Medical+Lab+Solutions/@33.3382644,-86.7858955,17z/data=!3m1!4b1!4m5!3m4!1s0x0:0xc67b896f9a6911f7!8m2!3d33.3382644!4d-86.7858955â€³ global_colors_info=â€•{}â€•][et_pb_map_pin title=â€•GoldenPoint Scientific Medical Laboratory Testingâ€• pin_address=â€•153 Cahaba Valley Pkwy, Pelham, AL 35124, USAâ€• zoom_level=â€•11â€³ pin_address_lat=â€•33.3382644â€³ pin_address_lng=â€•-86.7858955â€³ _builder_version=â€•4.18.0â€³ _module_preset=â€•defaultâ€• global_colors_info=â€•{}â€•]

Powered by GoldenPoint Scientific Labs

[/et_pb_map_pin][/et_pb_map][et_pb_button button_url=â€•https://www.google.com/maps/place/GoldenPoint+Scientific+Medical+Lab+Solutions/@33.3382644,-86.7858955,17z/data=!3m1!4b1!4m5!3m4!1s0x0:0xc67b896f9a6911f7!8m2!3d33.3382644!4d-86.7858955â€³ url_new_window=â€•onâ€• button_text=â€•Directionsâ€• button_alignment=â€•leftâ€• _builder_version=â€•4.18.0â€³ custom_button=â€•onâ€• button_text_size=â€•15pxâ€• button_text_color=â€•#FFFFFFâ€• button_bg_color=â€•rgba(44,0,84,0)â€• button_border_width=â€•1pxâ€• button_border_color=â€•#ffd700â€³ button_border_radius=â€•9pxâ€• button_letter_spacing=â€•2pxâ€• button_font=â€•Montserrat|500||on|||||â€• button_icon=â€•î€•||divi||400â€³ button_icon_color=â€•#ffd700â€³ button_icon_placement=â€•leftâ€• button_on_hover=â€•offâ€• background_layout=â€•darkâ€• custom_margin=â€•||||trueâ€• custom_padding=â€•9px|11px|9px|28px|true|falseâ€• animation_style=â€•slideâ€• animation_direction=â€•topâ€• box_shadow_style=â€•preset3â€³

box_shadow_vertical=â€•5pxâ€• box_shadow_color=â€•#FFFFFFâ€• button_letter_spacing_hover=â€•2pxâ€• button_bg_color_hover=â€•#00e2c4â€³ locked=â€•offâ€• global_colors_info=â€•{}â€• button_text_size__hover_enabled=â€•on|hoverâ€• button_one_text_size__hover_enabled=â€•offâ€• button_two_text_size__hover_enabled=â€•offâ€• button_text_color__hover_enabled=â€•on|hoverâ€• button_one_text_color__hover_enabled=â€•offâ€• button_two_text_color__hover_enabled=â€•offâ€• button_border_width__hover_enabled=â€•offâ€• button_one_border_width__hover_enabled=â€•offâ€• button_two_border_width__hover_enabled=â€•offâ€• button_border_color__hover_enabled=â€•offâ€• button_one_border_color__hover_enabled=â€•offâ€• button_two_border_color__hover_enabled=â€•offâ€• button_border_radius__hover_enabled=â€•offâ€• button_one_border_radius__hover_enabled=â€•offâ€• button_two_border_radius__hover_enabled=â€•offâ€• button_letter_spacing__hover_enabled=â€•onâ€• button_letter_spacing__hover=â€•2pxâ€• button_one_letter_spacing__hover_enabled=â€•offâ€• button_two_letter_spacing__hover_enabled=â€•offâ€• button_bg_color__hover_enabled=â€•on|desktopâ€• button_bg_color__hover=â€•#eaeaeaâ€• button_one_bg_color__hover_enabled=â€•offâ€• button_two_bg_color__hover_enabled=â€•offâ€• button_icon_color__hover_enabled=â€•on|hoverâ€• button_icon_color__hover=â€•#000000â€³ button_bg_enable_color__hover=â€•onâ€• button_text_color__hover=â€•#2c0054â€³ button_text_size__hover=â€•15pxâ€•][/et_pb_button][/et_pb_column][/et_pb_row][/et_pb_section]

default watermark

Date Created
March 7, 2023
Author
admin