

Renal Panel (GPSL-REN)

Description

[et_pb_section fb_built=1 admin_label=section _builder_version=4.16 global_colors_info={}] [et_pb_row admin_label=row _builder_version=4.16 background_size=initial background_position=top_left background_repeat=repeat global_colors_info={}] [et_pb_column type=4_4 _builder_version=4.16 custom_padding=||| global_colors_info={} custom_padding_hover=|||] [et_pb_text admin_label=Text _builder_version=4.20.4 text_font_size=18px text_line_height=1.8em background_size=initial background_position=top_left background_repeat=repeat hover_enabled=0 global_colors_info={} sticky_enabled=0]

Renal Panel (GPSL-REN)

The Renal Panel (GPSL-REN) is a group of blood tests that measures the levels of various substances in the blood to assess kidney function. These tests are used to diagnose and monitor conditions affecting the kidneys, such as kidney disease or damage.

The Renal Panel is typically ordered when an individual has symptoms of kidney dysfunction, such as decreased urine output, swelling of the legs or ankles, or unexplained fatigue. The test may also be ordered to monitor the effectiveness of treatment for kidney conditions or to screen individuals at high risk of developing kidney disease, such as those with a family history of the disease or with diabetes or high blood pressure. The results of the Renal Panel can help guide appropriate treatment and management of conditions affecting the kidneys.

[/et_pb_text][et_pb_column][et_pb_row][et_pb_section][et_pb_section fb_built=1 admin_label=Service _builder_version=4.20.1 background_color=#FFFFFF global_module=228011 saved_tabs=all global_colors_info={}] [et_pb_row column_structure=1_4_3_4 _builder_version=4.20.1 width=65% max_width=2560px global_colors_info={}] [et_pb_column type=1_4 _builder_version=4.16 custom_padding=||| global_colors_info={} custom_padding_hover=|||] [et_pb_button button_url=https://goldenpointlabs.com/contact/ button_text=Contact GoldenPoint _builder_version=4.20.1 custom_button=on button_text_size=15px button_bg_color=#0079a8 button_border_width=0px button_border_radius=0px button_letter_spacing=2px button_font=700|on| button_use_icon=off background_layout=dark custom_margin=|||true custom_padding=16px|32px|16px|32px|true|true button_letter_spacing_hover=2px button_bg_color_hover=#00e2c4 locked=off global_colors_info={} button_text_size__hover_enabled=off button_one_text_size__hover_enabled=off button_two_text_size__hover_enabled=off button_text_color__hover_enabled=off button_one_text_color__hover_enabled=off button_two_text_color__hover_enabled=off button_border_width__hover_enabled=off button_one_border_width__hover_enabled=off button_two_border_width__hover_enabled=off]

offâ€• button_border_color__hover_enabled=â€•offâ€• button_one_border_color__hover_enabled=â€•
offâ€• button_two_border_color__hover_enabled=â€•offâ€• button_border_radius__hover_enabled=â€•
offâ€• button_one_border_radius__hover_enabled=â€•offâ€•
button_two_border_radius__hover_enabled=â€•offâ€• button_letter_spacing__hover_enabled=â€•onâ€•
• button_letter_spacing__hover=â€•2pxâ€• button_one_letter_spacing__hover_enabled=â€•offâ€•
button_two_letter_spacing__hover_enabled=â€•offâ€• button_bg_color__hover_enabled=â€•onâ€•
button_bg_color__hover=â€•#00e2c4â€³ button_one_bg_color__hover_enabled=â€•offâ€•
button_two_bg_color__hover_enabled=â€•offâ€•[/et_pb_button][et_pb_image src=â€•
https://goldenpointlabs.com/wp-content/uploads/2022/07/womens-health-lab-testing.jpegâ€• alt=â€•
Influenza PCR Testâ€• title_text=â€•Influenza PCR Testâ€• _builder_version=â€•4.20.1â€³
_module_preset=â€•defaultâ€• global_colors_info=â€•{â€•
[/et_pb_image][et_pb_column][et_pb_column type=â€•3_4â€³ _builder_version=â€•4.16â€³
custom_padding=â€•||â€• global_colors_info=â€•{â€• custom_padding__hover=â€•||â€•[et_pb_text
_builder_version=â€•4.20.1â€³ header_font=â€•|||||â€• header_2_font=â€•|||||â€• header_3_font=â€•
|||||â€• header_4_font=â€•Montserrat|700|on||||â€• header_4_text_color=â€•#0079a8â€³
header_4_font_size=â€•20pxâ€• header_4_letter_spacing=â€•2pxâ€• header_4_line_height=â€•
1.6emâ€• max_width=â€•600pxâ€• max_width_tablet=â€•700pxâ€• max_width_phone=â€•700pxâ€•
max_width_last_edited=â€•off|desktopâ€• custom_margin=â€•||â€• custom_margin_tablet=â€•|0px||â€•
custom_margin_phone=â€•|0px||â€• custom_margin_last_edited=â€•off|desktopâ€•
header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_last_edited=â€•off|desktopâ€• locked=â€•
offâ€• global_colors_info=â€•{â€•}

Clinical Lab Testing Services:

[et_pb_text][et_pb_text _builder_version=â€•4.20.1â€³ text_font=â€•|||||â€• text_font_size=â€•16pxâ€•
ul_font=â€•|||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•|||||â€• header_2_font=â€•
Montserrat|800|||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€•
header_3_font=â€•|||||â€• header_4_font=â€•|||||â€• custom_margin=â€•||â€•
custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€•
custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px||â€• link_option_url=â€•
https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€•
header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€•
border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³
locked=â€•offâ€• global_colors_info=â€•{â€•}

â€•Search Blood Test Panels/Profiles

[et_pb_text][et_pb_text _builder_version=â€•4.20.1â€³ text_font=â€•|||||â€• text_font_size=â€•16pxâ€•
ul_font=â€•|||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•|||||â€• header_2_font=â€•
Montserrat|800|||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€•
header_3_font=â€•|||||â€• header_4_font=â€•|||||â€• custom_margin=â€•||â€•
custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€•
custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px||â€• link_option_url=â€•
https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€•
header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€•
border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³

locked=â€•offâ€• global_colors_info=â€•{}â€•]

â€•Search PCR Pathogens Test Panels/Profiles

[/et_pb_text][et_pb_text_builder_version=â€•4.20.1â€³ text_font=â€•|||||||â€• text_font_size=â€•16pxâ€• ul_font=â€•|||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•|||||||â€• header_2_font=â€•Montserrat|800|||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€• header_3_font=â€•|||||||â€• header_4_font=â€•|||||||â€• max_width_tablet=â€•700pxâ€• max_width_phone=â€•700pxâ€• max_width_last_edited=â€•off|desktopâ€• custom_margin=â€•|||â€• custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€• custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€•https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€• border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³ locked=â€•offâ€• global_colors_info=â€•{}â€•]

â€•Search Toxicology Test Panels/Profiles

[/et_pb_text][et_pb_text_builder_version=â€•4.20.2â€³ text_font=â€•|||||||â€• text_font_size=â€•16pxâ€• ul_font=â€•|||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•|||||||â€• header_2_font=â€•Montserrat|800|||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€• header_3_font=â€•|||||||â€• header_4_font=â€•|||||||â€• max_width_tablet=â€•700pxâ€• max_width_phone=â€•700pxâ€• max_width_last_edited=â€•off|desktopâ€• custom_margin=â€•|||â€• custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€• custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€•https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€• border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³ locked=â€•offâ€• global_colors_info=â€•{}â€•]

â€•Search Microbiology/Fungal Test Panels/Profiles

[/et_pb_text][et_pb_text_builder_version=â€•4.20.2â€³ text_font=â€•|||||||â€• text_font_size=â€•16pxâ€• ul_font=â€•|||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•|||||||â€• header_2_font=â€•Montserrat|800|||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€• header_3_font=â€•|||||||â€• header_4_font=â€•|||||||â€• max_width_tablet=â€•700pxâ€• max_width_phone=â€•700pxâ€• max_width_last_edited=â€•off|desktopâ€• custom_margin=â€•|||â€• custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€• custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€•https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€• border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³ locked=â€•offâ€• global_colors_info=â€•{}â€•]

â€”Search Allergens Test Panels/Profiles

[/et_pb_text][et_pb_column][et_pb_row][et_pb_section][et_pb_section fb_built=â€”1â€”
_builder_version=â€”4.16â€”_module_preset=â€”defaultâ€” background_color=â€”#000000â€”
custom_padding=â€”||20px|||â€” global_module=â€”35433â€” saved_tabs=â€”allâ€”
global_colors_info=â€”—[â€”—][et_pb_row column_structure=â€”1_3,1_3,1_3â€”_builder_version=â€”
4.16â€”_module_preset=â€”defaultâ€” max_width=â€”2560pxâ€” module_alignment=â€”centerâ€”
global_colors_info=â€”—[â€”—][et_pb_column type=â€”1_3â€”_builder_version=â€”4.16â€”
_module_preset=â€”defaultâ€” global_colors_info=â€”—[â€”—][et_pb_image src=â€”
https://goldenpointlabs.com/wp-content/uploads/2021/06/PNGtransparent-2.pngâ€” title_text=â€”
PNG(transparent) (2)â€”_builder_version=â€”4.16â€”_module_preset=â€”defaultâ€”
background_color=â€”rgba(255,255,255,0)â€” width=â€”41%â€” module_alignment=â€”leftâ€”
custom_margin=â€”0px||||false|falseâ€” custom_padding=â€”0px||||false|falseâ€” border_radii=â€”
on|43px|43px|43px|43pxâ€” border_width_all=â€”3pxâ€” border_color_all=â€”#FFFFFFâ€”
global_colors_info=â€”—[â€”—][et_pb_image][et_pb_blurb title=â€”Addressâ€” use_icon=â€”onâ€”
font_icon=â€”—i||divi||400â€” icon_color=â€”#ffd700â€” icon_placement=â€”leftâ€”_builder_version=â€”
4.16â€”_module_preset=â€”defaultâ€” header_font=â€”Montserrat|700|||||â€” header_text_color=â€”
#FFFFFFâ€” body_text_color=â€”#FFFFFFâ€” global_colors_info=â€”—[â€”—]

153 Cahaba Valley Parkway,
Pelham, Alabama 35124

[/et_pb_blurb][et_pb_blurb title=â€”Phoneâ€” use_icon=â€”onâ€” font_icon=â€”—i||divi||400â€”
icon_color=â€”#ffd700â€” icon_placement=â€”leftâ€”_builder_version=â€”4.16â€”_module_preset=â€”
defaultâ€” header_font=â€”Montserrat|700|||||â€” header_text_color=â€”#FFFFFFâ€”
body_text_color=â€”#FFFFFFâ€” global_colors_info=â€”—[â€”—]

[/et_pb_blurb][et_pb_blurb title=â€”Message Usâ€” url=â€”https://goldenpointlabs.com/contact/â€”
use_icon=â€”onâ€” font_icon=â€”—i||divi||400â€” icon_color=â€”#ffd700â€” icon_placement=â€”leftâ€”
image_icon_width=â€”29pxâ€”_builder_version=â€”4.16â€”_module_preset=â€”defaultâ€”
header_font=â€”Montserrat|700|||||â€” header_text_color=â€”#FFFFFFâ€” body_text_color=â€”
#FFFFFFâ€” custom_margin=â€”0px||||false|falseâ€” custom_padding=â€”0px||||false|falseâ€”
custom_css_blurb_title=â€”padding-top: 5pxâ€” icon_font_size=â€”29pxâ€” global_colors_info=â€”—[â€”—
][et_pb_blurb][et_pb_blurb title=â€”CLIA: 01D2176939â€” url=â€”mailto:info@goldenpointlabs.comâ€”
use_icon=â€”onâ€” font_icon=â€”—i||divi||400â€” icon_color=â€”#ffd700â€”
image_icon_background_color=â€”rgba(0,121,168,0)â€” icon_placement=â€”leftâ€”
image_icon_width=â€”16pxâ€”_builder_version=â€”4.16â€”_module_preset=â€”defaultâ€”
header_font=â€”Montserrat|700|||||â€” header_text_color=â€”#FFFFFFâ€” body_text_color=â€”
#FFFFFFâ€” image_icon_custom_padding=â€”8px|8px|8px|8px|false|falseâ€” link_option_url=â€”
mailto:info@goldenpointlabs.comâ€” custom_css_blurb_title=â€”padding-top: 10px;â€”
border_radii_image=â€”on|100%|100%|100%|100%â€” border_width_all_image=â€”2pxâ€”
border_color_all_image=â€”#0079a8â€” use_circle=â€”onâ€” use_circle_border=â€”onâ€”
circle_color=â€”rgba(0,121,168,0)â€” global_colors_info=â€”—[â€”—
image_icon_background_color__sticky_enabled=â€”#0079a8â€”
image_icon_background_color__sticky=â€”#0079a8â€”][et_pb_blurb][et_pb_social_media_follow

```
_builder_version=4.18.0 _module_preset=default global_colors_info={}
[et_pb_social_media_follow_network social_network=google url=
https://g.page/r/CSDCYrQQcyeoEAE _builder_version=4.18.0 _module_preset=default
background_color=#4285f4 global_colors_info={} follow_button=off
url_new_window=on
[google[/et_pb_social_media_follow_network][et_pb_social_media_follow_network social_network=
facebook url=https://www.facebook.com/GoldenPointScientificLabs _builder_version=
4.18.0 _module_preset=default background_color=#3b5998 global_colors_info={}
follow_button=off url_new_window=on
[facebook[/et_pb_social_media_follow_network][et_pb_social_media_follow_network
social_network=twitter url=https://twitter.com/GoldenpointLabs _builder_version=
4.18.0 _module_preset=default background_color=#00aced global_colors_info={}
follow_button=off url_new_window=on
[twitter[/et_pb_social_media_follow_network][et_pb_social_media_follow_network social_network=
instagram url=https://www.instagram.com/goldenpointscientificlabs/ _builder_version=
4.18.0 _module_preset=default background_color=#ea2c59 global_colors_info={}
follow_button=off url_new_window=on
[instagram[/et_pb_social_media_follow_network][et_pb_social_media_follow_network
social_network=linkedin url=https://www.linkedin.com/company/goldenpointscientificlabs
_builder_version=4.18.0 _module_preset=default background_color=#007bb6
global_colors_info={} follow_button=off url_new_window=on
[linkedin[/et_pb_social_media_follow_network][et_pb_social_media_follow][et_pb_column]
type=1 _builder_version=4.16 _module_preset=default global_colors_info={}
[et_pb_text _builder_version=4.16 _module_preset=default header_2_font=
Montserrat|700| center header_2_text_align=center header_2_text_color=
header_2_font_size=34px header_3_font=Montserrat|600| center header_3_text_color=
header_3_letter_spacing=4px custom_margin=-1px custom_padding=
21px|4px| animation_style=flip global_colors_info={}]
```

Testing Service Links

```
[/et_pb_text][et_pb_divider color=#ffd700 divider_weight=1px _builder_version=4.16
_module_preset=default max_width=66% module_alignment=left
custom_margin=-7px|false|false custom_padding=-|false|false animation_style=
slide animation_direction=right global_colors_info={}][et_pb_divider][et_pb_blurb
title=BLOOD TESTING url=https://goldenpointlabs.com/blood-testing-services/
use_icon=on font_icon=E|divi|400 icon_color=#ffd700 icon_placement=left
image_icon_width=37px _builder_version=4.20.1 _module_preset=default
header_font=Montserrat| header_text_align=left header_text_color=
header_font_size=17px header_line_height=2.2em body_font=Montserrat|
body_text_align=center body_text_color=#0079a8 body_font_size=18px
custom_margin=-1px|false|false custom_padding=15px|false|false
custom_css_blurb_image=margin-bottom: 10px; icon_font_size=37px
global_colors_info={} transform_styles__hover_enabled=on|hover
transform_scale__hover=103%|103% transform_scale__hover_enabled=on|hover
transform_translate__hover_enabled=on|desktop transform_rotate__hover_enabled=
```

on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•PCR
PATHOGENâ€• url=â€•https://goldenpointlabs.com/pcr-pathogens-testing/â€• use_icon=â€•onâ€•
font_icon=â€•E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€•
image_icon_width=â€•37pxâ€• _builder_version=â€•4.19.3â€³ _module_preset=â€•defaultâ€•
header_font=â€•Montserrat|||||â€• header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€•
header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€•
body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€•
custom_margin=â€•||0px||false|falseâ€• custom_padding=â€•|||false|falseâ€•
custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•
TOXICOLOGYâ€• url=â€•https://goldenpointlabs.com/toxicology/â€• use_icon=â€•onâ€• font_icon=â€•
E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€• image_icon_width=â€•37pxâ€•
_builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• header_font=â€•Montserrat|||||â€•
header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€• header_font_size=â€•17pxâ€•
header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€• body_text_align=â€•centerâ€•
body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€• custom_margin=â€•||3px||false|falseâ€•
custom_padding=â€•|||false|falseâ€• custom_css_blurb_image=â€•margin-bottom: 10px;â€•
icon_font_size=â€•37pxâ€• global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•
on|hoverâ€• transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•
on|hoverâ€• transform_translate__hover_enabled=â€•on|desktopâ€•
transform_rotate__hover_enabled=â€•on|desktopâ€• transform_skew__hover_enabled=â€•
on|desktopâ€• transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•
MICROBIOLOGY/FUNGALâ€• url=â€•https://goldenpointlabs.com/microbiology-testing-services/â€•
use_icon=â€•onâ€• font_icon=â€•E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€•
image_icon_width=â€•37pxâ€• _builder_version=â€•4.20.2â€³ _module_preset=â€•defaultâ€•
header_font=â€•Montserrat|||||â€• header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€•
header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€•
body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€•
custom_margin=â€•||3px||false|falseâ€• custom_padding=â€•|||false|falseâ€•
custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•
ALLERGENSâ€• url=â€•https://goldenpointlabs.com/allergens-panel-profile-testing/â€• use_icon=â€•
onâ€• font_icon=â€•E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€•
image_icon_width=â€•37pxâ€• _builder_version=â€•4.20.2â€³ _module_preset=â€•defaultâ€•
header_font=â€•Montserrat|||||â€• header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€•
header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€•
body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€•

custom_margin=â€•||3px||false|falseâ€• custom_padding=â€•||||false|falseâ€•
custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•Search Lab
Testing Servicesâ€• url=â€•https://goldenpointlabs.com/lab-testing-services/â€• use_icon=â€•onâ€•
font_icon=â€•E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€•
image_icon_width=â€•37pxâ€• _builder_version=â€•4.20.1â€³ _module_preset=â€•defaultâ€•
header_font=â€•Montserrat|||||â€• header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€•
header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€•
body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€•
custom_margin=â€•||3px||false|falseâ€• custom_padding=â€•||||false|falseâ€•
custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•Test
Panels/Profilesâ€• url=â€•https://goldenpointlabs.com/test-panels/â€• use_icon=â€•onâ€• font_icon=â€•
E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€• image_icon_width=â€•37pxâ€•
_builder_version=â€•4.20.1â€³ _module_preset=â€•defaultâ€• header_font=â€•Montserrat|||||â€•
header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€• header_font_size=â€•17pxâ€•
header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€• body_text_align=â€•centerâ€•
body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€• custom_margin=â€•-
8px||12px||false|falseâ€• custom_padding=â€•||||false|falseâ€• custom_css_blurb_image=â€•margin-
bottom: 10px;â€• icon_font_size=â€•37pxâ€• global_colors_info=â€•{}â€•
transform_styles__hover_enabled=â€•on|hoverâ€• transform_scale__hover=â€•103%|103%â€•
transform_scale__hover_enabled=â€•on|hoverâ€• transform_translate__hover_enabled=â€•
on|desktopâ€• transform_rotate__hover_enabled=â€•on|desktopâ€•
transform_skew__hover_enabled=â€•on|desktopâ€• transform_origin__hover_enabled=â€•
on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•Lab Newsâ€• url=â€•
https://goldenpointlabs.com/blog/â€• use_icon=â€•onâ€• font_icon=â€•E||divi||400â€³ icon_color=â€•
#ffd700â€³ icon_placement=â€•leftâ€• image_icon_width=â€•37pxâ€• _builder_version=â€•4.16â€³
_module_preset=â€•defaultâ€• header_font=â€•Montserrat|||||â€• header_text_align=â€•leftâ€•
header_text_color=â€•#FFFFFFâ€• header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€•
body_font=â€•Montserrat|||||â€• body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³
body_font_size=â€•18pxâ€• custom_margin=â€•-7px||17px||false|falseâ€• custom_padding=â€•
||||false|falseâ€• custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•Employment
Opportunitiesâ€• url=â€•https://goldenpointlabs.com/employment-opportunities/â€• use_icon=â€•onâ€•

font_icon=â€•E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€•
image_icon_width=â€•37pxâ€• _builder_version=â€•4.17.6â€³ _module_preset=â€•defaultâ€•
header_font=â€•Montserrat|||||â€• header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€•
header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€•
body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€•
custom_margin=â€•-7px||||false|falseâ€• custom_padding=â€•||||false|falseâ€•
custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb]/[et_pb_column][et_pb_column
type=â€•1_3â€³ _builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• global_colors_info=â€•
{â€•}[/et_pb_text _builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• header_2_font=â€•
Montserrat|700|||||â€• header_2_text_align=â€•centerâ€• header_2_text_color=â€•#FFFFFFâ€•
header_2_font_size=â€•34pxâ€• header_3_font=â€•Montserrat|600|||||â€• header_3_text_color=â€•
#FFFFFFâ€• header_3_letter_spacing=â€•4pxâ€• custom_margin=â€•|-1px|||â€• custom_padding=â€•
21px||4px|||â€• animation_style=â€•flipâ€• global_colors_info=â€•{}â€•]

Location

[/et_pb_text][et_pb_divider color=â€•#ffd700â€³ divider_weight=â€•1pxâ€• _builder_version=â€•4.16â€³
_module_preset=â€•defaultâ€• width=â€•100%â€• max_width=â€•28%â€• module_alignment=â€•leftâ€•
custom_margin=â€•||11px||false|falseâ€• custom_padding=â€•||||false|falseâ€• animation_style=â€•
slideâ€• animation_direction=â€•rightâ€• global_colors_info=â€•{}â€•[/et_pb_divider][et_pb_map
address=â€•153 Cahaba Valley Pkwy, Pelham, AL 35124, USAâ€• zoom_level=â€•15â€³
address_lat=â€•33.3382644â€³ address_lng=â€•-86.7858955â€³ _builder_version=â€•4.18.0â€³
_module_preset=â€•defaultâ€• module_alignment=â€•centerâ€• height=â€•607pxâ€• link_option_url=â€•
•https://www.google.com/maps/place/GoldenPoint+Scientific+Medical+Lab+Solutions/@33.3382644,-
86.7858955,17z/data=!3m1!4b1!4m5!3m4!1s0x0:0xc67b896f9a6911f7!8m2!3d33.3382644!4d-
86.7858955â€³ global_colors_info=â€•{}â€•[/et_pb_map_pin title=â€•GoldenPoint Scientific Medical
Laboratory Testingâ€• pin_address=â€•153 Cahaba Valley Pkwy, Pelham, AL 35124, USAâ€•
zoom_level=â€•11â€³ pin_address_lat=â€•33.3382644â€³ pin_address_lng=â€•-86.7858955â€³
_builder_version=â€•4.18.0â€³ _module_preset=â€•defaultâ€• global_colors_info=â€•{}â€•]

Powered by GoldenPoint Scientific Labs

[/et_pb_map_pin][et_pb_map][et_pb_button button_url=â€•
https://www.google.com/maps/place/GoldenPoint+Scientific+Medical+Lab+Solutions/@33.3382644,-
86.7858955,17z/data=!3m1!4b1!4m5!3m4!1s0x0:0xc67b896f9a6911f7!8m2!3d33.3382644!4d-
86.7858955â€³ url_new_window=â€•onâ€• button_text=â€•Directionsâ€• button_alignment=â€•leftâ€•
_builder_version=â€•4.18.0â€³ custom_button=â€•onâ€• button_text_size=â€•15pxâ€•
button_text_color=â€•#FFFFFFâ€• button_bg_color=â€•rgba(44,0,84,0)â€• button_border_width=â€•
1pxâ€• button_border_color=â€•#ffd700â€³ button_border_radius=â€•9pxâ€• button_letter_spacing=â€•
2pxâ€• button_font=â€•Montserrat|500|on||||â€• button_icon=â€•i€•||divi||400â€³ button_icon_color=â€•
#ffd700â€³ button_icon_placement=â€•leftâ€• button_on_hover=â€•offâ€• background_layout=â€•
darkâ€• custom_margin=â€•||||trueâ€• custom_padding=â€•9px|11px|9px|28px|true|falseâ€•
animation_style=â€•slideâ€• animation_direction=â€•topâ€• box_shadow_style=â€•preset3â€³

box_shadow_vertical=â€•5pxâ€• box_shadow_color=â€•#FFFFFFâ€• button_letter_spacing_hover=â€•2pxâ€• button_bg_color_hover=â€•#00e2c4â€³ locked=â€•offâ€• global_colors_info=â€•{}â€• button_text_size__hover_enabled=â€•on|hoverâ€• button_one_text_size__hover_enabled=â€•offâ€• button_two_text_size__hover_enabled=â€•offâ€• button_text_color__hover_enabled=â€•on|hoverâ€• button_one_text_color__hover_enabled=â€•offâ€• button_two_text_color__hover_enabled=â€•offâ€• button_border_width__hover_enabled=â€•offâ€• button_one_border_width__hover_enabled=â€•offâ€• button_two_border_width__hover_enabled=â€•offâ€• button_border_color__hover_enabled=â€•offâ€• button_one_border_color__hover_enabled=â€•offâ€• button_two_border_color__hover_enabled=â€•offâ€• button_border_radius__hover_enabled=â€•offâ€• button_one_border_radius__hover_enabled=â€•offâ€• button_two_border_radius__hover_enabled=â€•offâ€• button_letter_spacing__hover_enabled=â€•onâ€• button_letter_spacing__hover=â€•2pxâ€• button_one_letter_spacing__hover_enabled=â€•offâ€• button_two_letter_spacing__hover_enabled=â€•offâ€• button_bg_color__hover_enabled=â€•on|desktopâ€• button_bg_color__hover=â€•#eaeaeaâ€• button_one_bg_color__hover_enabled=â€•offâ€• button_two_bg_color__hover_enabled=â€•offâ€• button_icon_color__hover_enabled=â€•on|hoverâ€• button_icon_color__hover=â€•#000000â€³ button_bg_enable_color__hover=â€•onâ€• button_text_color__hover=â€•#2c0054â€³ button_text_size__hover=â€•15pxâ€•][[/et_pb_button]][/et_pb_column]][/et_pb_row]][/et_pb_section]

Date Created

March 7, 2023

Author

admin