

Weight Loss Panel (WLP)

Description

```
[et_pb_section fb_built=1 admin_label=section _builder_version=4.16 global_colors_info={}][et_pb_row admin_label=row _builder_version=4.16 background_size=initial background_position=top_left background_repeat=repeat global_colors_info={}][et_pb_column type=4_4 _builder_version=4.16 custom_padding=||| global_colors_info={} custom_padding__hover=|||][et_pb_text admin_label=Text _builder_version=4.20.4 text_font_size=18px text_line_height=1.8em background_size=initial background_position=top_left background_repeat=repeat hover_enabled=0 global_colors_info={} sticky_enabled=0]
```

Weight Loss Panel (WLP)

The Weight Loss Panel (WLP) is a group of blood tests that may be ordered by healthcare providers to assess an individual's overall health and to identify potential underlying medical conditions that may contribute to weight gain or difficulty losing weight. The specific tests included in the panel may vary depending on the healthcare provider's preferences.

The Weight Loss Panel is typically ordered as part of a weight loss program or to evaluate the underlying causes of weight gain or difficulty losing weight. The results of the panel can help guide appropriate treatment and management of any identified health issues, as well as promote healthy weight loss and overall health and wellbeing.

```
[/et_pb_text][et_pb_column][et_pb_row][et_pb_section][et_pb_section fb_built=1 admin_label=Service _builder_version=4.20.1 background_color=#FFFFFF global_module=228011 saved_tabs=all global_colors_info={}][et_pb_row column_structure=1_4,3_4 _builder_version=4.20.1 width=65% max_width=2560px global_colors_info={}][et_pb_column type=1_4 _builder_version=4.16 custom_padding=||| global_colors_info={} custom_padding__hover=|||][et_pb_button button_url=https://goldenpointlabs.com/contact/ button_text=Contact GoldenPoint _builder_version=4.20.1 custom_button=on button_text_size=15px button_bg_color=#0079a8 button_border_width=0px button_border_radius=0px button_letter_spacing=2px button_font=700|on|||| button_use_icon=off background_layout=dark custom_margin=|||true custom_padding=16px|32px|16px|32px|true|true button_letter_spacing_hover=2px button_bg_color_hover=#00e2c4 locked=off global_colors_info={} button_text_size__hover_enabled=off button_one_text_size__hover_enabled=off button_two_text_size__hover_enabled=off button_text_color__hover_enabled=off button_one_text_color__hover_enabled=off button_two_text_color__hover_enabled=off button_border_width__hover_enabled=off button_one_border_width__hover_enabled=off button_two_border_width__hover_enabled=off button_border_color__hover_enabled=off]
```

offâ€• button_two_border_color__hover_enabled=â€•offâ€• button_border_radius__hover_enabled=â€•
offâ€• button_one_border_radius__hover_enabled=â€•offâ€•
button_two_border_radius__hover_enabled=â€•offâ€• button_letter_spacing__hover_enabled=â€•onâ€•
• button_letter_spacing__hover=â€•2pxâ€• button_one_letter_spacing__hover_enabled=â€•offâ€•
button_two_letter_spacing__hover_enabled=â€•offâ€• button_bg_color__hover_enabled=â€•onâ€•
button_bg_color__hover=â€•#00e2c4â€³ button_one_bg_color__hover_enabled=â€•offâ€•
button_two_bg_color__hover_enabled=â€•offâ€•][et_pb_button][et_pb_image src=â€•
https://goldenpointlabs.com/wp-content/uploads/2022/07/womens-health-lab-testing.jpegâ€• alt=â€•
Influenza PCR Testâ€• title_text=â€•Influenza PCR Testâ€• _builder_version=â€•4.20.1â€³
_module_preset=â€•defaultâ€• global_colors_info=â€•{}â€•
][et_pb_image][et_pb_column][et_pb_column type=â€•3_4â€³ _builder_version=â€•4.16â€³
custom_padding=â€•|||â€• global_colors_info=â€•{}â€• custom_padding__hover=â€•|||â€•][et_pb_text
_builder_version=â€•4.20.1â€³ header_font=â€•|||||||â€• header_2_font=â€•|||||||â€• header_3_font=â€•
|||||||â€• header_4_font=â€•Montserrat|700|on|||||â€• header_4_text_color=â€•#0079a8â€³
header_4_font_size=â€•20pxâ€• header_4_letter_spacing=â€•2pxâ€• header_4_line_height=â€•
1.6emâ€• max_width=â€•600pxâ€• max_width_tablet=â€•700pxâ€• max_width_phone=â€•700pxâ€•
max_width_last_edited=â€•off|desktopâ€• custom_margin=â€•|||â€• custom_margin_tablet=â€•|0px||â€•
custom_margin_phone=â€•|0px||â€• custom_margin_last_edited=â€•off|desktopâ€•
header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_last_edited=â€•off|desktopâ€• locked=â€•
offâ€• global_colors_info=â€•{}â€•]

Clinical Lab Testing Services:

[et_pb_text][et_pb_text_builder_version=â€•4.20.1â€³ text_font=â€•|||||||â€• text_font_size=â€•16pxâ€•
ul_font=â€•|||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•|||||||â€• header_2_font=â€•
Montserrat|800||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€•
header_3_font=â€•|||||||â€• header_4_font=â€•|||||||â€• custom_margin=â€•|||â€•
custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€•
custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€•
https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€•
header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€•
border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³
locked=â€•offâ€• global_colors_info=â€•{}â€•]

â€•Search Blood Test Panels/Profiles

[et_pb_text][et_pb_text_builder_version=â€•4.20.1â€³ text_font=â€•|||||||â€• text_font_size=â€•16pxâ€•
ul_font=â€•|||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•|||||||â€• header_2_font=â€•
Montserrat|800||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€•
header_3_font=â€•|||||||â€• header_4_font=â€•|||||||â€• custom_margin=â€•|||â€•
custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€•
custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€•
https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€•
header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€•
border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³
locked=â€•offâ€• global_colors_info=â€•{}â€•]

â†’Search PCR Pathogens Test Panels/Profiles

[/et_pb_text][et_pb_text_builder_version=â€•4.20.1â€³ text_font=â€•|||||||â€• text_font_size=â€•16pxâ€• ul_font=â€•|||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•|||||||â€• header_2_font=â€•Montserrat|800|||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€• header_3_font=â€•|||||||â€• header_4_font=â€•|||||||â€• max_width_tablet=â€•700pxâ€• max_width_phone=â€•700pxâ€• max_width_last_edited=â€•off|desktopâ€• custom_margin=â€•|||â€• custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€• custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€•https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€• border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³ locked=â€•offâ€• global_colors_info=â€•{}â€•]

â†’Search Toxicology Test Panels/Profiles

[/et_pb_text][et_pb_text_builder_version=â€•4.20.2â€³ text_font=â€•|||||||â€• text_font_size=â€•16pxâ€• ul_font=â€•|||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•|||||||â€• header_2_font=â€•Montserrat|800|||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€• header_3_font=â€•|||||||â€• header_4_font=â€•|||||||â€• max_width_tablet=â€•700pxâ€• max_width_phone=â€•700pxâ€• max_width_last_edited=â€•off|desktopâ€• custom_margin=â€•|||â€• custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€• custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€•https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€• border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³ locked=â€•offâ€• global_colors_info=â€•{}â€•]

â†’Search Microbiology/Fungal Test Panels/Profiles

[/et_pb_text][et_pb_text_builder_version=â€•4.20.2â€³ text_font=â€•|||||||â€• text_font_size=â€•16pxâ€• ul_font=â€•|||||||â€• ul_line_height=â€•2.5emâ€• header_font=â€•|||||||â€• header_2_font=â€•Montserrat|800|||||||â€• header_2_font_size=â€•25pxâ€• header_2_line_height=â€•1.5emâ€• header_3_font=â€•|||||||â€• header_4_font=â€•|||||||â€• max_width_tablet=â€•700pxâ€• max_width_phone=â€•700pxâ€• max_width_last_edited=â€•off|desktopâ€• custom_margin=â€•|||â€• custom_margin_tablet=â€•|0px||â€• custom_margin_phone=â€•|0px||â€• custom_margin_last_edited=â€•off|desktopâ€• custom_padding=â€•20px|||â€• link_option_url=â€•https://goldenpointlabs.com/blood-testing-services/â€• header_2_font_size_tablet=â€•30pxâ€• header_2_font_size_phone=â€•20pxâ€• header_2_font_size_last_edited=â€•on|phoneâ€• border_color_all=â€•#12eaa6â€³ border_width_top=â€•2pxâ€• border_color_top=â€•#ffd700â€³ locked=â€•offâ€• global_colors_info=â€•{}â€•]

â†’Search Allergens Test Panels/Profiles

```
[/et_pb_text][et_pb_column][et_pb_row][et_pb_section][et_pb_section fb_built=1
_builder_version=4.16 module_preset=default background_color=#000000
custom_padding=20px|20px|20px|20px global_module=35433 saved_tabs=all
global_colors_info={}[et_pb_row column_structure=1_3,1_3,1_3 _builder_version=
4.16 module_preset=default max_width=2560px module_alignment=center
global_colors_info={}[et_pb_column type=1_3 _builder_version=4.16
_module_preset=default global_colors_info={}[et_pb_image src=
https://goldenpointlabs.com/wp-content/uploads/2021/06/PNGtransparent-2.png title_text=
PNG(transparent) (2) _builder_version=4.16 module_preset=default
background_color=rgba(255,255,255,0) width=41% module_alignment=left
custom_margin=0px|0px|0px|0px|false|false custom_padding=0px|0px|0px|0px|false|false
border_radii=43px|43px|43px|43px border_width_all=3px border_color_all=FFFFFF
global_colors_info={}[et_pb_image][et_pb_blurb title=Address use_icon=on
font_icon=i|divi|400 icon_color=#ffd700 icon_placement=left _builder_version=
4.16 module_preset=default header_font=Montserrat|700|header_text_color=
FFFFFF body_text_color=FFFFFF global_colors_info={}]
```

153 Cahaba Valley Parkway,
Pelham, Alabama 35124

```
[/et_pb_blurb][et_pb_blurb title=Phone use_icon=on font_icon=i|divi|400
icon_color=#ffd700 icon_placement=left _builder_version=4.16 module_preset=
default header_font=Montserrat|700|header_text_color=FFFFFF
body_text_color=FFFFFF global_colors_info={}]
```

```
[/et_pb_blurb][et_pb_blurb title=Message Us url=https://goldenpointlabs.com/contact/
use_icon=on font_icon=i|divi|400 icon_color=#ffd700 icon_placement=left
image_icon_width=29px _builder_version=4.16 module_preset=default
header_font=Montserrat|700|header_text_color=FFFFFF body_text_color=
FFFFFF custom_margin=0px|0px|0px|0px|false|false custom_padding=0px|0px|0px|0px|false|false
custom_css_blurb_title=padding-top: 5px icon_font_size=29px global_colors_info={}
][et_pb_blurb][et_pb_blurb title=CLIA: 01D2176939 url=mailto:info@goldenpointlabs.com
use_icon=on font_icon=i|divi|400 icon_color=#ffd700
image_icon_background_color=rgba(0,121,168,0) icon_placement=left
image_icon_width=16px _builder_version=4.16 module_preset=default
header_font=Montserrat|700|header_text_color=FFFFFF body_text_color=
FFFFFF image_icon_custom_padding=8px|8px|8px|8px|false|false link_option_url=
mailto:info@goldenpointlabs.com custom_css_blurb_title=padding-top: 10px;
border_radii_image=on|100%|100%|100%|100% border_width_all_image=2px
border_color_all_image=#0079a8 use_circle=on use_circle_border=on
circle_color=rgba(0,121,168,0) global_colors_info={}
image_icon_background_color_sticky_enabled=#0079a8
image_icon_background_color_sticky=#0079a8][et_pb_blurb][et_pb_social_media_follow
_builder_version=4.18.0 module_preset=default global_colors_info={}
][et_pb_social_media_follow_network social_network=google url=
```

```
https://g.page/r/CSDCYrQQcyeoEAE?_builder_version=4.18.0&_module_preset=default&
background_color=#4285f4&global_colors_info={}&follow_button=off&
url_new_window=on&
]google[/et_pb_social_media_follow_network][et_pb_social_media_follow_network social_network=
facebook&url=https://www.facebook.com/GoldenPointScientificLabs?_builder_version=
4.18.0&_module_preset=default&background_color=#3b5998&global_colors_info={}&
follow_button=off&url_new_window=on&
]facebook[/et_pb_social_media_follow_network][et_pb_social_media_follow_network
social_network=twitter&url=https://twitter.com/GoldenpointLabs?_builder_version=
4.18.0&_module_preset=default&background_color=#00aced&global_colors_info={}&
follow_button=off&url_new_window=on&
]twitter[/et_pb_social_media_follow_network][et_pb_social_media_follow_network social_network=
instagram&url=https://www.instagram.com/goldenpointscientificlabs/?_builder_version=
4.18.0&_module_preset=default&background_color=#ea2c59&global_colors_info={}&
follow_button=off&url_new_window=on&
]instagram[/et_pb_social_media_follow_network][et_pb_social_media_follow_network
social_network=linkedin&url=https://www.linkedin.com/company/goldenpointscientificlabs?_
_builder_version=4.18.0&_module_preset=default&background_color=#007bb6&
global_colors_info={}&follow_button=off&url_new_window=on&
]linkedin[/et_pb_social_media_follow_network][et_pb_social_media_follow][et_pb_column][et_pb_colum
type=1_3&_builder_version=4.16&_module_preset=default&global_colors_info={}&
]et_pb_text[_builder_version=4.16&_module_preset=default&header_2_font=
Montserrat|700|||||&header_2_text_align=center&header_2_text_color=
#FFFFFF&header_2_font_size=34px&header_3_font=Montserrat|600|||||&header_3_text_color=
#FFFFFF&header_3_letter_spacing=4px&custom_margin=-1px||&custom_padding=
21px||4px||&animation_style=flip&global_colors_info={}&]
```

Testing Service Links

```
[/et_pb_text][et_pb_divider color=#ffd700&divider_weight=1px&_builder_version=4.16&
_module_preset=default&max_width=66%&module_alignment=left&
custom_margin=-7px||false|false&custom_padding=|||false|false&animation_style=
slide&animation_direction=right&global_colors_info={}&][et_pb_divider][et_pb_blurb
title=BLOOD TESTING&url=https://goldenpointlabs.com/blood-testing-services/&
use_icon=on&font_icon=E||divi||400&icon_color=#ffd700&icon_placement=left&
image_icon_width=37px&_builder_version=4.20.1&_module_preset=default&
header_font=Montserrat||||||&header_text_align=left&header_text_color=
#FFFFFF&header_font_size=17px&header_line_height=2.2em&body_font=Montserrat||||||&
body_text_align=center&body_text_color=#0079a8&body_font_size=18px&
custom_margin=-1px||false|false&custom_padding=15px|||false|false&
custom_css_blurb_image=margin-bottom: 10px;&icon_font_size=37px&
global_colors_info={}&transform_styles__hover_enabled=on|hover&
transform_scale__hover=103%|103%&transform_scale__hover_enabled=on|hover&
transform_translate__hover_enabled=on|desktop&transform_rotate__hover_enabled=
on|desktop&transform_skew__hover_enabled=on|desktop&
transform_origin__hover_enabled=on|desktop&][et_pb_blurb][et_pb_blurb title=PCR
```

PATHOGEN–url=–https://goldenpointlabs.com/pcr-pathogens-testing/–use_icon=–on–font_icon=–E||divi||400–icon_color=–#ffd700–icon_placement=–left–image_icon_width=–37px–_builder_version=–4.19.3–_module_preset=–default–header_font=–Montserrat||||||–header_text_align=–left–header_text_color=–#FFFFFF–header_font_size=–17px–header_line_height=–2.2em–body_font=–Montserrat||||||–body_text_align=–center–body_text_color=–#0079a8–body_font_size=–18px–custom_margin=–||0px||false|false–custom_padding=–||||false|false–custom_css_blurb_image=–margin-bottom: 10px;–icon_font_size=–37px–global_colors_info=–{}–transform_styles__hover_enabled=–on|hover–transform_scale__hover=–103%|103%–transform_scale__hover_enabled=–on|hover–transform_translate__hover_enabled=–on|desktop–transform_rotate__hover_enabled=–on|desktop–transform_skew__hover_enabled=–on|desktop–transform_origin__hover_enabled=–on|desktop–[/et_pb_blurb][et_pb_blurb title=–TOXICOLOGY–url=–https://goldenpointlabs.com/toxicology/–use_icon=–on–font_icon=–E||divi||400–icon_color=–#ffd700–icon_placement=–left–image_icon_width=–37px–_builder_version=–4.16–_module_preset=–default–header_font=–Montserrat||||||–header_text_align=–left–header_text_color=–#FFFFFF–header_font_size=–17px–header_line_height=–2.2em–body_font=–Montserrat||||||–body_text_align=–center–body_text_color=–#0079a8–body_font_size=–18px–custom_margin=–||3px||false|false–custom_padding=–||||false|false–custom_css_blurb_image=–margin-bottom: 10px;–icon_font_size=–37px–global_colors_info=–{}–transform_styles__hover_enabled=–on|hover–transform_scale__hover=–103%|103%–transform_scale__hover_enabled=–on|hover–transform_translate__hover_enabled=–on|desktop–transform_rotate__hover_enabled=–on|desktop–transform_skew__hover_enabled=–on|desktop–transform_origin__hover_enabled=–on|desktop–[/et_pb_blurb][et_pb_blurb title=–MICROBIOLOGY/FUNGAL–url=–https://goldenpointlabs.com/microbiology-testing-services/–use_icon=–on–font_icon=–E||divi||400–icon_color=–#ffd700–icon_placement=–left–image_icon_width=–37px–_builder_version=–4.20.2–_module_preset=–default–header_font=–Montserrat||||||–header_text_align=–left–header_text_color=–#FFFFFF–header_font_size=–17px–header_line_height=–2.2em–body_font=–Montserrat||||||–body_text_align=–center–body_text_color=–#0079a8–body_font_size=–18px–custom_margin=–||3px||false|false–custom_padding=–||||false|false–custom_css_blurb_image=–margin-bottom: 10px;–icon_font_size=–37px–global_colors_info=–{}–transform_styles__hover_enabled=–on|hover–transform_scale__hover=–103%|103%–transform_scale__hover_enabled=–on|hover–transform_translate__hover_enabled=–on|desktop–transform_rotate__hover_enabled=–on|desktop–transform_skew__hover_enabled=–on|desktop–transform_origin__hover_enabled=–on|desktop–[/et_pb_blurb][et_pb_blurb title=–ALLERGENS–url=–https://goldenpointlabs.com/allergens-panel-profile-testing/–use_icon=–on–font_icon=–E||divi||400–icon_color=–#ffd700–icon_placement=–left–image_icon_width=–37px–_builder_version=–4.20.2–_module_preset=–default–header_font=–Montserrat||||||–header_text_align=–left–header_text_color=–#FFFFFF–header_font_size=–17px–header_line_height=–2.2em–body_font=–Montserrat||||||–body_text_align=–center–body_text_color=–#0079a8–body_font_size=–18px–custom_margin=–||3px||false|false–custom_padding=–||||false|false–custom_css_blurb_image=–margin-bottom: 10px;–icon_font_size=–37px–

global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•Search Lab
Testing Servicesâ€• url=â€•https://goldenpointlabs.com/lab-testing-services/â€• use_icon=â€•onâ€•
font_icon=â€•E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€•
image_icon_width=â€•37pxâ€• _builder_version=â€•4.20.1â€³ _module_preset=â€•defaultâ€•
header_font=â€•Montserrat|||||â€• header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€•
header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€•
body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€•
custom_margin=â€•||3px||false|falseâ€• custom_padding=â€•||||false|falseâ€•
custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•Test
Panels/Profilesâ€• url=â€•https://goldenpointlabs.com/test-panels/â€• use_icon=â€•onâ€• font_icon=â€•
E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€• image_icon_width=â€•37pxâ€•
_builder_version=â€•4.20.1â€³ _module_preset=â€•defaultâ€• header_font=â€•Montserrat|||||â€•
header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€• header_font_size=â€•17pxâ€•
header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€• body_text_align=â€•centerâ€•
body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€• custom_margin=â€•-
8px||12px||false|falseâ€• custom_padding=â€•||||false|falseâ€• custom_css_blurb_image=â€•margin-
bottom: 10px;â€• icon_font_size=â€•37pxâ€• global_colors_info=â€•{}â€•
transform_styles__hover_enabled=â€•on|hoverâ€• transform_scale__hover=â€•103%|103%â€•
transform_scale__hover_enabled=â€•on|hoverâ€• transform_translate__hover_enabled=â€•
on|desktopâ€• transform_rotate__hover_enabled=â€•on|desktopâ€•
transform_skew__hover_enabled=â€•on|desktopâ€• transform_origin__hover_enabled=â€•
on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•Lab Newsâ€• url=â€•
https://goldenpointlabs.com/blog/â€• use_icon=â€•onâ€• font_icon=â€•E||divi||400â€³ icon_color=â€•
#ffd700â€³ icon_placement=â€•leftâ€• image_icon_width=â€•37pxâ€• _builder_version=â€•4.16â€³
_module_preset=â€•defaultâ€• header_font=â€•Montserrat|||||â€• header_text_align=â€•leftâ€•
header_text_color=â€•#FFFFFFâ€• header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€•
body_font=â€•Montserrat|||||â€• body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³
body_font_size=â€•18pxâ€• custom_margin=â€•-7px||17px||false|falseâ€• custom_padding=â€•
||||false|falseâ€• custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb][et_pb_blurb title=â€•Employment
Opportunitiesâ€• url=â€•https://goldenpointlabs.com/employment-opportunities/â€• use_icon=â€•onâ€•
font_icon=â€•E||divi||400â€³ icon_color=â€•#ffd700â€³ icon_placement=â€•leftâ€•
image_icon_width=â€•37pxâ€• _builder_version=â€•4.17.6â€³ _module_preset=â€•defaultâ€•

header_font=â€•Montserrat|||||â€• header_text_align=â€•leftâ€• header_text_color=â€•#FFFFFFâ€•
header_font_size=â€•17pxâ€• header_line_height=â€•2.2emâ€• body_font=â€•Montserrat|||||â€•
body_text_align=â€•centerâ€• body_text_color=â€•#0079a8â€³ body_font_size=â€•18pxâ€•
custom_margin=â€•-7px||||false|falseâ€• custom_padding=â€•||||false|falseâ€•
custom_css_blurb_image=â€•margin-bottom: 10px;â€• icon_font_size=â€•37pxâ€•
global_colors_info=â€•{}â€• transform_styles__hover_enabled=â€•on|hoverâ€•
transform_scale__hover=â€•103%|103%â€• transform_scale__hover_enabled=â€•on|hoverâ€•
transform_translate__hover_enabled=â€•on|desktopâ€• transform_rotate__hover_enabled=â€•
on|desktopâ€• transform_skew__hover_enabled=â€•on|desktopâ€•
transform_origin__hover_enabled=â€•on|desktopâ€•[/et_pb_blurb]/[et_pb_column][et_pb_column
type=â€•1_3â€³ _builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• global_colors_info=â€•
{â€•}[/et_pb_text]_builder_version=â€•4.16â€³ _module_preset=â€•defaultâ€• header_2_font=â€•
Montserrat|700|||||â€• header_2_text_align=â€•centerâ€• header_2_text_color=â€•#FFFFFFâ€•
header_2_font_size=â€•34pxâ€• header_3_font=â€•Montserrat|600|||||â€• header_3_text_color=â€•
#FFFFFFâ€• header_3_letter_spacing=â€•4pxâ€• custom_margin=â€•||-1px||â€• custom_padding=â€•
21px||4px||â€• animation_style=â€•flipâ€• global_colors_info=â€•{}â€•]

Location

[/et_pb_text][et_pb_divider color=â€•#ffd700â€³ divider_weight=â€•1pxâ€• _builder_version=â€•4.16â€³
_module_preset=â€•defaultâ€• width=â€•100%â€• max_width=â€•28%â€• module_alignment=â€•leftâ€•
custom_margin=â€•||11px||false|falseâ€• custom_padding=â€•||||false|falseâ€• animation_style=â€•
slideâ€• animation_direction=â€•rightâ€• global_colors_info=â€•{}â€•[/et_pb_divider][et_pb_map
address=â€•153 Cahaba Valley Pkwy, Pelham, AL 35124, USAâ€• zoom_level=â€•15â€³
address_lat=â€•33.3382644â€³ address_lng=â€•-86.7858955â€³ _builder_version=â€•4.18.0â€³
_module_preset=â€•defaultâ€• module_alignment=â€•centerâ€• height=â€•607pxâ€• link_option_url=â€•
•https://www.google.com/maps/place/GoldenPoint+Scientific+Medical+Lab+Solutions/@33.3382644,-
86.7858955,17z/data=!3m1!4b1!4m5!3m4!1s0x0:0xc67b896f9a6911f7!8m2!3d33.3382644!4d-
86.7858955â€³ global_colors_info=â€•{}â€•[/et_pb_map_pin title=â€•GoldenPoint Scientific Medical
Laboratory Testingâ€• pin_address=â€•153 Cahaba Valley Pkwy, Pelham, AL 35124, USAâ€•
zoom_level=â€•11â€³ pin_address_lat=â€•33.3382644â€³ pin_address_lng=â€•-86.7858955â€³
_builder_version=â€•4.18.0â€³ _module_preset=â€•defaultâ€• global_colors_info=â€•{}â€•]

Powered by GoldenPoint Scientific Labs

[/et_pb_map_pin][et_pb_map][et_pb_button button_url=â€•
https://www.google.com/maps/place/GoldenPoint+Scientific+Medical+Lab+Solutions/@33.3382644,-
86.7858955,17z/data=!3m1!4b1!4m5!3m4!1s0x0:0xc67b896f9a6911f7!8m2!3d33.3382644!4d-
86.7858955â€³ url_new_window=â€•onâ€• button_text=â€•Directionsâ€• button_alignment=â€•leftâ€•
_builder_version=â€•4.18.0â€³ custom_button=â€•onâ€• button_text_size=â€•15pxâ€•
button_text_color=â€•#FFFFFFâ€• button_bg_color=â€•rgba(44,0,84,0)â€• button_border_width=â€•
1pxâ€• button_border_color=â€•#ffd700â€³ button_border_radius=â€•9pxâ€• button_letter_spacing=â€•
2pxâ€• button_font=â€•Montserrat|500|on||||â€• button_icon=â€•î€•|divi|400â€³ button_icon_color=â€•
#ffd700â€³ button_icon_placement=â€•leftâ€• button_on_hover=â€•offâ€• background_layout=â€•
darkâ€• custom_margin=â€•||||trueâ€• custom_padding=â€•9px|11px|9px|28px|true|falseâ€•
animation_style=â€•slideâ€• animation_direction=â€•topâ€• box_shadow_style=â€•preset3â€³
box_shadow_vertical=â€•5pxâ€• box_shadow_color=â€•#FFFFFFâ€• button_letter_spacing_hover=â€•
2pxâ€• button_bg_color_hover=â€•#00e2c4â€³ locked=â€•offâ€• global_colors_info=â€•{}â€•]

button_text_size__hover_enabled=â€•on|hoverâ€• button_one_text_size__hover_enabled=â€•offâ€•
button_two_text_size__hover_enabled=â€•offâ€• button_text_color__hover_enabled=â€•on|hoverâ€•
button_one_text_color__hover_enabled=â€•offâ€• button_two_text_color__hover_enabled=â€•offâ€•
button_border_width__hover_enabled=â€•offâ€• button_one_border_width__hover_enabled=â€•offâ€•
button_two_border_width__hover_enabled=â€•offâ€• button_border_color__hover_enabled=â€•offâ€•
button_one_border_color__hover_enabled=â€•offâ€• button_two_border_color__hover_enabled=â€•
offâ€• button_border_radius__hover_enabled=â€•offâ€•
button_one_border_radius__hover_enabled=â€•offâ€• button_two_border_radius__hover_enabled=â€•
offâ€• button_letter_spacing__hover_enabled=â€•onâ€• button_letter_spacing__hover=â€•2pxâ€•
button_one_letter_spacing__hover_enabled=â€•offâ€• button_two_letter_spacing__hover_enabled=â€•
offâ€• button_bg_color__hover_enabled=â€•on|desktopâ€• button_bg_color__hover=â€•#eaeaeaâ€•
button_one_bg_color__hover_enabled=â€•offâ€• button_two_bg_color__hover_enabled=â€•offâ€•
button_icon_color__hover_enabled=â€•on|hoverâ€• button_icon_color__hover=â€•#000000â€³
button_bg_enable_color__hover=â€•onâ€• button_text_color__hover=â€•#2c0054â€³
button_text_size__hover=â€•15pxâ€•][et_pb_button][et_pb_column][et_pb_row][et_pb_section]

Date Created

March 7, 2023

Author

admin

default watermark